

Permit No. G- 2166

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

XX We. Urlin S. Page and L. K. Page

(Name of applicant)

of 525 Court St. Salem

(Postoffice Address)

county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

( Not a corporation )

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lake Labish Drainage Ditch

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cubic feet per second on 135 acres

3. The use to which the water is to be applied is irrigation of agricultural and horticultural land

4. The well or other source is located 1550 ft. south and 2675 ft. east from the NW corner of Section 31 in Township 6 South, Range 2 West of the Willamette Meridian.

(N or S)

(E or W)

(Section or subdivision)

Marion County, Oregon.

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the SW 1/4 of the NE 1/4 of Sec. 31, Twp. 6S, R. 2 West

W. M., in the county of Marion, State of Oregon

5. The ... to be ... miles in length, terminating in the ... of Sec. ... Twp.

(Canal or pipe line)

(Smallest legal subdivision)

R ... W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Page No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of 1 well, at the present time, having a diameter of 10 inches and an estimated depth of 97 feet. It is estimated that 97 feet of the well will require welded casing. Depth to water table is estimated 5

(Give number of wells, tunnels, etc.)

(Kind)

5

See remarks

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(c) Length of pipe \_\_\_\_\_ ft.; size at intake \_\_\_\_\_ in.; in size at \_\_\_\_\_ from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type \_\_\_\_\_ Centrifugal - size not yet determined

Give horsepower and type of motor or engine to be used \_\_\_\_\_ gasoline motor - size not yet determined

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 South	2 West	30	SW of Se	15
6 South	2 West	30	SE of SW	40
6 South	2 West	30	SW of SW	12
6 South	2 West	31	NW of NE	20
6 South	2 West	31	NE of NW	38
6 South	2 West	31	NW of NW	7
6 South	2 West	31	SW of NE	4
6 South	2 West	31	SE of NW	6
★ 6 South	2 West	31	NW of NW	18
✱ 6 South	2 West	31	NE of NW	2
★ 6 South	2 West	31	SW of NW	6
★ 6 South	2 West	31	SE of NW	6

(If more space required, attach separate sheet)

Character of soil mostly clay - patches of beaverdam

Kind of crops raised onions, corn, seaside bent grass

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1100.00.....
- 15. Construction work will begin on or before May 7, 1962 (R. Stadel & Sons )
- 16. Construction work will be completed on or before May 18, 1962.....
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1965

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. .... an application for a permit to appropriate water from Lake Labish Drainage Ditch is pending on items marked \* of item 12 above

*Dr. Lucina Lambeth Page*  
(Signature of applicant)

Remarks: Water will be pumped into Labish Ditch at a point opposite the well and re-diverted downstream by portable pumping equipment. The quantity of water to be measured into and out of Labish Ditch. ~~On items marked \* above in No. 12 this permit is intended to be supplemental thereto, so that both sources may be used. The supplemental area is marked with diagonal lines running in a NW to SE direction on the attached plat to which reference is made.~~ (7-24-62 V.O. Mr. Poy)

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

By ..... ASSISTANT

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.22 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Page well No. 1

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 20, 1962

Actual construction work shall begin on or before July 24, 1963 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 24th day of July, 1962

Deputy

STATE ENGINEER

Application No. G-2251

Permit No. G-2251

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 24th day of July, 1962, at 10:45 o'clock A. M.

Returned to applicant:

Approved:

July 24, 1962

Recorded in book No. 8 of

Ground Water Permits on page 2156

STATE ENGINEER

Drainage Basin No. 2 page 22A