## Permit No. G- 2221

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, JOHN F. ALCHLI (Name of applicant)
of Route #1, Box 252A, Hermiston , county of Umutilla
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated foed canal, Hermiston Irrigation Diatrict
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is feet per second or gallons per minute.
3. The use to which the water is to be applied is Irrigation
0044
4. The well or other source is located 2000 ft. 1 and 1 ft. ft. from the
corner of a fourth 4. So mahip 4 North, Kango 26, d
(If preferable, give distance and bearing to section corner)
(If there is more than one we'l, each must be described. Use separate sheet if necessary)
being within the in the office of the office of Sec. 1000. Twp. 4.100. Realizable
W. M., in the county of Jima tilla
5. The Porphble Equipment to be mile
in length, terminating in the Of Sec. Twp.
R
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
8. The development will consist of aug out note having (Give number of wells, tunnels, etc.)
diameter of 1000 mehes and an estimated depth of 23 feet. It is estimated that
feet of the well will require

C	1 1	Α'	2.1	7.6.	TEA:	OR	PIPE	T.	INF.
<b>~</b> 2	J.,	Λ.	பெ	13	LLINI	$\alpha$	LILE		INE

igate. At headg	ate: width on to	p (at water lin	e)		feet; width on bo
fe	et; depth of wat	er .	feet; grade		feet fall per
isand feet.					
(b) At		les from headg	ate: width on top (d	it water line)	
	feet; width on l	bottom	feet; dept	th of water	
ie	feet fall p	per one thousan	ıd feet.		
(c) Length (	of pipe.	ft.; s	ize at intake,	in.; in :	size at
n intake	in.; s	size at place of	use	in.; differenc	e in elevation beti
ike and place of	use,	ft. I:	s grade uniform?		. Estimated capa
	sec. ft.				
10. If pump.	s are to be used.	give size and tr	pe 2 Jacrizzi	i 750 gal.	oentrifagal
Circa haman		l matan an anai	ne to be used 2	- 3CHP 616	atria
Give norsepo	ошет ана туре ој	motor or engi	ne w ve usea	201.2	
	•				
			****		
11. If the lo	cation of the wel	u, tunnei, or ou	net geneloomietil wi	irk is less inan	one-journamme jr
			the state of the s	maint an agal	af anal, abancul
urui sirea <b>m or</b>	stream channel	l, give the dist	tance to the nearest	point on each	of such channels
difference in e	stream channel levation betweer	l, give the dist	tance to the nearest	point on each	of such channels
difference in e	stream channel levation betweer	l, give the dist	tance to the nearest ed and the ground	point on each	of such channels
difference in e	levation betweer	l, give the dist n the stream bo	tance to the nearest ed and the ground :	t point on each surface at the	of such channels
difference in e	levation betweer	l, give the dist n the stream bo	tance to the nearest	t point on each surface at the	of such channels
difference in e	levation betweer	l, give the dist n the stream bo	tance to the nearest ed and the ground :	t point on each surface at the	of such channels
difference in e	levation betweer	l, give the dist n the stream bo	tance to the nearest ed and the ground :	t point on each surface at the	of such channels
difference in e	levation betweer	l, give the dist n the stream bo	tance to the nearest ed and the ground :	t point on each surface at the	of such channels
difference in e	levation between	l, give the dist	ance to the nearest	t point on each surface at the	of such channels
difference in e	levation between	l, give the dist	tance to the nearest ed and the ground :	t point on each surface at the	of such channels
difference in e	levation between	l, give the dist	ance to the nearest	t point on each	of such channels
difference in e	n of area to be in	l, give the dist	cance to the nearest	t point on each	of such channel. source of develop
12. Location Township N or S	n of area to be in	l, give the dist n the stream be rrigated, or pla	ce of use	t point on each	of such channel. source of develop
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated
12. Location  Township N or S	n of area to be in	rigated, or pla	ce of use	t point on each	n of such channel.  source of develop  Number Acres To Be Irrigated

Kind of crops raised row crops:

STATE ENGINEER

ASSISTANT

county, having a present population of in 18.  ANSWER QUESTIONS 14, 18, 18, 11 AND 18 IN ALL CASES  14. Estimated cost of proposed works, \$. 5,000.00  15. Construction work will begin on or before	IUNICIPAL SUPPLY—	ky of			•
ANSWER QUESTIONS 14. 15. 14. 15 AND 18 IN ALL CASES  14. Estimated cost of proposed works, \$. 5.000.00  15. Construction work will begin on or before				of	
ANSWER QUESTIONS 14, 18, 18, 18 AND 18 IN ALL CASES  14 Estimated cost of proposed works, \$. 5.000.00  15. Construction work will begin on or before March, 1960  16. Construction work will be completed on or before April, 1961  17. The water will be completely applied to the proposed use on or before Tune, 1961  18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, permit, certificate or adjudicated right to appropriate water, made or held by applicant.  Remarks: #14 above—costs involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch mat present works, that is well, pumps and motors, should be adequed to the state of the composition of t				•	•
16. Construction work will begin on or before March, 1960  16. Construction work will be completed on or before April, 1961  17. The water will be completely applied to the proposed use on or before June, 1961  18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, certificate or adjudicated right to appropriate water, made or held by pplicant.  Remarks: #14 above—costs involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch materials and motors, should be adequed by the supplemental to the proposed use on the supplemental to an existing water supply, identify any action for permit, certificate or adjudicated right to appropriate water, made or held by pplicant.  Remarks: #14 above—costs involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch materials and motors, should be adequed by the supplemental to the state Engineer, with the accompany and data, and return the same for the order to retain its priority, this application must be returned to the State Engineer, with				ATJ. CASPS	
15. Construction work will begin on or before March, 1960  16. Construction work will be completed on or before April, 1961  17. The water will be completely applied to the proposed use on or before June, 1961  18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, certificate or adjudicated right to appropriate water, made or held by applicant.  Remarks: #14 above—costs involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch material present works, that is well, pumps and motors, should be adequated by the supplemental works, that is well, pumps and motors, should be adequated by the supplemental works and material with the accompany of the supplemental works.  This is to certify that I have examined the foregoing application, together with the accompanys and data, and return the same for the supplemental to the State Engineer, with the order to retain its priority, this application must be returned to the State Engineer, with		•			
16. Construction work will be completed on or before April, 1961  17. The water will be completely applied to the proposed use on or before Tune, 1961  18. If the ground water supply is supplemental to an existing water supply, identify any estion for permit, permit, certificate or adjudicated right to appropriate water, made or held be applicant.  Remarks: #14 abovecosts involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch made and the adequate to the state and the adequate to the state and the state and the state and the foregoing application, together with the accompanys and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with				1060	
17. The water will be completely applied to the proposed use on or before. June, 1961  18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, permit, certificate or adjudicated right to appropriate water, made or held by applicant.  Remarks: #14 above—costs involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch material present works, that is well, pumps and motors, should be adequated by the state of the state of the state of the state and return the same for the order to retain its priority, this application must be returned to the State Engineer, with				₩ 🧎	
12. If the ground water supply is supplemental to an existing water supply, identify any atton for permit, permit, certificate or adjudicated right to appropriate water, made or held by applicant.    Control of Oregon,   County of Marion,   Count					1061
STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanys and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with			**		
Remarks: #14 above—costs involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch mai Present works, that is well, pumps and motors, should be adeque  STATE OF OREGON,  County of Marion,   This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with	15. If the ground wation for permit, permit	vater supply is suppleme i, certificate or adjudical	ntal to an existi ed right to appr	ng water supply, went ropriate water, made o	held by the
Remarks: #14 abovecosts involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch mai Present works, that is well, pumps and motors, should be adeque stated by the state of the state	applicant.				
Remarks: #14 abovecosts involve tunneling under railroad right of way to carry water from well, plus additional 6 & 8 inch mai Present works, that is well, pumps and motors, should be adeque stated by the state of the state			<u> </u>		<del>/</del>
of way to carry water from well, plus additional 6 & 8 inch main and Present works, that is well, pumps and motors, should be adequed additional form of the state and should be adequed by the state of the state and should be adequed by the state and should be adequed by the state and should be adequed by the state adequed by the state and should be adequed by the state adequed by the state and should be adequed by the state a			ohn	2 Walch	4
of way to carry water from well, plus additional 6 & 8 inch main and Present works, that is well, pumps and motors, should be adequed by the state of the state additional forms and state and return the same for the order to retain its priority, this application must be returned to the State Engineer, with	Remarks: #14 al	ovecosts invol	ve tunneling	under railroad	right
STATE OF OREGON, (ss.  County of Marion, (ss.)  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for					
STATE OF OREGON, Ss.  County of Marion, Ss.  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for	Present works	. that is well. p	umps and mo	tors, should be	adequate
STATE OF OREGON, \ ss.  County of Marion, \ Ss.  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with		,			M. M. D. Of Co.
STATE OF OREGON, \ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with			•••		
STATE OF OREGON, \ss.  County of Marion, \ss.  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with					
STATE OF OREGON, \ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with			·• •• · · · · · · · · · · · · · · · · ·	······································	•••••
STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with					······································
STATE OF OREGON, \\ ss.  County of Marion, \\  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with					••••
STATE OF OREGON, \ss.  County of Marion, \ss.  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with	• •				
STATE OF OREGON, \( \sigma ss. \)  County of Marion, \( \sigma ss. \)  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with			••••	· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with			****		
STATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with					• • • • • • • • • • • • • • • • • • • •
County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for					
County of Marion,  This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with					
This is to certify that I have examined the foregoing application, together with the accomp maps and data, and return the same for		ss.			
In order to retain its priority, this application must be returned to the State Engineer, with				naine annah mendah ah a	
In order to retain its priority, this application must be returned to the State Engineer, with					
	maps and data, and retur	n the same for			
tions on or before, 19	In order to retain	its priority, this applicat	ion must be retur	ned to the State Engine	er, with corr
•	tions on or before		. <b>, 19.</b>		
WITNESS my hand this day of , 19	WITNESS my han	id this day of .			
	J	· .			

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The				which can be applied to	
shall note:	•			at the point of diversion	
	ppropriation, or its	equivalent in case of ro	tation with o	ther water users, from	an excavated
u <b>mp</b> The	use to which this u	vater is to be applied is	1:	rrigation	
·······	······································		•••		······································
If fo	r irrigation, this ap	propriation shall be lin	rited to	√90 <sup>2</sup> of one cub	ic foot per second
or its equi	valent for each acr	e irrigated and shall be	e furth <b>er lim</b> i	ited to a diversion of not	to exceed 3
acte feet p	per acre for each ac	cre irrigated during the	e irrigation s	eason of each year;	<u></u>
••••			······································		······································
•••••					
*** ******					
*****					
				be ordered by the proper	
the work <mark>s</mark>	shall include prope	er capping and control	valve to pre	good practice and if the vent the waste of ground	d water.
line, adeq	uate to determine	water level elevation	in the well a	sure gauge or an access ; t all times.	
The keep a con	permittee shall in mplete record of th	stall and maintain a w e amount of ground w	eir, meter, or ater withdra	rother suitable measurin wn.	g device, and shall
	priority date of th	•		7 26, 1960	
				December 10, 1963	
				mpleted on or before O	
				ill be made on or before	
WI	TNESS my hand th	nis		December , 19	
			(	ine I so	STATE ENGINEER
		e waar na a	:	· · · · · · · · · · · · · · · · · · ·	: 4
!	ρ	in th regon		· 7	ğ
و	OUN	m, 0 21.4 M.		92	re 19
1686	E GRO	nent was first received the Engineer at Salem, Oday of FED W. W. W.		52 9e 9e	раде
G- 16	RMIT ATE THE OF THE SOREGON	first first eer a eer a ck. /		December 10, 1962 led in book No.	<b>E</b>
No.	PERMIT PRIATE TH (S OF THE DF OREGON	was fi inginee of FE o'clock	;;	r 10, ok No	Sin No. 7
ation No.	PI OPR OF	ment tate E day	oplica	n boc	L. 1 Zasın
Application No. G-Permit No. G-	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	nstru the St	to ag	d: Dece ded ti	CHRIS L
ण मूँ	TO A	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the St. day of FED W. W. Y. Y. 1960, at 100 o'clock P. M.	Returned to applicant:	Approved:  December 10, 1962  Recorded in book No.  Ground Water Permits on page	CHRIS L. WHE.  Drainage Basin No.
	1 8 9 8	This office of on the same 1960,	Reti	App F	7