3222251.40

Permit No. G- 2224

APPLICATION FOR A PERMIT

To-Appropriate the Ground Waters of the State of Oregon

I, Marlin W. School
of 7657 Wheatland Rd. N. E. Salue Oreson , county of Marion ,
state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Clear Lake is is mile South West (Name of stream)
tributary of Willamette
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Sprinkler irrigation for
row erope
4. The well or other source is located 990 ft. S and 825 ft. W from the Wolfe
corner of Sec 23 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the boundaries NE/4 NE/4 of Sec. 2344 , Twp. 68 , R. 38
W. M., in the county of Karlon
5. The pipe line to be 5 tenths miles
in length, terminating in the boundaries of Sec
R. 31 . W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en de la companya de
en e
8. The development will consist of
diameter of 8 inches and an estimated depth of 186 feet. It is estimated that 186
feet of the well will require 250 ENEN casing. Depth to water table is estimated 45 (Foot)

9. (a) Giv	e dimensions at ea	ch point of car	tat where materially changes i	n size, statin <mark>g miles fron</mark>
eadgate. At hea	dgate: width on top	o (at water line	e)	feet; width on botton
	feet; depth of wate	e r	feet; grade	. feet fall per on
ousand feet.				
(Б) At	mil	es from headge	ate: width on top (at water line	•)
	feet; width on b	ottom	feet; depth of water	fee
rade	feet fall p	er one thous an	d feet.	
(c) Lengtl	of pipe, 5.46	0 ft.; si	ze at intake,5 in.;	in size at 870
om intake	• in.; s	ize at place of 1	use in.; differen	ence in elevation betwee
itake an d pla ce	of use, same		grade uniform?	. Estimated capacit
10. If pun	ips are to be used, g	rive size and ty	pe Western Turbin	ae Pump
			ff 745 4 stage Porclain	
Give horse	epower and type of	motor or engir	ne to be used 40 H.P. U.	5. Motor
atural stream	location of the well or stream channel.	l, tunnel, or oth . give the dist	ner development work is less th ance to the nearest point on e ed and the ground surface at t	an one-fourth mile from ach of such channels a
atural stream ne difference in	location of the well or stream channel, elevation between	l, tunnel, or oth , give the dist , the stream be	ner development work is less the ance to the nearest point on end and the ground surface at the ground surface	an one-fourth mile from ach of such channels a he source of developme
a!ural stream he difference in	location of the well or stream channel, delevation between ion of area to be in	l, tunnel, or oth , give the dist , the stream be	ner development work is less the ance to the nearest point on end and the ground surface at the ground surface	an one-fourth mile from ach of such channels at he source of developme
atural stream he difference in 12. Locat	location of the well or stream channel, elevation between ion of area to be in	l, tunnel, or oth , give the dist the stream be	ner development work is less the ance to the nearest point on end and the ground surface at the area on an area of use. All area on an	an one-fourth mile from ach of such channels an he source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	l, tunnel, or oth , give the dist the stream be rigated, or place	ner development work is less the ance to the nearest point on end and the ground surface at the ce of use. All area on end area on end area.	an one-fourth mile from ach of such channels as the source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	l, tunnel, or oth , give the dist the stream be	ner development work is less the ance to the nearest point on end and the ground surface at the area on an area of use. All area on an	an one-fourth mile from ach of such channels as the source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	l, tunnel, or oth , give the dist the stream be rigated, or place	ner development work is less the ance to the nearest point on end and the ground surface at the area on an end area on an end area. Pury-serv Tract	an one-fourth mile from ach of such channels as the source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	tunnel, or oth give the dist the stream be trigated, or places	ner development work is less the ance to the nearest point on each and the ground surface at the area on an each of use	an one-fourth mile from ach of such channels an he source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	tunnel, or oth give the dist the stream be trigated, or places	ner development work is less the ance to the nearest point on end and the ground surface at the area on an end area on an end area. Pury-serv Tract	an one-fourth mile from ach of such channels as the source of developme closed maps
atural stream the difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	tunnel, or oth give the dist the stream be trigated, or places	ce of use All area on en	an one-fourth mile from ach of such channels an he source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	tunnel, or oth give the dist the stream be trigated, or places	rer development work is less the ance to the nearest point on each and the ground surface at the area on an each of use. All area on an each of the first of the surface of use. All area on an each of the surface of use.	an one-fourth mile from ach of such channels ar he source of developme closed maps
atural stream he difference in 12. Locat	location of the well or stream channel, delevation between ion of area to be in	tunnel, or oth give the dist the stream be trigated, or places	rer development work is less the ance to the nearest point on each and the ground surface at the area on an each of use. All area on an each of the first of the surface of use. All area on an each of the surface of use.	an one-fourth mile from ach of such channels ar he source of development closed maps
atural stream he difference in 12. Locat Township N or 8	location of the well or stream channel, elevation between ion of area to be ir Range Z. or W. of Williamette Meridian	tunnel, or oth give the dist. the stream be rigated, or place. Section 24 27 23	rer development work is less the ance to the nearest point on each and the ground surface at the control of the	an one-fourth mile from ach of such channels ar he source of developme closed maps Number Acres To Be Irrepted 12.4 AC.
atural stream he difference in 12. Locat Township N or 8	location of the well or stream channel, elevation between ion of area to be ir Range E or W of Willamette Meridian	tunnel, or oth give the district the stream be rigated, or place section 24 23 23	rer development work is less the ance to the nearest point on each and the ground surface at the and the ground surface at the analysis of the surface on an each and the ground surface of the ground	an one-fourth mile from ach of such channels ar he source of developme Closed maps Number Acres To Be Irregued 10 15.5. 12.4 16., 17.5 15.5
12. Locat Township N or 8 65 65.	location of the well or stream channel, elevation between ion of area to be ir Range Williamette Meridian	tunnel, or oth give the district the stream be rigated, or place section 24 27 23 23 23 23 23	rer development work is less the ance to the nearest point on each and the ground surface at the and the ground surface at the series tract Torty-sere Tract N.E./4 N.E./4 N.W/4 N.E./4 N.W/4 N.E./4 N.W/4 N.E./4 SV 2 of NE 2	an one-fourth mile from ach of such channels and he source of development of the source

Character of soil Berries and Beans All row crop Kind of crops raised

13. To supply the city of	
······································	ty, having a present population of
nd an estimated population of	ts 19
ANSWER QUE	STRONG 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed	l works, \$ \$4,800.00
15. Construction work will beg	gin on or before
	completed on or before Irrigation now in has
•	ely applied to the proposed use on or before
,	ly is supplemental to an existing water supply, identify any app
	te or adjudicated right to appropriate water, made or held by the
pplicant.	
•	Marlin Schang
Remarks:	(altimute or district)
• • • • • • • • • • • • • • • • • • • •	
	·
STATE OF OREGON	
STATE OF OREGON, County of Marion,	•
	examined the foregoing application, together with the accompanyi
mups and data, and return the same	for completion
	, this application must be returned to the State Engineer, with corr
tions on or before	it 21 19 62
WITNESS my hand this 21	day of June 19 62
;	AIMTO I INC.
્રં	CHRIS L. WHEELER

HRIS L. WHEELER

By Walts 11

County of Marion,

The righ	t herein grante	d is limited to the amo	ount of water	which can be app	lied to be	meficial us	e and
all not excee	d 0.71	cubic feet per seco	ond measured	at the point of d	iversion j	rom the w	ell or
urce of appro	priation, or its	equivalent in case of r	otation with	other water users	, from	a well	
The use		pater is to be applied				· · · · · · · · · · · · · · · · · · ·	
If for irr	igation, this ap	propriation shall be li	mited to	/80 th of	one cubic	foot per s	econd
it s equi vale	nt for each acre	e irrigated and shall b	e further lim	i ted t o a diversion	n of not to	exceed	21/2
re feet per a	icre for each ac	re irrigated during th	re i rrigation	eason of each ye	at;		•••••
•			·				••••••
		•••••	••••	••••			••••
					.,	*******	••••••
							· · · · · · · · · · · · · · · · · · ·
						·	
							
ad shall he s	thiest to such r	easonable rotation sy:	stem as mau	be ordered by the	e pr oper s	tate office	7.
•	ority date of thi	e amount of ground u		June 4, 1962			
	•	ork shall begin on or l					•
		th reasonable diligen					
		of the water to the pro					
WITNE	SS my hand th	is day of .	a l	December	,19	2 .	
				 	- Hadel	STATE ENG	DOFFER
	ï	ا ' نا او ا	1	1	5 		<u> </u>
	ΩX	received in the Salem, Oregon			R	Na X	3
÷	GROUND	eived lem, C			N	ă O	Š
X	5 K	t rec at Sal		0	•	¥1.	
77	MIT E THE THE S EGON	s firs		r 10, 1962	. £	E	
6. Ye	PERMI PRIATE T SS OF TH OF OREGO	t was fi Enginee 1 of o'clock	ant:	10,	mite	WHENT IN	
<u>-</u> <,	PERN APPROPRIATE WATERS OF T	This instrument was first received in the office of the State Engineer at Salem, Oregon on the ZZ day of ZZ.	rned to applicant	r d	Recorded in book No		
Applica Permit	APPR	is instru of the Si	I to a	i,	aea Wate	CHECLS	
, <u>F</u>	TO A	This ins office of the on the 19, at	r aec	rvved:	Pun Rug		
	-	T ffic ffic m tl	Retu	App	Ę		, , ;