

STATE OF OREGON
DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES

Permit No. G-2250

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Corvallis Sand & Gravel Company

(Name of applicant)

of P. O. Box 691, Corvallis, county of Benton

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

April 26, 1915, Corvallis, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 111 3 cubic feet per second or 1350 gallons per minute.

1350

3. The use to which the water is to be applied is Manufacturing - Operation of a concrete batching plant, asphalt plant, and sand and gravel production plant.

4. The well or other source is located 1003 ft. North and 930 ft. West from the common corner of Sections 1, 2, 11, 12, all in Township 12 South, Range 5 West of the Willamette Meridian, County of Benton. This pump can also be located 520 feet on a bearing N 57° W from the Southeast corner of the J. C. Avery D.L.C.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the SE 1/4 of Sec. 2, Twp. 12 South, R. 5 West, W. M., in the county of Benton

5. The two pipe lines to be 200 feet

(Canal or pipe line)

in length, terminating in the NE 1/4 of the SE 1/4 of Sec. 2, Twp. 12 S

(Smallest legal subdivision)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 6 inches and an estimated depth of 40 feet. It is estimated that 40

(Give number of wells, tunnels, etc.)

feet of the well will require 6" casing. Depth to water table is estimated 20

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 6 in.; in size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? **yes** Estimated capacity, 10 sec. ft. **two lines**

10. If pumps are to be used, give size and type **Jacuzzi - 6-inch**

Give horsepower and type of motor or engine to be used **15 H.P. - High pressure turbine pump - vertical motor**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well 600 feet from Willamette River and 20 feet higher

12. Location of area to be irrigated, or place of use

| Township N or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|---|---------------------------------------|---------|------------------|------------------------------|
| <p>Beginning at a certain point called the initial point, being in the center of the 40 foot wide county road as now located, and known as the Fischer or Crystal Lake Cemetary Road where the same now crosses the S. line of the property of the Fischer Bros. Milling Company, also being the South line of the Joseph C. Avery D.L.C., and the North line of the Joseph C. Alexander DLC; thence East along the North line of the said Joseph C. Alexander DLC or an easterly extension thereof, 1932 feet to a point on the present right bank of the Willamette River, facing down stream; thence Northwesterly down stream and along the right bank of the Willamette River to a point in the center of the old channel of said river; thence South 45° 08' West to the intersection with a line running South 80° 07' East from a certain Balm tree hereinafter described; thence North 80° 07' West down stream to a Balm tree on the south bank of the Willamette River and herein before referred to. (Said tree being located as follows: Beginning at the initial point of property herein described; thence running West along the South line of the Joseph C. Avery DLC 116 feet; thence North 24° 08' West 900 feet to an iron rod; thence North 40 feet to the said Balm tree); thence from said Balm tree South 40 feet; thence South 24° 08' East 900 feet to the South line of said Joseph C. Avery DLC; thence East following the South line of the said Joseph C. Avery DLC 116 feet to the initial point and place of beginning.</p> | | | | |
| 12 S | 5 W | 2 | SE, SE | |

(If more space required, attach separate sheet)

Character of soil **Rocky**

Kind of crops raised **None**

MUNICIPAL SUPPLY--

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2,000.00
- 15. Construction work will begin on or before 2/1/62
- 16. Construction work will be completed on or before 3/1/62
- 17. The water will be completely applied to the proposed use on or before 3/1/62

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Application made for public water use at our plant.

CORVALLIS SAND & GRAVEL CO.
(Signature of applicant)
John H. Gallagher, Jr., President

Remarks:

It is understood that this application and subsequent permit will not in any way waive any of our rights to the use of water from the Willamette River. We have been operating in Corvallis and using the water from the Willamette River since 1911. This property was purchased from Fischer Bros. milling company who used water many years prior to 1909.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 17, 1962 November 26, 1962

WITNESS my hand this 19th day of April, 1962
25th day of October 1962

RECEIVED
SEP - 4 1962
L. WIS A. STANLEY
STATE ENGINEER
SALEM, OREGON
(Signature)
James W. Carver, Jr.
eh

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 2

The use to which this water is to be applied is industrial

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 4, 1962

Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 24th day of January, 1963

John L. Wheeler

STATE ENGINEER

Application No. G-2253

Permit No. G-2250

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of January, 1963, at 5:00 o'clock P. M.

Returned to applicant:

Approved:

January 4, 1963

Recorded in book No. 9 of

Ground Water Permits on page 2250

John L. Wheeler
STATE ENGINEER

Drainage Basin No. 2 page 264

Single Printing