

Permit No. G- 226

APPLICATION FOR A PERMIT

STATE OF OREGON

To appropriate the Ground Waters of the State of Oregon

I, Pearl F. and Ernest I. Pletzer (Name of applicant)

of Marion (Postoffice Address), county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated North Santiam River (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.78 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation of minimum row crops

4. The well or other source is located 667.2 ft. North and 2,643.54 ft. from the corner of (N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being situated in the NW 1/4 of NW 1/4 of Sec. 9 Twp. 10 S. R. 1 W. W. M. in the county of Marion.

5. The 8" Pipe line (Portable) to be 1.2 miles in length terminating in the NW 1/4 of NW 1/4 of Sec. 4 Twp. 10 S.

R. 1 W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the artesian flow must be described.

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 28 feet. It is estimated that 28 feet of casing will require 561 casing. Depth to water table is estimated 25 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 2640 ft.; size at intake, 5" in.; in size at _____ ft. from intake _____ in.; size at place of use 5" in.; difference in elevation between intake and place of use, None ft. Is grade uniform? Yes Estimated capacity, 1.78 sec. ft.

10. If pumps are to be used, give size and type 8" Centrifugal 500 G.P.M.

Give horsepower and type of motor or engine to be used 20 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
				627
				627
				15.34
				627
				627
				627
				107.08

(If more space required, attach separate sheet.)

Character of soil Menalis and Newberg

Kind of crops raised Wheat and hay crops

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.34 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Piezzer Well No. 3

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 4, 1956

Actual construction work shall begin on or before May 23, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 23rd day of May, 1956

Lewis A. Stanley STATE ENGINEER

Application No. G-347

Permit No. G-266

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 4 day of May 1956 at 11:45 o'clock A.M.

Returned to applicant:

Approved: May 23, 1956

Recorded in book No. 1 of 226 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER Drainage Basin No. 2 page 916

See file #...