

RECEIVED
AUG 27 1962
STATE ENGINEER
SALEM, OREGON

Permit No. G-2260

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Robert E. Bollinger (Name of applicant)
of Oaks Amusement Park, Portland 2, Oregon, county of Multnomah (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 100 gallons per minute.

3. The use to which the water is to be applied is to cool water coils in air conditioning unit in Oaks Park Roller Rink

4. The well or other source is located 580' (North or S) and 18' West of North From City of Portland Class A Bench Marker #931, refer to exhibit #1 Section or subdivision United States Department of Commerce, Coast & Geodetic Survey Map, Oregon City No. 2 (If preferable, give distance and bearing to section corner) DLC #51 Being 840 ft North and 600 ft East From N. W. Corner H Llewelyn (If there is more than one well, each must be described. Use separate sheet if necessary) being within the Tax lot #43 N.E. 1/4 N.E. 1/4 of Sec. 22 Twp. 1S R. 1E W. M., in the county of Multnomah

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc) having a diameter of 8 inches and an estimated depth of 90 feet. It is estimated that feet of the well will require 8" steel (Kind) casing. Depth to water table is estimated 40 (Feet)

MUNICIPAL SUPPLY—

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$1,800.00.....

15. Construction work will begin on or before May 20, 1962.....

16. Construction work will be completed on or before June 20, 1962.....

17. The water will be completely applied to the proposed use on or before July 1st.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Description of Property

Robert E. Ballinger (Signature of applicant)

Remarks: Beginning at an iron pipe set West 40.25 feet from station 203 + 40.63 of the Portland Electric Power Company River Front Line said iron pipe being North 911.39 feet and West 346.74 feet from the Northwest corner of Block "A", Town of Sellwood, now within the City of Portland, Multnomah County, Oregon; thence North 75° 18' West 397.10 feet to an iron pipe set on the meander line of the right bank of the Willamette River thence tracing the meander line of the Willamette River down stream the following courses and distances; North 1° 00' West 565.15 feet, North 6° 00' East 929.94 feet; North 30° 30' East 390.98 feet to an iron set in the south line of property being leased to the Oregon Yacht Club; thence South 77° 24' East 62.13 feet to an iron pipe; thence North 11° 48' East 91.22 feet to a point; thence North 88° 47' East 723.83 feet to an iron pipe set 40 feet from when measured at right angles to the center line of the West track Portland Electric Power Company River Front Line; thence 24° 13' West 1005.04 feet parallel to and 40 feet Westerly of said center line of the West Track Portland Electric Power Company River Front Line to an iron pipe set opposite station 192.16.29 P.C. of said River Front Line; thence on a 1° 19' curve to the left 213.2 feet more or less to the point of compound curve opposite station 194+29.42 of said River Front Line; thence on a 1° 50' 15" curve to the left 925 feet more or less to the place of beginning and containing 27.45 acres, now known as the Oaks Park, together with all the right, title and interest of the mortgagor in and to the shore lands abutting upon the above described meander line and the riparian rights incident thereto;

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 19, 1962.

WITNESS my hand this 18th day of September, 1962.

THOMAS L. WHEELER STATE ENGINEER
Walter M. Perry ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is air conditioning

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 27, 1962

Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 24th day of January, 1963

Chris L. Wheeler
STATE ENGINEER

Application No. G- 2126

Permit No. G- 2260

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of August 1962, at 2:00 o'clock P.M.

Returned to applicant:

Approved:

January 24, 1963

Recorded in book No. 9 of

Ground Water Permits on page 2260

CHRIS L. WHEELER, STATE ENGINEER

Drainage Basin No. 2 page 96P