

Permit No. G- 2274

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

7, L.B.& R.CAMPBRIL
of PRINCETON , county of HARNEY ,
state ofOREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated DONNER UND BLITZEN RIVER (Name of Stream)
tributary of MALHEUR LAKE
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 2000 gallons per minute.
3. The use to which the water is to be applied is Supplementary Irrigation
4. The well or other source is located 4290 ft. and ft. from the
corner of
4290 feet N.48°41' E. from the Southwest corner of Section (M preferable, give distance and bearing to section corner)
33 Twp.26 S.Range 31 E.W.M. South of Malheur Lake (If there is more than one we' each must be described. Use separate sheet if necessary)
being within the SW. NE. of Sec. 33 , Twp. 26 S. R. 31 E.
W. M., in the county of Harney South of Malheur Lake
5. The to be miles
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Campbell Well No.1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
en de la companya de
en e
8. The development will consist of one well having a
diameter of 12 inches and an estimated depth of 330 feet. It is estimated that 320
feet of the well will require 8teel casing. Depth to water table is estimated (Kind)
en de la companya de La companya de la co

~	A N	TAT	SYSTEM	OP	DIDE	TIME
L.	AΝ	AL	SYSTEM	OK	PIPE	LINE

ate. At near	dgate: width on top	(at water li	ne)	feet; width on bo
	feet; depth of wate	7	feet; grade	feet fall pe
and feet.				,
(b) At	mile	es from head	lgate: width on top (at water line)
·	feet; width on be	ottom	feet; depth of water	
•••••	feet fall pe	r one thousa	and feet.	
(c) Length	of pipe,	ft.;	size at intake, in.;	n size at
intake	in.; si	ze at place o	f use in.; differe	ence in elevation bet
e and place (of use,	ft.	Is grade uniform?	Estimated cap
	sec. ft.			
10. If pum	ps are to be used, g	ive size and	type and size no	t known yet
		· · · · · · · · · · · · · · · · · · ·		
Give horse	power and type of	motor or eng	gine to be used 35 hors	e power
Electri	c inotor not l	known yet	t	
ral stream o		give the di	stance to the nearest point on e bed and the ground surface at the	
ral stream (ifference in	or stream channel, elevation between ion of area to be irr	give the di the stream l	stance to the nearest point on e	re source of develop
ral stream (ifference in	or stream channel, elevation between	give the di the stream l	stance to the nearest point on e bed and the ground surface at t	he source of develop
ral stream of ifference in 12. Locati	ion of area to be irr	give the di the stream l	stance to the nearest point on e bed and the ground surface at t ace of use Harney Count	Number Acres
ral stream of ifference in 12. Locati	or stream channel, elevation between ion of area to be irr	give the di the stream l	stance to the nearest point on e bed and the ground surface at the december of use. Harney Count	Number Acres To Be Irrigated
12. Locati	or stream channel, elevation between ion of area to be irrectly a compared to the irrectly and in the irrectly area of will ametic Meridian in the irrectly and in the irrectly area of will ametic Meridian in the irrectly and irrectly area of will ametic Meridian in the irrectly area of the irrectly are	give the di the stream l	stance to the nearest point on e bed and the ground surface at the lace of use. Harney Count Forty-acre Tract Lot 8 NW 2 SW 2	Number Acres To Be Irrigated
12. Locati Township N or 8. 26 S.	or stream channel, elevation between to of area to be irrectly and the irrectly and the irrectly and in the irrectly area of williamette Meridian and E. 31 E.	give the di the stream l	stance to the nearest point on e bed and the ground surface at the bed and the ground surface of use Harney Count Forty-acre Tract Lot 8 NW SW NW SW NW	Number Acres To Be Irrigated 39
12. Locati Township N or 8. 26 S. 26 S.	ion of area to be irr Range 2. or w. of williamette Meridian 31 E. 31 E. 31 E.	igated, or pl	stance to the nearest point on e bed and the ground surface at the the ground surfac	Number Acres To Be Irrigated 39 40
12. Locati Township N or 8. 26 S. 26 S. 26 S.	ion of area to be irrection between Range 2 or W of Williamette Meridian 31 E 31 E. 31 E.	give the di the stream l	stance to the nearest point on e bed and the ground surface at the the gro	Number Acres To Be irrigated 39 40 40 31.50
12. Locati Township N. or S. 26 S. 26 S. 26 S.	r stream channel, elevation between ion of area to be irr Range Range Willamette Meridian 31 E 31 E 31 E. 31 E. 31 E.	give the di the stream l	stance to the nearest point on e bed and the ground surface at the the ground surfac	Number Acres To Be irrigated 39 40 40 31.50
12. Locati Township N or 8. 26 S. 26 S. 26 S. 26 S.	or stream channel, elevation between ion of area to be irrectly and the irrectly and in the irrectly and irrectly are an irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly	give the dithe stream is s	stance to the nearest point on e bed and the ground surface at the the ground surfac	Number Acres To Be Irrigated 39 40 40 31.50 40 22.50
12. Locati 12. Locati 13. Locati 14. Locati 15. Locati 16. S. 26. S. 26. S. 26. S. 26. S. 26. S. 26. S.	r stream channel, elevation between from of area to be irrectly and the irrectly and the irrectly and in the irrectly and irrectly	igated, or placetion 33 33 33 33 33 33	stance to the nearest point on e bed and the ground surface at the the gro	Number Acres To Be Irrigated 39 40 40 31.50 40 22.50 40
12. Locati 12. Locati 12. S. 26 S.	r stream channel, elevation between on of area to be irrectly and the stream of williamette Meridian on the stream of the stream	igated, or pl cection 33 33 33 33 33 33 33 33 33	stance to the nearest point on e bed and the ground surface at the the ground surf	Number Acres To Be Irrigated 39 40 40 31.50 40 22.50 40 18.5 40
12. Locati Township N or 8. 26 S. 26 S. 26 S. 26 S. 26 S. 26 S.	or stream channel, elevation between son of area to be irrectly and the stream of the	igated, or pl	stance to the nearest point on e bed and the ground surface at the the ground surf	Number Acres To Be Irrugated 39 40 40 31.50 40 22.50 40 18.5

Kind of crops raised

Hay and pasture

	L SUPPLY—	: :ity of			
	\$0.000 to 1000 to 000 to 00	county, h	eving a present	population of	
nd en eeth	mated populati	ion of	in 19	ordoons of	
	AN	ISWER QUESTIO	NB 14, 15, 16, 17	AND IS IN ALL CAS	ES.
14. E	Istimated 'cost	of proposed wor	ks, \$ 15,000	•00	
15. C	Construction w	ork will begin or	s or before	Sept. 20 1962	
16. C	Construction w	ork will be comp	leted on or befor	e May 1963	<u>.</u>
17. 7	The water will	be completely a	pplied to the pro	posed use on or befo	re July 1964
18. I	f the ground	water supply is	supplemental t	o an existing water tht to appropriate v	supply, identify any apposter, made or held by
pplicant.		•		s claimants t	
••	he Waters	of Donner			
•	I Cond	E. Cami	shell x.	Ruth U	of applicant
Rem	arks:	he existing	channels	and canals wi	ll be used in
t1	he the dis	stribution	of water fr	om the well a	sprinkling
8)	ystem may	be install	ed.		
			·		
·	· · · · · · · · · · · · · · · · · · ·			······································	
·					
		······································		······	
			······································		
,			•••••		
			•••••••••••••••••••••••••••••••••••••••		
STATE O	F OREGON,		•		
County	y of Marion,	88.			
This	s is to certify	that I have exa	mined the foreg	oing application, tog	ether with the accompan
maps and	data, and retu	irn the same for			
			·••···	,	
In	order to retain	ı its priority, thi	is application m	ust be returned to th	e State Engineer, with co
tions on o	or before		, 19	•	
WI	TNESS my ha	nd this	day of		, 19
			• · · •		STATE ENGIN

Ву

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

well No. 1 The use to which this water is to be applied is supplemental irrigation If for irrigation, this appropriation shall be limited to 480 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall		1. 1.6	d is limited to the amo	-			
well No. 1 The use to which this water is to be applied is Supplemental irrigation If for irrigation, this appropriation shall be limited to			• •		•	Comph	
The use to which this water is to be applied is Supplemental irrigation If for irrigation, this appropriation shall be limited to "1/809" of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65 Complete application of the water to the proposed use shall be made on or before October 1, 19			equivalent in case of ro	tation with	other water users,	from	
are feet per acre for each acre irrigated and shall be further limited to a diversion of not to exceed. acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65 Complete application of the water to the proposed use shall be made on or before October 1, 19	* • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••	pater is to be applied is	suppl	emental irrigat	ion	
that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65 Complete application of the water to the proposed use shall be made on or before October 1, 19							•
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	a cre feet p	er acre for each ac	re irrigated during the	e irrigation	season of each yea	r; provided	further
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.64 Complete application of the water to the proposed use shall be made on or before October 1, 19.65	that the	right allowed	herein shall be 1	imited to	any deficiency	in the ava	ilable
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.64 Complete application of the water to the proposed use shall be made on or before October 1, 19.65	supply o	of any prior rig	tht existing for t	he same 1	and and shall r	not exceed t	he
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 1, 1962 Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.64 Complete application of the water to the proposed use shall be made on or before October 1, 19.65	limitati	on allowed here	ein,	•••···································	······································	•••••	
	The the works The line, adequ The keep a con The Actu thereafter	well shall be cased shall include proper works constructed uate to determine to permittee shall insupplete record of the priority date of the ual construction we be prosecuted with applete application of the property date of the prosecuted with the property of the prosecuted with the property of the prope	d as necessary in accorder capping and control shall include an air limater level elevation stall and maintain a we amount of ground we are shall begin on or both reasonable diligence of the water to the property captures.	rdance with valve to prine and pre in the well eir, meter, ater withdrefore and be coposed use should be copos	a good practice an revent the waste of ssure gauge or an cat all times. Or other suitable meawn. October 1, 1 January 24, completed on or be call be made on or least the waste on or least the call be made on or least	d if the flow ground water access port for easuring device 962 1964 fore October 1 pefore October	is artesian measuring e, and shall and shall
	Application No. G- 24.7. Permit No. G- 2,274	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Let Let Let Band of Let Let Let 1962 at Band o'clock M. M.	Returned to applicant:	Approved: January 24, 1963	r page 222	Drainage Basin No. 12 page 31