

Permit No. G- 2279

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

Central Paving Co. dba Valley Concrete Co.	
of P. O. Box 38, Independence , county of Polk	· · · · · · · · · · · · · · · · · · ·
state of Oregon , do hereby make application for a permit to appropri following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	ate the
If the applicant is a corporation, give date and place of incorporation	
March 1, 1955 State of Oregon	· • • • • • • • • • • • • • • • • • • •
1. Give name of nearest stream to which the well, tunnel or other source of water develops	nent is
situated Willamette River (Name of streem)	
tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is feet per second or 250 gallons per minute.	
3. The use to which the water is to be applied is Sand & Gravel Washing and	
Production of Ready-Mix Concrete	
4. The well or other source is located 1286.46t. S and 599.05ft. From the source is located 1286.46t.	Vż
corner of Section 28 . (Section or subdivision)	•••••
See Map attached hereto (If preferable, give distance and bearing to section corner)	
being within the City of Independence NW Not Sec. 28 , Twp. 8 , R. W. M., in the county of Polk	.4 ,
5. The None (Canal or pipe line)	miles
in length, terminating in the	
R W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is None	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservatio supply when not in use must be described.	n of the
None	
8. The development will consist of One Well (Give number of wells, tunnels, etc.)	having a
diameter of 10" inches and an estimated depth of 45. feet. It is estimated that	
feet of the well will require 45 casing. Depth to water table is estimated	40 t

					None
7 4 4	CHOMBME	OB	THEFT	T TATE	

*****************	feet; depth of wate	et	feet; grade	feet fall per
sand feet.				
(b) At	mil	es from head	dgate: width on top (at wate	r line)
	feet; width on b	ottom	feet; depth of w	pater
ei	feet fall po	er one thous	and feet.	
(c) Lengt	h of pipe,	ft.;	size at intake,	in.; in size at
intake	in.; si	ize at place o	of use in.; d	lifference in elevation beti
ke and place	of use,	ft.	Is grade uniform?	Estimated capa
	-			
10. If pun		rive size and	type Cook Turbine	Pump S/N 12570
	4" pipe			
Give horse	epower and type of	motor or en	gine to be used 20 hor	sepower motor
Gen	eral Electric	, Model	No. 12F59035	
difference in	lelevation between 150° from riv	the stream	istance to the nearest point bed and the ground surface Lamette River)	•
difference in	lelevation between 150° from riv	the stream ver (Will nce in e)	bed and the ground surface Lamette River)	•
difference in	lelevation between 150' from riv	the stream ver (Will nce in e)	bed and the ground surface Lamette River)	•
difference in	televation between 150' from riv 40' different to be irrect to be irre	the stream for (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	at the source of develops Number Acres
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated
12. Locat	televation between 150' from riv 40' differer ion of area to be irr Range Z. or W. of Willamette Meridian	the stream ver (Will nce in el	bed and the ground surface Lamette River) Levation lace of use	Number Acres To Be Irrigated

13	PAL SUPPLY— To supply the city ofNone
	county, having a present population of
	timated population of in 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
4.4	
	Estimated cost of proposed works, \$ 2000.00
	Construction work will begin on or before Completed Feb. 2, 1951
16.	Construction work will be completed on or before Feb. 2, 1951
17.	The water will be completely applied to the proposed use on or before has been in use
	If the ground water supply is supplemental to an existing water supply, identify any appli- r permit, permit, certificate or adjudicated right to appropriate water, made or held by the
pplicant	None
	Senge G. Lindald, Sec.
	marks: This well has been in use for some twenty-five to thirty
	years. It was enlarged and a new pump was installed in 1951.
Th	is improfement has been in use since that date. The quantity
of	water used varies daily. The peak use is in the late summer
an	id early fall months. All wash water for sand and gravel washing
TATE Coun	OF OREGON, ss
TI	his is to certify that I have examined the foregoing application, together with the accompanying
naps an	d data, and return the same forcompletion
In	order to retain its priority, this application must be returned to the State Engineer, with corre
tions on	or before December 31 , 1962
	VITNESS my hand this30th day of
W	· · · · · · · · · · · · · · · · · · ·
	CHRIS L. WHEILER
	SECRIVEM

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not exceed	a well nd production bic foot per second t to exceed er state officer. he flow is artesian
The use to which this water is to be applied is washing sand and gravel and of concrete If for irrigation, this appropriation shall be limited to	bic foot per second t to exceed r state officer. he flow is artesian
If for irrigation, this appropriation shall be limited to of one cubic or its equivalent for each acre irrigated and shall be further limited to a diversion of not to acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper at the well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	bic foot per second t to exceed r state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper at the well shall be cased as necessary in accordance with good practice and if the two works shall include proper capping and control valve to prevent the waste of ground. The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	t to exceeder state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper a The well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground The works constructed shall include an air line and pressure gauge or an access po line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper of the well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground. The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper so the works shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground the works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper so the works shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground the works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper so the well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground. The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper at the well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground. The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper a The well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper at the well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground. The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	er state officer. he flow is artesian
The well shall be cased as necessary in accordance with good practice and if the the works shall include proper capping and control valve to prevent the waste of ground. The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	he flow is artesian
the works shall include proper capping and control valve to prevent the waste of ground The works constructed shall include an air line and pressure gauge or an access poline, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	he flow is artesian nd water
line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 15, 1962 Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	
The priority date of this permit is	port for measuring
Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	ng device, and shall
Actual construction work shall begin on or before January 24, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before Oct	
thereafter be prosecuted with reasonable diligence and be completed on or before Oct	
Complete application of the water to the proposed use shall be made on or before O	(r
WITNESS much and this 24th day of January 10	62
WITNESS my hand this day of ,19	
	STATE ENGINEER
1 2 g 5 Q	٠ اـ ا
ON reger	
2274 1274 15774 16 GROU 1 STATE 1 Stalem, 1 A M	8
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the Office of the State Engineer at Salem, Oregon, on the LS day of ULL LE. 1962, at Elux o'clock H. M. Seturned to applicant: January 24, 1963 Recorded in book No. 9 of Ground Water Permits on page 2279	t. eTA1
G. C.	Vo. 2
Permit No. G. Permit No. G. TO APPROPRIATE T WATERS OF TH OF OREGG OF OREGG This instrument was fin the LS day of A "L, at E.L. o'clock "L, at E.L. o'clock Thursed: January etc. 1963 Recorded in book No. nund Water Permits on 1	Litiza I. Laker
Permit No. (Permit No. (APPROPRI WATERS (OF OF Instrument The State Es A day at E.L. ady d to applicar d to applicar rded in bool rded in bool	tial J. I. age Basi
Applica Permit APPRC WATE instrui fihe Su fod sed at fod sed: muary orded in Water	inage
Permit No. G- 22 Permit No. G- 22 PERMIT TO APPROPRIATE THE STOREGON This instrument was first radio of the State Engineer at Son the Lough of Cl. C. 1962, at E.W. o'clock II Returned to applicant: January ett, 1963 Recorded in book No. Ground Water Permits on page	Dra