

Permit No. G-2281

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, HAINES CEMETERY MAINTENANCE DISTRICT (Name of applicant)

of Haines (Postoffice Address), county of Baker

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated 140 ft. south of the Muddy Creek Channel (Name of stream)

tributary of Powder River

2. The amount of water which the applicant intends to apply to beneficial use is 30 (?) cubic feet per second or 30 (?) gallons per minute.

3. The use to which the water is to be applied is sprinkler irrigation of grave plot area on approximately 5.2 acres north well, #1-2, 877 ft. N. 95.8 ft. West

south well #2. The well or other source is located 562 ft north and 64.0 ft West from the NE corner of the SW 1/4 of the SW 1/4 of Sec. 21 as indicated on OSII map of Oregon US-30 Sta. 92+33, approx. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

both being within the NW 1/4 of the SW 1/4 of Sec. 21, Twp. 7 S., R. 39 E., W. M., in the county of Baker

5. The junction main sprinkler supply lines in East Line 0.33 to be West Line 0.38 miles (Canal or pipe line)

in length, terminating in the SW 1/4 of the SW 1/4 of Sec. 21, Twp. 7 S., R. 39 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is Haines Cemetery Wells, 1-N & 2-S

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells intertied to one line having a diameter of 6 inches and an estimated depth of 150' to 250' feet. It is estimated that 6 in. steel casing. Depth to water table is estimated 5' to 6' at No. 1-N Well and 4' at No. 2-S Well (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1452' for West Line, 1270' for East Line; size at intake, 4" in.; in size at ft. from intake in.; size at place of use 4" in.; difference in elevation between intake and place of use, 65 ft. ± ft. Is grade uniform? NO Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well #1-N is 140 ft. ± south of channel, 7 ft. higher

Well #2-S is 160 ft. ± south of channel, 5 ft. higher

12. Location of area to be irrigated, or place of use near Haines, Oregon

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	39 E	21	SW ¹ / ₄ of SW ¹ / ₄	5.2

(If more space required, attach separate sheet)

Character of soil sandy-clay over decomposed granite

Kind of crops raised grass, shrubs, plants

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,000.00
- 15. Construction work will begin on or before 3-15-61
- 16. Construction work will be completed on or before 6-1-64
- 17. The water will be completely applied to the proposed use on or before 6-1-64

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Thomas T. ...
(signature of applicant) Vice-President

Remarks: Pumps, if two are installed, to function in series, or possibly one, larger capacity at junction of legs to each well. Main line to be buried at approx. 4 ft. of depth with risers for surface laterals at points of sprinkler use. Main line to cross road in steel-cased culvert.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 20, 1962.

WITNESS my hand this 20th day of September, 1962.

OCT 22 1962
CHRIS L. WHEELER STATE ENGINEER
By *...* ASSISTANT
SALEM, OREGON

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from wells Nos. 1 and 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 9, 1962

Actual construction work shall begin on or before February 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of February, 1963

Chris L. Wheeler STATE ENGINEER

Application No. G- 2414
Permit No. G- 2281

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of August 1962 at 1:00 o'clock P. M.

Returned to applicant:

Approved: February 15, 1963 Recorded in book No. 9 of 2281 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 9 page 44