APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I,	George Fritz	
•	(Name of applic	
ofRt	2. Box 222 A. Labanon	, county ofLinn
etete of	•	o maka mali saki sa ƙasar sa sa sa ik ka sa sa sa sa ik ka
following descri	ribed ground waters of the state of Oregon	y make application for a permit to appropriate m. SUBJECT TO EXISTING RIGHTS:
If the ap	plicunt is a corporation, give date and place	e of incorporation
1. Give	name of nearest stream to which the wel	ll, tunnel or other source of water developmer
	South Santiam Diver	•
situatea	(Nam	ne of stream)
***************************************		tributary of Santiam River
2. The offeet per second	amount of water which the applicant interest or100 gallons per minute.	ends to apply to beneficial use isc
3. The	use to which the water is to be applied is	Irrigation
•	S. 40° 30)' E. 8.5 chains
4. The v		and ft. from the NN
corner of \$	27, T. 11 S, R. 2 W.	
	(Section	or subdivision)
***************************************	(If preferable, give distance and be	
• • • • • • • • • • • • • • • • • • • •	(If there is more than one we'', each must be desc	rribed. Use separate sheet if necessary)
being within t	he NWX of NWX	of Sec. 27 , Twp. 11 S , R. 2 W
W. M., in the c	county ofLinn	· ·
5. T he	main pipe line	to be640 feet
in length term	NWA of Cappy pipe line) ninating in the NEX of NEX	27 of Sec. 28
-	(Smallest legal subdivi	ision)
R 2 W ,	W. M., the proposed location being shown	throughout on the accompanying map.
6. The	name of the well or other works isFr	itz No. 1
	DESCRIPTION (of works
7. If the supply when r	e flow to be utilized is artesian, the works to not in use must be described.	to be used for the control and conservation of
·		
• • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·
8. The	development will consist ofanepin	to well havi
diameter of .	8 inches and an estimated depth	h of
feet of the wel	ll will require steel casi	ing. Depth to water table is estimated 5
, = = = = ;	(Kind)	(Fee

9. (e eadgate.	At heada	ate: width on to	o (at water l	ine)	feet; width on botto
				feet; grade	
ousand		es, depin of was		, , , , , , , , , , , , , , , , , , ,	,
•			as from bas	dgate: width on top (at water b	ina)
			•		
				feet; depth of water	
		feet fall p			in size at 640
				size at intake,	
				of use	
	•		jt.	Is grade uniform?	Estimatea capaci
	0.25	•		014 doon mo11 m	
10.	If pump	s are to be used, o	give size and	type Gould deep well p	omb
					
Giv	e horsep	ower and type of	motor or en	gine to be used 5 H. P. e	lectric
atural st	tream or	stream channel	, give the d	other development work is less istance to the nearest point or bed and the ground surface a	ı each of such chan nels a
natural st	tream or ence in e	stream channel levation between	, give the d	istance to the nearest point or bed and the ground surface a	t the source of development
atural st he differ	tream or ence in e	stream channel levation between n of area to be in	, give the d	istance to the nearest point or	t the source of development
atural st he differ	Locatio	stream channel levation between n of area to be in	, give the dathe stream	istance to the nearest point or bed and the ground surface a class of use	n each of such channels at the source of development the source of dev
atural st he differ	Location and the second	stream channel levation between n of area to be in Range Row of Williamette Meridian	, give the dithe stream	istance to the nearest point or bed and the ground surface a place of use	Number Acres To Be Irrigated
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	n each of such channels at the source of development the source of dev
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4
atural st he differ	Location of S. 11 S	stream channel levation between n of area to be in Range Z. or W. of Willemette Meridian 2 W.	rigated, or p	stance to the nearest point or bed and the ground surface a color of use	Number Acres To Be lirrigated 7.6 2.4

Forage

Kind of crops raised

MUNICIPAL SUPPLY—	
D. To supply the city of	
n county, having a present j	population of
and an estimated population of in 19.	
ANSWER QUESTIONS 14, 16, 16, 17	MND 18 IN ALL CASES
14. Estimated cost of proposed works, \$2500,00	••••••
15. Construction work will begin on or beforeJu	ne 26, 1961
16. Construction work will be completed on or before	
17. The water will be completely applied to the prop	
••	
18. If the ground water supply is supplemental to cation for permit, permit, certificate or adjudicated right	at to appropriate water, made or held by th
spplicant.	
	······
	Tea Fris
Remarks:	(Signature of Spelicant)
	······································
	······································
· · · · · · · · · · · · · · · · · · ·	
	······································
	······································
STATE OF OREGON,	•
County of Marion,	
This is to certify that I have examined the foregoin	g application, together with the accompanyin
naps and data, and return the same for	
In order to retain its priority, this application must	be returned to the State Engineer with corre
ions on or before	
WIMNESCO	
WITNESS my hand this day of	, 19
	•
······································	STATE ENGINEER
Ву	·
	ARRITANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The 1	right herein granted	d is limited to the amo	unt of wate	r which can be applied to b	eneficial use and
		•		d at the point of diversion	
				other water users, from	LLICZ AGII
		pater is to be applied i		irrigation	
				√80 of one cubi	_
				season of each year;	

		······································	······································		
					······
				<u></u>	
	•••••••••••••••••••••••••••••••••••••••	······································	****************	be ordered by the proper	
the works The line, adequ	shall include prope works constructed tate to determine permittee shall ins	er capping and contro l shall include an air water level elevation	l valve to pr line and pre in the well peir, meter,	or other suitable measuring	d water. For measuring
The	priority date of the	is permit is			
Acti	ual construction we	ork shall begin on or l	before	February 15, 1964	and shall
thereafter	be prosecuted wi	th reasonable diligen	ce and be c	completed on or before Oc	
				hall be made on or before (
WI'	TNESS my hand th	is day of		February ,19	
			<u>C</u>	King X. MA	STATE ENGINEER
Application No. G- A478 Permit No. G- 2289	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the SC day of Nexmbell	Returned to applicant:	Approved: February 15, 1963 Recorded in book No. 9 of Ground Water Permits on page 2289	CHRIS L. WHENTER STATE ENGINEER Drainage Basin No. 2 page 96 2