

NOV 2 1962

Permit No. G-2290

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Hermiston Unified School Dist. #8 (Name of applicant) of 475 S. First Place, Hermiston, Oregon (Postoffice Address), county of Umatilla

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla (Name of stream)

tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is lawn sprinkling

4. The well or other source is located 1505 ft. S and 575 ft. E from the NW corner of N E 1/4, Sec 10, T1N, R 28E (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary

being within the confines SW 1/4 NE 1/4 of Sec. 10, Twp 1N, R. 28E W. M. in the county of Umatilla

5. The No canal or pipelines to be miles in length, terminating in the of Sec. 10, Twp. 1N R. 28E W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Rocky Heights Elementary School Well.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

A valve would be attached to the top of the casing so it could be controlled.

8. The development will consist of one having a diameter of 8 inches and an estimated depth of 225 feet. It is estimated that 80 feet of the well will require 8" steel casing. Depth to water table is estimated 200

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *Line shaft Turbine pump*

Give horsepower and type of motor or engine to be used *15 HP 3 phase Electric*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use *S.W. quarter of the N.E. quarter section at section ten*

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 4N	R 28E	10	SW 1/4 of NE 1/4	16 acres

(If more space required, attach separate sheet)

Character of soil
Kind of crops raised

MUNICIPAL SUPPLY--

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2,500.00
- 15. Construction work will begin on or before Oct. 1, 1962
- 16. Construction work will be completed on or before Nov. 20, 1962
- 17. The water will be completely applied to the proposed use on or before April 1, 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. School district has right to irrigation water rights with the Hermiston Irrigation District.

Arlene Smith
Clerk (Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~January 20, 1963~~
February 6 63

WITNESS my hand this ~~26~~ 6 day of ~~November~~ December, ~~19 62~~ 62

NOV 20 1962
DEC 17 1962
CHRIS L. WHEELER
STATE ENGINEER
By *[Signature]*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 7, 1962

Actual construction work shall begin on or before February 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of February, 1963

Chris L. Wheeler
STATE ENGINEER

Application No. G- 2480
Permit No. G- 2290

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 7th day of November
1962 at 8:00 o'clock P. M.

Returned to applicant:

Approved:

February 15, 1963

Recorded in book No. 9 of

2290

Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 52