

RECEIVED
OCT 19 1962
STATE ENGINEER
SALEM OREGON

322232

Permit No. G- 2294

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, OREGON STATE GAME COMMISSION
(Name of applicant)
of P. O. Box 4136, Portland 8, county of Multnomah
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mission Creek
(Name of stream)
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is warm-water fish propagation.

4. The well or other source is located 675 ft. S_a and 615 ft. E_a from the N.W. corner of Sec. 6.
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 6, Twp. 5S., R. 2W. W. M. in the county of Marion

5. The pipeline to be 800 feet in length, terminating in the _____ of Sec. 6, Twp. 5S R. 2 W. W. M. the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is St. Paul Warm-Water Fish Rearing Station.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a diameter of 12 inches and an estimated depth of 200 feet. It is estimated that 200 feet of the well will require 12" WELDED casing. Depth to water table is estimated 50
(Give number of wells, tunnels, etc.) (Kind) (Feet)

MUNICIPAL SUPPLY--

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 50,000
- 15. Construction work will begin on or before May 1, 1963
- 16. Construction work will be completed on or before September 1, 1963
- 17. The water will be completely applied to the proposed use on or before October 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

x *P. M. Schneider*
(Signature of applicant)

Remarks: Anticipated use and production of the St. Paul warm-water rearing ponds:

Numerous species of warm-water game fish will be reared in the St. Paul ponds. The species we anticipate working with include largemouth bass, smallmouth bass, bluegill, channel catfish, and black crappie. An introduction of forage fish for the predacious species may be necessary to obtain maximum production in some ponds. The number of fish reared will be determined by the space available and demand. We anticipate that the demand for warm-water game fish will naturally increase in future years. Appropriate water will be used to fill and maintain pond levels.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is warm water fish propagation

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 9, 1962

Actual construction work shall begin on or before February 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of February, 1963

Chris L. Wheeler

STATE ENGINEER

Application No. G- 2181
Permit No. G- 2294

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of Nov. 19. 62, at 8:00'clock A. M.

Returned to applicant:

Approved:

February 15, 1963

Recorded in book No. 9 of 2294 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 962