

Permit No. G- 2298

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

	Name of applicant)
I,	county of Marion
(Pestettice Address)	do hereby make application for a permit to appropriate the
lowing described ground waters of the state	of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date	and place of incorporation
1. Give name of nearest stream to whic	h the well, tunnel or other source of water development is
tuated Claggett Creek	
	(Name of stream)
	tributary of Willamette River
2. The amount of water which the applet per second or 200 gallons per min	licant intends to apply to beneficial use iscubi
including the irrigation of Commercial use in a central and maintenance of lawns ar	f yards and garden at each trailer sight, and leashroom, swimming pool, childrens play area and shrubs in the trailer park.  36.6 ft. N and 22lll ft. E from the SW (R or W)
1. The best of other source is recursed and	(N. or S.) (E or W.)
orner of	(Section or subdivision)
(If preferable, give	distance and bearing to section corner)
	of Sec. 2 , Twp. 7 S , R. 3 W
V. M., in the county of	······································
	to be mile
(Canal or pipe:	
	of Sec. , Twp. , Twp.
t	ing shown throughout on the accompanying map.
6. The name of the well or other works	is
DESCR	RIPTION OF WORKS
7. If the flow to be utilized is artesian, tupply when not in use must be described.	the works to be used for the control and conservation of the
7. If the flow to be utilized is artesian, tupply when not in use must be described.	the works to be used for the control and conservation of the
7. If the flow to be utilized is artesian, tupply when not in use must be described.	the works to be used for the control and conservation of the control and c
7. If the flow to be utilized is artesian, tupply when not in use must be described.	the works to be used for the control and conservation of the control and control a
7. If the flow to be utilized is artesian, tupply when not in use must be described.  8. The development will consist of	One drilled Well  (Give number of wells, tunnels, etc.)  (atted depth of

and feet.				
and feet.	t; depth of wat	er	feet; grade	feet fall pe
(b) At	mi	les from headg	ate: width on top (at water	r line)
f	eet; width on l	bottom	feet; depth of w	ater
<b>!</b>	feet fall p	per one thousan	d feet.	
(c) Length of	pipe,	ft.; si	ze at intake,	in.; in size at
intake	in.; s	rize at place of	use in.; d	ifference in elevation bet
e and place of u	ıse,	ft. Is	grade uniform?	Estimated cap
<b>s</b>	sec. ft.			
10. If pumps	are to be used,	give size and ty	peTurbina., siz	anotyetdetermine
••••••••••••			•••••	
Give horsepor	wer and type of	motor or engi	re to be used10 HP.	lectric
Citte nordeper				
11 If the loca	ation of the spel	l tunnel or ot	ner development work is le	ess than one-fourth mile f
ral stream or s	stream channel	l, give the dist	ner development work is le ance to the nearest point d and the ground surface	on each of such channel
ral stream or s lifference in ele	stream channel	l, give the dist	ance to the nearest point d and the ground surface	on each of such channe at the source of develor
ral stream or s lifference in ele	of area to be in	l, give the dist	ance to the nearest point	on each of such channe at the source of develor
ral stream or slifference in ele	stream channel	l, give the dist	ance to the nearest point d and the ground surface	on each of such channe at the source of develor
ral stream or slifference in ele	of area to be in	, give the dist	ance to the nearest point d and the ground surface	on each of such channe at the source of develor  Number Acres To Be Irrigated
ral stream or s lifference in ele  12. Location  Township N. or 5.	of area to be in Range 2. or W. of Williams the Meridian	rigated, or place	ance to the nearest point d and the ground surface	on each of such channel at the source of develop
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com
ral stream or s lifference in ele  12. Location  Township N. or S.	of area to be in  Range  Z. or W. od  Willemeite Meridian	rigated, or place	ance to the nearest point of and the ground surface  Swig SEi	on each of such channe at the source of develop  Number Acres To Be Irrigated  Gro. Dom. & Com

TUNICIPAL SUPPLY—  13. To supply the city of	Domestic for 90 Trailer Houses and one house
•	having a present population of
nd an estimated population of	
	ONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed we	
, ,	on or before Well drilled in September of 1962
_	ipleted on or before October 1, 1964
	applied to the proposed use on or before October 1, 1964
18. If the ground water supply i	is supplemental to an existing water supply, identify any appli- or adjudicated right to appropriate water, made or held by the
pplicant. Commercial use wi	11 require about 30 gallons per minute but will
be used from same	distribution system as the domestic use.
	Otis G. anderson
Remarks:	(Signature or applicant)
Nemarka.	
•	
STATE OF OREGON,	
STATE OF OREGON, County of Marion,	
This is to certify that I have exc	amined the foregoing application, together with the accompanyin
maps and data, and return the same joi	<b>7</b>
In order to retain its priority, th	nis application must be returned to the State Engineer, with correc
tions on or before	<b>, 19</b>
WITNESS L d AL'-	day of, 19,
withess my nana this	day oj, 19, 19
	STATE ENGINEER

STATE OF OREGON, **\\$**\$. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The rig		is limited to the amoun				
		cubic feet per second quivalent in case of roto	ation with o	ther water users,	from 8. 1	rell
The us	se to which this wo	ater is to be applied is		on of a traile		
		and facilities for			•••••••	
If for	irrigation, this app	ropriation shall be limi	ted to	- of c	one cubic foo	t per second
or its equive	ilent for each acre	irrigated and shall be	further limi	ited to a diversior	of not to exc	ceed
acre feet pe	r acre for each acr	e irrigated during the	irrigation s	eason of each ye	a <b>r</b> ;	
			•		••••••••••••	
			• · · · · · · · · · · · · · · · · · · ·	•••••••••••••••••••••••••••••••••••••••		
					······································	
	•••••••••••••••••••••••••••••••••••••••					a attiage
		easonable rotation syst				
the seconds of	hall include nrone	as necessary in accord r capping and control	υαιυε το μτε	event the waste	n ground wa	
lima adamı	ata ta datarmina 1	shall include an air live water level elevation is	n ine weii a	it this contes.		
The pacem	permittee shall ins plete record of the	tall and maintain a we e amount of ground wa	ter withdra	wn.	seasaring act	yice, and areas
		is permit is		November 30	, 1962	
The	priority date of thi	rk shall begin on or be		February 15	, 1964	and shall
Actu	al construction wo	ork shall begin on or be	gote	muleted on or h	efore Octobe	
thereafter	be prosecuted wit	th reasonable diligence	e and we co	all he made on or	hefore Octo	her 1 19 65
		of the water to the prop		February	19 63	
WIT	NESS my hand th	isaay oj	C		whi.	le-
					8	TATE ENGINEER
3	!	the state of the s			<u> 8</u>	5
: ~ :	ONI	ed in the s, Oregon & C.			~ &	N CO
36	ROL	ceive alem,				FTA BYONE PAGE OF C
Application No. G- ZH Permit No. G-	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the FOTA day of Norms be C.		2961	page	
Ġ.	ERMIT ATE THE OF THE SOREGON	nas fii pineer pineer	.,	: Pebruary 15, 1963	No.	WHEELER O. 2. p
on N.	PERMI PRIATE 1 RS OF TH OF OREG	ment was fi ate Enginee day of	icant	Þ	Recorded in book No. nund Water Permits o	in N
Application Permit No.	PROF	strum ve Stat oTh d	appl	abru	d in iter F	CHRIS age Bas
Арр Ретт		of the	ned to	ved:	corde	aina
	2	This instrument was first receive office of the State Engineer at Salem, on the 307h day of Nexes. 1968, at 2.50 o'clock	Returned to applicant:	Apprvved:	Recorded in book No	Ā
Ì	I	1 6 8 2		; <b>~</b> ;	9	. •