

RECEIVED  
SEP 20 1962  
STATE ENGINEER  
SALEM OREGON

22335

Permit No. G-2301

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Viesko Sand & Gravel

(Name of applicant)

of Rte. 1 Garvais

(Postoffice Address)

, county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1 cubic feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is operation of Sand & Gravel & Ready-Mix plant.

4. The well or other source is located 3450 ft. N and 50 ft. E from the corner of Section 35

(N or S)

(E or W)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the boundary SW 1/4 NW 1/4 of Sec. 35, Twp. 5 S, R. 3 W, W. M., in the county of Marion

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. , Twp. R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 8 inches and an estimated depth of 45 feet. It is estimated that 45 feet of the well will require steel casing. Depth to water table is estimated 15 to 25

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

**G-2301**  
CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... 2 1/2" Centrifugal

Give horsepower and type of motor or engine to be used ..... 10 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>5 3</u>	<u>3 1</u>	<u>35</u>	<u>SW 1/4</u>	<u>Washing Sand &amp; Gravel</u>

(If more space required, attach separate sheet)

Character of soil .....  
Kind of crops raised .....

MUNICIPAL SUPPLY—

G- 2301

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 360.00
- 15. Construction work will begin on or before \_\_\_\_\_ In use
- 16. Construction work will be completed on or before \_\_\_\_\_ In use
- 17. The water will be completely applied to the proposed use on or before \_\_\_\_\_ In use

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

Viesko Sand & Gravel  
By: *James H. Viesko*  
(Signature of applicant)

Remarks: \_\_\_\_\_

Re; Legal Description- A gravel deposit and land presently occupied by the plant & stock piles of Viesko Sand & Gravel on the farm of Fred & Alta Viesko near and northeast of Wheatland Ferry, Marion County, Oregon.

This location as per map is in the NW 1/4 of Sec. 35

Legal description: All property on which this water will be used is within the boundary's of the SW 1/4 of the NW 1/4 of Sec. 35, T. 5S, R. 3E.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~December 31~~ ~~1962~~  
February 21 63

WITNESS my hand this ~~30~~ 21 day of ~~October~~ December, ~~1962~~ 62

CHRIS L. WHEELER  
STATE ENGINEER  
*Walter J. Perry*  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is operation of sand and gravel and ready mix plant.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is excessive the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 25, 1962

Actual construction work shall begin on or before March 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of March, 1963

*Chris L. Wheeler*  
STATE ENGINEER

Application No. G- 2301  
Permit No. G- 2301

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of September, 1962, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

March 15, 1963

Recorded in book No. 9 of 2301 Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 96 Q