

RECEIVED

DEC 12 1962

STATE ENGINEER  
HALEM, OREGON

Permit No. G-2310

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Western Enterprises, Inc., an Oregon Corporation  
(Name of applicant)  
of Rt. 4, Box 142C Eugene, Oregon, county of LANE  
(Postoffice Address)  
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

MARCH 23, 1962, EUGENE, OREGON

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated BERKSHIRE SLOUGH  
(Name of stream)

tributary of WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 53 gallons per minute.

3. The use to which the water is to be applied is DOMESTIC WATER SUPPLY  
FOR SUBDIVISION TITLED "SEAVY LOOP PARK"

4. The well or other source is located 1768 ft. N and 562 ft. E from the RE-ENTRY  
(N. or S.) (E. or W.)  
corner of THE WASHINGTON L. RIGGS DONATION LAND CLAIM NO. 40,  
(Section or subdivision)  
T18S, R3W OF THE WILLAMETTE MERIDIAN  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 13, Twp. 18 S, R. 3 W,  
W. M., in the county of LANE

5. The 4" DISTRIBUTION PIPE LINE to be 800 FEET ~~miles~~  
(Canal or pipe line)  
in length, terminating in the NW 1/4 of Sec. 13, Twp. 18 S  
(Smallest legal subdivision)  
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is SEAVY LOOP PARK WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well at present time having a  
(Give number of wells, tunnels, etc.)  
diameter of 8 inches and an estimated depth of 60 feet. It is estimated that 60  
feet of the well will require Steel casing. Depth to water table is estimated 10  
(Kind) (Feet)

G-2310

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 4 in.; in size at 800 ft. from intake 4 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 1 to 2 ft. Is grade uniform? YES. Estimated capacity, 53 GPM ~~500 ft.~~

10. If pumps are to be used, give size and type 3 H.P. SUBMERSIBLE ELECTRIC, CAPACITY 60 GPM (40 to 60 PSI OPERATING PRESSURE)

Give horsepower and type of motor or engine to be used 3 H.P. ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 South	3 West	13	S. E. 1/4 of N. W. 1/4	Group Domestic
18 South	3 West	13	S. W. 1/4 of N. W. 1/4	Group Domestic

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

B. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4000<sup>00</sup>
- 15. Construction work will begin on or before WORK IS FINISHED
- 16. Construction work will be completed on or before FINAL COMPLETION DEC 10, 1962
- 17. The water will be completely applied to the proposed use on or before DEC. 10, 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*Western Enterprises, Inc.*  
*[Signature]*, Secretary  
(Signature of Applicant)

Remarks: \_\_\_\_\_

*19 families to be served under present system  
(see Ltr. 1-8-63)*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~amendments~~ additions and correction \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 28, 1963.

WITNESS my hand this 28 day of December, 1962.

JAN 10 1963  
CHAS. L. WHEELER  
STATE ENGINEER  
By *[Signature]*  
ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the well or

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 12, 1962

Actual construction work shall begin on or before March 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of March, 1963

STATE ENGINEER

Application No. G-2496

Permit No. G-2310

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of December, 1962, at 5:00 o'clock P. M.

Returned to applicant:

Approved:

March 15, 1963

Recorded in book No. 9 of 2310 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 96 G

State Printing