

NOV 30 1962  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-2311

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, STANLEY T. BURNISON  
(Name of applicant)  
of Rt. 2 Box 405, Gaston, Oregon, county of Yamhill,  
(Postoffice Address)  
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Unhamed stream, trib. of Wapato Cr.  
(Name of stream)

tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is .0750 cubic feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is irrigation.

4. The well or other source is located 660 ft. S and 1305 ft. W from the  
(N. or S.) (E. or W.)  
corner of NE corner of the NW quarter section of Sec. 24  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 24, Twp. 2 South R. 4 West, W. M., in the county of Yamhill.

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_  
(Smallest legal subdivision)

R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is \_\_\_\_\_

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a  
(Give number of wells, tunnels, etc.)  
diameter of 36 inches and an estimated depth of 25 feet. It is estimated that \_\_\_\_\_ feet of the well will require masonry casing. Depth to water table is estimated 12 feet.  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... Multistage jet pump - capacity ,201 cfs

Give horsepower and type of motor or engine to be used ..... 3/4 H.P. 110-120 volts  
 ..... 60 cycle AC engine capacitor motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	4 West	24	NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ & the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec 24	1.7 4.3
PARCEL 1: Beginning at a stake 10.12 chains East and 4.21 chains South of Township 2 South, Range 4 West of the Willamette Meridian in Yamhill County, Oregon; thence South 15.79 chains to the South line of the North Half of the Northwest quarter of Section 24; thence East 29.88 chains to the Southeast corner of said North Half of the Northwest quarter of Section 24; thence North 20 chains to the Quarter post between Sections 7 and 24; thence West along the North line of Section 24, 14 chains to a stake; thence South 6.29 chains; thence North 82°52' West, 16 chains to the place of beginning.				
PARCEL 2: An Easement for a roadway 30 feet wide, not exclusive, the center line of which is described as follows: Beginning at a stake 10.12 chains East and 4.20 chains South of the Northwest corner of Section 24, Township 2 South, Range 4 West of the Willamette Meridian in Yamhill County, Oregon; thence Northwesterly to the North line of Section 24 at a point 390 feet West of a stake set 10.12 chains East of the Northwest corner of said Section 24. ---				

(If more space required, attach separate sheet)

Character of soil ..... Clay

Kind of crops raised ..... Pasture

MUNICIPAL SUPPLY—

12. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 300.00
- 15. Construction work will begin on or before October 1, 1963
- 16. Construction work will be completed on or before October 1, 1964
- 17. The water will be completely applied to the proposed use on or before October 1, 1965.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

*[Handwritten Signature]*  
(Signature of applicant)

Remarks: This is an existing well approx. 25 feet deep by  
3 feet in dia. It is brick lined to a depth of 15 feet.  
The proposal consists of placing jet type pump using 3 inch  
aluminium irrigation pipe with rainbird type sprinklers.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 10, 1962

Actual construction work shall begin on or before March 15, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of March, 1963

Chris L. Wheeler STATE ENGINEER

Application No. G-2499
Permit No. G-2311

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of December, 1963 at 3:00 o'clock P. M.

Returned to applicant:
Approved: March 15, 1963
Recorded in book No. 9 of 2311
Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER
Drainage Basin No. 2 page 96 B