

RECEIVED
DEC 20 1962
 STATE ENGINEER
 HALEY OREGON

Permit No. G-.....**2317**.....

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Louis Brady
(Name of applicant)
 of Old Hwy 99, Box 66, Glendale, Oregon, county of Douglas,
(Postoffice Address)
 state of Oregon, do hereby make application for a permit to appropriate the
 following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS**:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
 situated ~~XXXXXXXXXX~~ Mynatt Creek
(Name of stream)
 tributary of Cow Creek.

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
 feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1800 ft. S. and 20 ft. E. from the quarter
(N. or S.) (E. or W.)
 corner of Sections 14 and 15
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 14, Twp. 32S, R. 5W,
 W. M., in the county of Douglas

5. The pipeline to be .2 miles
(Case or pipe line)
 in length, terminating in the SE 1/4 SE 1/4 of Sec. 14
(Smallest legal subdivision)
15, Twp. 32S

R. 5W W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is The Sump Hole

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
 supply when not in use must be described.

~~XX~~

8. The development will consist of _____ having a
(Give number of wells, tunnels, etc.)
 diameter of _____ inches and an estimated depth of _____ feet. It is estimated that
 feet of the well will require _____ casing. Depth to water table is estimated _____
(Kind) (Feet)
See remarks

G-2317

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 4 in.; in size at 450 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 8 to 12 ft. Is grade uniform? Yes. Estimated capacity, .5 sec. ft.

10. If pumps are to be used, give size and type 2 inch, centrifugal

Give horsepower and type of motor or engine to be used 7 1/2 HP electric - 3450 RPM

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

The sump hole is about 450 ft from Mynatt Creek and about 800 ft from Cow creek at a slightly higher level

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
32 S.	5 W.	14	SW 1/4 SW 1/4	4.4
		15	SE 1/4 SE 1/4	4
32 S.	5 W.	14	SW 1/4 SW 1/4	6.8 - supplemental
		14	NE 1/4 SW 1/4	2.4 - supplemental
		15	SE 1/4 SE 1/4	2.8 - supplemental
Legal description of property				
Beginning at the Northwest corner of the Donation Land Claim of C. S. Mynatt, Being Notification No 604, Claim No. 37, in Township 32 South, Range 5 West of the Willamette Meridian, being in sections 14 and 15, from which quarter post between sections 14 and 15, bears East 29 chains and 50 links; thence South 40 chains to a point 10 chains and 70 links East of quarter post between section 15 and 22; thence East 40 chains; thence North 40 chains; thence West 40 chains to place of beginning; (less 2.19 acres sold to E.W. Kreftmeyer and 7.75 acres sold to State of Oregon for highway)				

(If more space required, attach separate sheet)

Character of soil varies from sandy to loam
Kind of crops raised pasture and hay

MUNICIPAL SUPPLY--

12. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1,000
- 15. Construction work will begin on or before May 1, 1963
- 16. Construction work will be completed on or before September 1, 1963
- 17. The water will be completely applied to the proposed use on or before September 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 12 acres of this land to be irrigated is supplemental irrigation and is covered by application no R-33003, 33004 and permit no. R-2237, 26121

Louis Brady
(Signature of applicant)

Remarks: The proposed development will consist of a sump hole about 5 feet deep by 30 feet wide by 80 feet long dug out of an old slough area that was at one time creek bed. This will cost about \$200. I will use a 7 1/2 Hp pump and motor and sprinkler pipe that I purchase this year at a cost of about \$800.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 20, 1962

Actual construction work shall begin on or before March 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of March, 1963

Chris L. Wheeler STATE ENGINEER

Application No. G-2508

Permit No. G-2317

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of December, 1962 at 8:00 o'clock P. M.

Returned to applicant:

Approved:

March 15, 1963

Recorded in book No. 9 of 2317

Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 16 page 39