

STATE OF OREGON
SALMON

Permit No. G-2330

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Howard A. Jones

(Name of applicant)

of Rt. 2, Box 86, Salem, county of Marion

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is Washing sand & gravel

4. The well or other source is located 1000 ft. N and 225 ft. E.W. from the SE corner of Sec. 21, T. 6 S., R. 3 W., W.M.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 21, Twp. 6S, R. 3W, W. M., in the county of Marion

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. , Twp. R. , W. M., the proposed location being shown throughout on the accompanying map.

(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One excavated sump being being 65 ft. x 32 ft. diameter of inches and an estimated depth of feet. It is estimated that

(Give number of wells, tunnels, etc.)

feet of the well will require casing. Depth to water table is estimated 16 ft

(Kind)

(Feet)

from ground level to water and pond is from 4ft to 10ft deep it goes up and down as river raises + lowers

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before Completed.....
- 16. Construction work will be completed on or before Completed.....
- 17. The water will be completely applied to the proposed use on or before Now in use.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Howard Jones
(Signature of applicant)

Remarks: Water is returned to the sump after use to allow for settling
of silt and debris.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 15 19 63.....

WITNESS my hand this 14 day of February, 19 63

RECEIVED
MAR 12 1963
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Walter Berry*
ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump

The use to which this water is to be applied is washing sand and gravel

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 15, 1962

Actual construction work shall begin on or before April 10, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 10th day of April, 1963

Charles L. Wheeler
STATE ENGINEER

Application No. G-2486
Permit No. G-2330

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of November,
1962, at 8:10 o'clock A. M.

Returned to applicant:

Approved:

April 10, 1963

Recorded in book No. 9 of 2330

Ground Water Permits on page

Charles L. Wheeler
STATE ENGINEER

Drainage Basin No. 2 page 264