

Permit No. G- 2331

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, THUNDERBIRD MOBILE CLUB, INC.								
of 2130 S. W. Fifth Avenue, Portland, Oregon, county of Clackamas,								
state ofOregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:								
If the applicant is a corporation, give date and place of incorporation								
October 12, 1961, Salem, Oregon								
1. Give name of nearest stream to which the well, tunnel or other source of water development is								
situated Willamette River (Name of stream)								
(Name of stream) tributary of Columbia River								
2. The amount of water which the applicant intends to apply to beneficial use is34 cubic feet per second or150 gallons per minute.								
3. The use to which the water is to be applied is Domestic water for Trailer Court								
and adjacent stores not as yet constructed								
4. The well or other source is located ft. and ft. ft. from the from the ft. set or w.								
corner of								
South 45° 58' West 851 feet of the N.W. Corner (If preferable, give distance and bearing to section corner)								
(See attached) (If there is more than one we'', each must be described. Use separate sheet if necessary)								
being within the NE 1/4 of NE 1/4 of Sec. 14 Twp. 3 5 R. 1 W								
W. M., in the county ofClackamas								
5. The to be miles								
in length, terminating in the								
R								
6. The name of the well or other works is Well No. 1								
DESCRIPTION OF WORKS								
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.								
not artesian								
8. The development will consist ofOne Well having a								
diameter of 8								
feet of the well will require								

G-2331

CANAL	SYSTEM	ΩD	DIDE	LIME
CANAL	SYSTEM	OK	PIPE	LINE

adgate. At headgate: width on top (at water line) feet; depth of water feet; grade feet fall pe ousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water ade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at om intake in.; size at place of use in.; difference in elevation be take and place of use, ft. Is grade uniform? Estimated cay sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel and in the distance in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel and the ground surface at the source of development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel, give the distance to the nearest point on each of such channel attural stream or stream channel give the distance to the nearest point on each of such channel attural stream or stream channel give the distance to the nearest point on each of such chann	cousand feet. (b) At	miles from head on bottom all per one thous ft.; in.; size at place of ft. sed, give size and well, tunnel, or onnel, give the distribution of the	dgate: width on top (at water feet; depth of wo and feet. size at intake, in.; di Is grade uniform? type gine to be used other development work is lesistance to the nearest point of	feet fall per or line) in.; in size at ference in elevation between Estimated capacit ss than one-fourth mile from on each of such channels a
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water ade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at com intake in.; size at place of use in.; difference in elevation be take and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel and difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel and if the surface in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel and the ground surface at the source of development work is less than one-fourth mile atural stream or stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream or stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or	ousand feet. (b) At	miles from head on bottom	dgate: width on top (at water feet; depth of wo and feet. size at intake, of use in.; di Is grade uniform? type gine to be used other development work is lesistance to the nearest point of	in.; in size at ifference in elevation between Estimated capacit ss than one-fourth mile from on each of such channels a
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water ade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at com intake in.; size at place of use in.; difference in elevation be take and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of develo 12. Location of area to be irrigated, or place of use Township Range Williamstra Meridian Section Factor-acre Treet To Be irrigated 1 3 NW 1/4 of NW 1/4 (Domestic use in the above area by occupants of trailer court, lawn, occupants of trailer court, lawn,	(b) At	on bottom all per one thous ft.; in.; size at place of ft. sed, give size and oe of motor or en well, tunnel, or onel, give the di	and feet. size at intake, of use in.; di Is grade uniform? type gine to be used other development work is lesistance to the nearest point of	in.; in size at ifference in elevation between Estimated capacit ss than one-fourth mile from on each of such channels a
feet; width on bottom feet; depth of water ade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at om intake in.; size at place of use in.; difference in elevation be take and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel to difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to the nearest point on each of such channel to t	c) Length of pipe, om intake take and place of use, sec. ft. 10. If pumps are to be us Give horsepower and typ 11. If the location of the atural stream or stream characters.	on bottom all per one thous ft.; in.; size at place of ft. sed, give size and oe of motor or en well, tunnel, or onel, give the di	and feet. size at intake, of use in.; di Is grade uniform? type gine to be used other development work is lesistance to the nearest point of	in.; in size at ifference in elevation between Estimated capacit ss than one-fourth mile from on each of such channels a
c) Length of pipe,	ade	all per one thous ft.; in.; size at place of ft. sed, give size and oe of motor or en well, tunnel, or onel, give the d	and feet. size at intake, in.; di Is grade uniform? type gine to be used other development work is lesistance to the nearest point of	in.; in size at ifference in elevation between Estimated capacit ss than one-fourth mile from on each of such channels a
(c) Length of pipe, ft.; size at intake, in.; in size at om intake in.; size at place of use in.; difference in elevation be take and place of use, sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile attural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of develo 12. Location of area to be irrigated, or place of use Township N. or 8. Township Williamette Meridian 13. NW 1/4 of NW 1/4 (Domestic use in the above area by occupants of trailer court, lawn,	(c) Length of pipe,	in.; size at place of ft. sed, give size and one of motor or en well, tunnel, or one, give the discontinuity.	size at intake, of use in.; di Is grade uniform? type gine to be used other development work is lesistance to the nearest point of	ss than one-fourth mile from on each of such channels a
in.; size at place of use in.; difference in elevation be take and place of use, ft. Is grade uniform? Estimated cape sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel to difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel to difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel to difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream or stream channel, give the distance to the nearest point on each of such channel to difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stre	take and place of use,sec. ft. 10. If pumps are to be us Give horsepower and typ 11. If the location of the atural stream or stream characters.	in.; size at place of ft. sed, give size and one of motor or en well, tunnel, or one of motol, give the d	Is grade uniform?	ss than one-fourth mile from on each of such channels a
Sec. ft. 10. If pumps are to be used, give size and type	take and place of use, sec. ft. 10. If pumps are to be us Give horsepower and typ 11. If the location of the atural stream or stream cha	sed, give size and oe of motor or en well, tunnel, or e	typegine to be usedother development work is lesistance to the nearest point of	ss than one-fourth mile from
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel et difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel et difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel et difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel et difference in elevation between the stream bed and the ground surface at the source of development et al. 12. Location of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. NW 1/4 of NW 1/4 group domestic 14. SE 1/4 of NE 1/4 group domestic 14. SE 1/4 of NE 1/4 group domestic 15. SE 1/4 of NE 1/4 group domestic 16. Observe use in the above area by occupants of trailer court, lawn,	Give horsepower and typ 11. If the location of the atural stream or stream cha	well, tunnel, or onel, give the d	gine to be used other development work is lesistance to the nearest point of	ss than one-fourth mile fron on each of such channels a
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream or stream channels, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream	10. If pumps are to be us Give horsepower and typ 11. If the location of the stural stream or stream cha	well, tunnel, or d	gine to be used other development work is lesistance to the nearest point of	ss than one-fourth mile fron on each of such channels a
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile stural stream or stream channel, give the distance to the nearest point on each of such channel edifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile stream or stre	Give horsepower and typ 11. If the location of the stream cha	well, tunnel, or d	gine to be used other development work is lesistance to the nearest point of	ss than one-fourth mile fron on each of such channels a
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel at the source of development work is less than one-fourth mile atural surface at the source of development work is less than one-fourth mile atural surface at the source of development work is less than one-fourth mile atural surface at the source of development will	11. If the location of the stural stream or stream cha	well, tunnel, or d	gine to be used other development work is lesistance to the nearest point of	ss than one-fourth mile fron on each of such channels a
11. If the location of the well, tunnel, or other development work is less than one-fourth mile atural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develor development work is less than one-fourth mile at the stream of the nearest point on each of such channels at the source of development work is less than one-fourth mile at the stream of the nearest point on each of such channels at the source of development work is less than one-fourth mile at the stream of the nearest point on each of such channels at the source of development work is less than one-fourth mile at the source of development with a surface at the source of development with a surface at the source of development work is less than one-fourth mile at the source of development with a surface at th	11. If the location of the stural stream or stream cha	well, tunnel, or o	other development work is les	ss than one-fourth mile from on each of such channels a
12. Location of area to be irrigated, or place of use Township Range Z or W. of Williamsette Meridian 13 NW 1/4 of NW 1/4 14 NE 1/4 of NE 1/4 (Domestic use in the above area by occupants of trailer court, lawn,	atural stream or stream cha	nnel, give the d	istance to the nearest point	on each of su ch chan nels a
12. Location of area to be irrigated, or place of use Township Range Z or W. of Willamette Meridian 13 NW 1/4 of NW 1/4 14 NE 1/4 of NE 1/4 (Domestic use in the above area by occupants of trailer court, lawn,	itural stream or stream cha	nnel, give the d	istance to the nearest point	on each of su ch chan nels a
N. or 8. Williamette Meridian 13	Township Range		Seem and special and special and seem a	Number Acres
14 SE 1/4 of NE 1/4 (Domestic use in the above area by occupants of trailer court, lawn,		dian	NW 1/4 of NW 1/4	
occupants of trailer court, lawn,	3 S 1 W	14	SE 1/4 of NE 1/4	
gardens. No plot is over 1/2 acre.)				
		gardens.	No plot is over 1/2 ac	cre,)
			·	
·				
	and the second s			

TUNICIPAL :	upply the city of
	county, having a present population of
md an estimat	ed population of in 19 in 19
	ANSWER QUESTIONS 14, 18, 16, 17 AND 18 IN ALL CASES
14. Estiv	nated cost of proposed works, \$4.000.00
15. Cons	truction work will begin on or beforeAugust 7, 1962
16. Cons	struction work will be completed on or before September 15, 1962
17. The	water will be completely applied to the proposed use on or before October 1, 1965
18. If th	se ground water supply is supplemental to an existing water supply, identify any app mit, permit, certificate or adjudicated right to appropriate water, made or held by t
pplicant	
••••••••••••	THUNDERBIRD MOBILE CLUB, INC.
	Assistant Secretary
Remarks	Charletany Secretary
The wat	er will be used to supply domestic water to 114 families in a trailer
court. In	addition, it will be used for a swimming pool, sewage disposal system,
	d garden plots. It is contemplated that the water will also be used
• • • • • • • • • • • • • • • • • • • •	
in the rutu	re for retail establishments. The property in which the water will be
r. 3 S., R.	retail and other purposes would include the NW 1/4 of NW 1/4 of Sec. 1 1 W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be
T. 3 S., R.	1 W., which is adjacent to and immediately east of the section on which
T. 3 S., R.	1 We, which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be
T. 3 S., R.	1 We, which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be
r. 3 S., R.	1 We, which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be
T. 3 S., R.	1 We, which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be
T. 3 S., R.	1 W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be increase in the number of trailer lots.
T. 3 S., R. the well is substantial	1 W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Ss.
T. 3 S., R. the well is substantial STATE OF O County of 1	1 W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, ass. Marion,
T. 3 S., R. the well is substantial STATE OF O County of 1	1 W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Ss.
T. 3 S., R. the well is substantial STATE OF O County of I	1 W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, ass. Marion,
T. 3 S., R. the well is substantial STATE OF O County of I	I W., which is adjacent to and immediately east of the section on which located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Ss. Marion, Ss. to certify that I have examined the foregoing application, together with the accompany
the well is substantial STATE OF O County of I This is maps and date	located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, ass. Marion, ss. to certify that I have examined the foregoing application, together with the accompany and return the same for
the well is substantial STATE OF O County of I This is maps and date	located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, arion, ss. to certify that I have examined the foregoing application, together with the accompany and return the same for completion.
the well is substantial STATE OF O County of I This is maps and date In orde tions on or be	located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Sss. Marion, Sss. to certify that I have examined the foregoing application, together with the accompany is, and return the same for
the well is substantial STATE OF O County of I This is maps and date In orde tions on or be	located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Ss. to certify that I have examined the foregoing application, together with the accompany i, and return the same for
the well is substantial STATE OF O County of I This is maps and date In orde tions on or be	located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Ss. Marion, Ss. to certify that I have examined the foregoing application, together with the accompany is, and return the same for
the well is substantial STATE OF O County of I This is maps and date In orde tions on or be	located. It is also contemplated that within two years there will be increase in the number of trailer lots. REGON, Ss. to certify that I have examined the foregoing application, together with the accompany i, and return the same for

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		d is limited to the amou				
source of app	propriation, or its	equivalent in case of ro	tation wit	h other water users	s, fromWe	ell No. 1
The u	se to which this u	pater is to be applied is	group	domestic and co	ommercial	uses in
trailer (court and adjace	cent area.				
If for	irrigation, this app	propriation shall be lin	rited to	of	one cubic f	oot per second
		e irrigated and shall be				
acre feet pe	er acre for each ac	re irrigated during th	e i rri gatio	n season of each y	ear;	
					••••••	
***************************************						•••••
	······		•••••			•••••••••••••••••••••••••••••••••••••••
and shall b	e subject to such 1	reasonable rotation sys	tem as mo	ly be ordered by th	ie proper sta	ite officer.
The	well shall be case	d as necessary in accorer capping and control	rdance wi	th good practice o	ind if the f	low is artesian
The	works constructed	l shall include an air l	ine and p	ressure gauge or ar	access por	t for measuring
The	permittee shall in	water level elevation stall and maintain a w	eir, meter	, or other suitable 1	measuring d	evice, and shall
keep a com	ipiete record of th	e amount of ground w	ater with	irawn.		
The	priority date of th	is permit is	• • • • • • • • • • • • • • • • • • • •	November 19	, 1962	
Actu	ial construction w	ork shall begin on or t	efore	April 10, 1	964	and shall
thereafter	be prosecuted wi	ith reasonable diligend	e and be	completed on or l	before Octo	ber 1, 19 ⁶⁴
		of the water to the pro			•	45
		nisday of			, 196	
	•			2/ 3		L. Co.
					·	SIXIE ENGINEER
		gon,			33.9	5
	GND :	n, Ore R.C.C.			देशे	NO G
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	GROUND	salem Salem			6	stats Enouge
233		r at S	,	59	page	Harry &
o :	PERMIT PRIATE THE GROI IS OF THE STATE OF OREGON	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the A day of Arthurku.	ä	i: April 10, 1963	No. its on	Cakis L Heeleh str. Basin No. 2 page
ion N Vo. G-		ment wo	lican	10,	Recorded in book No. nund Water Permits 01	CAKIS L. Drainage Basin No.
Application Permit No.	PI APPROPR WATERS OF	e Sta	o app	trad,	ed in ater l	CH ge Ba
Ap _l		of the	ned t	ved:	corde	raina
	2	This instrument was first received in the office of the State Engineer at Salem, Oregon, and the May of Meterralia. 19 6 % at L'al o'clock A.M.	Returned to applicant:	Approved:	Recorded in book NoGround Water Permits on page	۵
					~	• •