

Permit No. G-2312

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Paul E. Jonas (Name of applicant) of 3780 Hugo Road (Postoffice Address), county of Josephine state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tunnel, tributary of Summer Creek (Name of stream)

tributary of Rogue

2. The amount of water which the applicant intends to apply to beneficial use is .0125 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Domestic and 1 acre

4. The well or other source is located 3300 ft. N. (N. or S.) and 90 ft. (E. or W.) from the SE corner of Section 5 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SE 1/4 of NW 1/4 of Sec. 5, Twp. 35 S., R. 6 W., W. M., in the county of Josephine

5. The pipeline (Canal or pipe line) to be 300 ft. miles in length, terminating in the SE 1/4 of SE 1/4 of NW 1/4 of Sec. 5, Twp. 35 S., R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Jonas Sump

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one sump (Give number of wells, tunnels, etc.) having a diameter of 10 ft. inches and an estimated depth of 6 feet. It is estimated that 6 feet of the well will require wood or metal casing. Depth to water table is estimated 1 ft. (Feet)

G-2312

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft. ft.; size at intake, 1 1/4 in.; in size at ft. from intake in.; size at place of use 1 1/4 in.; difference in elevation between intake and place of use, ft. Is grade uniform? YES Estimated capacity, .5 sec. ft.

10. If pumps are to be used, give size and type centrifugal 1 1/4 in.

Give horsepower and type of motor or engine to be used 2 1/2 h.p. gas engine

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S	6 W	5	SE 1/4 of SE 1/4 of NW 1/4	1

(If more space required, attach separate sheet)

Character of soil granite

Kind of crops raised pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 200.00.....
- 15. Construction work will begin on or before June 1, 1963.....
- 16. Construction work will be completed on or before June 1, 1964.....
- 17. The water will be completely applied to the proposed use on or before June 1, 1965.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Paul Jones
(signature of applicant)

Remarks:

A parcel of land located in the South Half of the Southeast Quarter of the Northwest Quarter of Section 5 Township 35 South, Range 6 West of the Willamette Meridian: Josephine County, Oregon, described as follows: Beginning at the point of intersection of the Westerly right of way line of the County Road known as the Merlin-Hugo Rd. and which is also known as Quartz Creek Road, with the North line of said legal Subdivision and run then Southerly along the Westerly right of way line of said County Road 400 feet: then West parallel with the North line of said Subdivision 380 feet: then North 400 feet, more or less to the North line of said Subdivision: then East along said Subdivision line 380 feet, more or less, to the point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Jonas sump

The use to which this water is to be applied is irrigation

If for irrigation; this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 14, 1963

Actual construction work shall begin on or before April 10, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 10th day of April, 1963

Chris L. Whittle State Engineer

Application No. G-2342
Permit No. G-2342

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of January 1963, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

April 10, 1963

Recorded in book No. 9 of 2312 Ground Water Permits on page

CHRIS L. WHITTLE STATE ENGINEER

Drainage Basin No. 15 page 96