

JAN 13 1931

Permit No. G-.....

2315

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, BEN G. HEINECK

(Name of applicant)

of 24465 W. BASELINE HILLSBORO, county of Washington

(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated TUALATIN RIVER

(Name of stream)

tributary of WILLAMETTE

2. The amount of water which the applicant intends to apply to beneficial use is 1/3 cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION & DOMESTIC

4. The well or other source is located 3132 ft. S and West ft. 200 from the NE corner of HIRAM JOHNSON DONATION LAND CLAIM # 55 T. 15. R. 2 W. Will. Meridian Wash. Co. Oregon

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

Must Easterly

H.P.

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of Sec. 35, Twp. 15, R. 2 W. M., in the county of Washington

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 WELL having a diameter of 12 inches and an estimated depth of 400 feet. It is estimated that 40 feet of the well will require Welded P.E casing. Depth to water table is estimated 23

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

G-2315

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1/2 HP Submersible

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| 15 | 2 W | 35 | NW 1/4 NW 1/4 | 13.2 |
| 15 | 2 W | 26 | SW 1/4 SW 1/4 | 9.5 |
| 15 | 2 W | 27 | SE 1/4 SE 1/4 | 0.4 |
| | | | | <u>23.1</u> |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil SANDY SILT CLAY

Kind of crops raised CORN, POTATOES, SWEET POTATOES

MUNICIPAL SUPPLY-

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..5500.....
- 15. Construction work will begin on or before Feb. 15 - 63
- 16. Construction work will be completed on or before July 1 - 63
- 17. The water will be completely applied to the proposed use on or before Summer of 1963

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant.

Ben H. Wheeler
(Signature of applicant)

Remarks:

Beginning at a point on the east line of Hiram Johnson Donation Land Claim No. 55,
T. 1 S., R. 2 W., Will. Mer., in Washington County, Oregon, 2579.98 feet S. 2° E.
from the northeast corner of said Johnson D.L.C., said point being also the S.E. corner
of that certain 36.20 acre tract of land now owned by the grantees herein, deed for
which is recorded at page 74 of book 84 deed records of Washington County, Oregon,
and running thence with the east line of said D.L.C. south 2° 00' east 1354.0 feet to
a stone; thence N. 85° 31' W. 1033.0 feet; thence N. 5° 09' W. 1339.0 feet; thence
S. 86° 42' E. 1102.0 feet to the place of beginning, containing 32.696 acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before April 8....., 19 63.

WITNESS my hand this 8 day of February, 19 63.

RECEIVED
FEB 11 1963
STATE ENGINEER
SALEM, OREGON

By *Chris L. Wheeler* STATE ENGINEER
Walter J. Perry ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.29 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 17, 1963

Actual construction work shall begin on or before April 10, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 10th day of April, 1963

Chris L. Wheeler STATE ENGINEER

Application No. G-2530

Permit No. G-2345

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of April, 1963, at 10:25 o'clock P. M.

Returned to applicant:

Approved:

April 10, 1963

Recorded in book No. 9 of 2315 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 96a