

JAN
TA
81

Permit No. G-2319

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Archdiocese of Portland in Oregon

(Name of applicant)

of 2053 S. W. Sixth Ave., Portland 1, county of Multnomah

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Portland, Oregon, date unknown

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.5 cubic feet per second or 225 gallons per minute.

3. The use to which the water is to be applied is as pre-conditioning and condenser water for a chilled water air conditioning system.

4. The well or other source is located 1250.8 ft. N and 1188.8 ft. E from the S.W. corner of Section 36.

(N or S)

(E or W)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S. W. 1/4 SW 1/4 of Sec. 36, Twp. 1N, R. 1E, W. M., in the county of Multnomah

NA 5. The (Canal or pipe line) to be miles

in length, terminating in the of Sec. , Twp.

(Smallest legal subdivision)

R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is the Chancery Office Building Well.

DESCRIPTION OF WORKS

NA 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 300 feet. It is estimated that 300

(Give number of wells, tunnels, etc.)

feet of the well will require steel pipe casing. Depth to water table is estimated 150

(Kind)

(Feet)

NA - Not Applicable.

CANAL SYSTEM OR PIPE LINE—

NA 9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

NA (b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

NA (c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type 6-inch submersible or turbine, _____ depending upon water level.

Give horsepower and type of motor or engine to be used 10 HP, electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
More than 1/4 mile.

12. Location of area to be irrigated, or place of use Chancery Office Building.

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------------------|---|---------|-----------------------------|---------------------------------|
| 1N | 1E | 36 | N.E. 1/4 of S.W. 1/4 SW 1/4 | None Air Conditioning |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil sand and gravel.

Kind of crops raised none.

NA - Not Applicable.

MUNICIPAL SUPPLY—

NA 13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$400,000.00 _____
- 15. Construction work will begin on or before January 1, 1963 _____
- 16. Construction work will be completed on or before March 1, 1963 _____
- 17. The water will be completely applied to the proposed use on or before July 1, 1963 _____
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____ None _____

Edward D. Brown
 (Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____
ASSISTANT

STATE OF OREGON.

PERMIT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is Air conditioning

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 29, 1963

Actual construction work shall begin on or before April 10, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 10th day of April, 1963

Chris L. Wheeler STATE ENGINEER

Application No. G-2349

Permit No. G-2349

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of January, 1963, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

April 10, 1963

Recorded in book No. 9 of

Ground Water Permits on page 2319

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 3 page 30