

Permit No. G-2351

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, George Ambrosek & Kenneth Holmes of Albany, Albany, Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is #1 .75-7 #2 .34 #3 .38 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located #1 N2758.8' #2 W290.4' #3 N534.6' E 389.4' E 422.4' from the corner of

from the most easterly SE corner of James Gingles DLC #44 being within the #1 NW1/4 #2 NW1/4 #3 SW1/4 of Sec. 15, Twp. 10 S, R. 4 W. M., in the county of Benton

5. The pipe line to be portable in length, terminating within the 40 acre section adjacent to the well of Sec. 15, Twp. 10 S, R. 4 W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is #1, #2 & #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 3 wells having a diameter of #1 10" #2 8" #3 10" inches and an estimated depth of #1 35 #2 32 #3 37 feet. It is estimated that total length feet of the well will require steel casing. Depth to water table is estimated #1 - 6', #2 - 6', #3 - 15'

G-2351

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe/ **variable - will use 3" laterals with 3, 4 & 5 inch mains as needed** ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, **none** ft. Is grade uniform? Estimated capacity, about .4 each on 10 hp and .6 to .8 & well #3 depending on pump used sec. ft.

10. If pumps are to be used, give size and type **3 phase electric pumps with matching centrifugal pumps**

Give horsepower and type of motor or engine to be used **Well #1 - 10 hp, Well #2 - 10 hp, Well #3 - 15 or 20 hp**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
no

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10S	4W	15	NW$\frac{1}{4}$ NW$\frac{1}{4}$	30.0
"	"	16	NE$\frac{1}{4}$ NE$\frac{1}{4}$	8.0
10S	3W	15	SW$\frac{1}{4}$ NW$\frac{1}{4}$	20.0
"	"	"	NW$\frac{1}{4}$ SW$\frac{1}{4}$	4.0
"	"	"	NE$\frac{1}{4}$ SW$\frac{1}{4}$	3.0
"	"	"	SE$\frac{1}{4}$ NW$\frac{1}{4}$	0.5
10S	4W	9	SE$\frac{1}{4}$ SE$\frac{1}{4}$	6.0
"	"	10	SW$\frac{1}{4}$ SW$\frac{1}{4}$	24.0
"	"	"	SE$\frac{1}{4}$ SW$\frac{1}{4}$	0.2

(If more space required, attach separate sheet)

Character of soil **silty loam**
Kind of crops raised **horticulture, forage, seeds**

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$9,000 - total investment* 1962

15. Construction work will begin on or before wells are completed.....

16. Construction work will be completed on or before June 1963.....

17. The water will be completely applied to the proposed use on or before June, 1964.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Benneth Holmes
George (M) Inosek
(Signature of applicant)

Remarks: Wells #1 & #2 were on the property when purchased. The three wells will be operated as an integrated system. Division of area for each well may in practice vary somewhat from that indicated. This is rented property. The renters furnish irrigation pipe as needed.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.19 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 3 wells; being 0.47 c.f.s. from well No. 1, 0.34 c.f.s. from well No. 2 and 0.38 c.f.s. from well No. 3.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 4, 1963

Actual construction work shall begin on or before April 10, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 10th day of April, 1963

Chris J. Wheeler STATE ENGINEER

Application No. G-2539
Permit No. G-2351

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4 day of February 1963, at 9:40 o'clock A. M.

Returned to applicant:

Approved: April 10, 1963
Recorded in book No. 9 of 2351
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 96R