

Permit No. G- 2389

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Albert C. Stratt (Name of applicant) of P.O. Box 697, Madras, county of Jefferson, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willow Creek (Name of stream) tributary of Deschutes River

2. The amount of water which the applicant intends to apply to beneficial use is .056 cubic feet per second or 25-30 gallons per minute. Quantity to be appropriated 3,240,000 gallons annually

3. The use to which the water is to be applied is Sprinkling system on 4 to 5 acres (pasture)

4. The well or other source is located 1,103.95 South and 53.15 ft. East from the NE corner of Got't. Lot 3 in the SW 1/4 of Sec. 18, Twp. 11 S., R. 14 E., W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary) being within the XXXXXXXXXXXXXXXXXXXXXXXXXX of SW 1/4 Sec. 18, Twp. 11 S., R. 14 E., W.M., in the county of Jefferson

5. The See remarks for system description to be miles in length, terminating in the of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one (1) having a diameter of six inches and an estimated depth of 35 feet. It is estimated that 25 feet of the well will require unperforated casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type 1 1/2 H.P. Barnes Pump - 220 Volt - Single Phase Unit

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

160 feet Southwesterly from Willow Creek and +10 feet from stream bed.

12. Location of area to be irrigated, or place of use 6.5 ~~XXXXX~~ acres in NWSW and NEX of SWK

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	14 E.	XXXX 18	Portion of Gov't. Lot 3	3.15
"	"	XXXX	Portion of NEX of SWK	3.35

(If more space required, attach separate sheet)

Character of soil sandy loam
 Kind of crops raised pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 700. (pump, alum. sprink. pipe, electrical work)

15. Construction work will begin on or before

16. Construction work will be completed on or before

17. The water will be completely applied to the proposed use on or before summer 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

[Handwritten Signature]
(Signature of applicant)

Remarks: (west)

The well is approximately two hundred (200) feet from Willow Creek

Use 660 ft. 2" aluminum mainline and 140 ft. 2" aluminum lateral lines for sprinklers w/6" risers. (4)


The well was drilled summer 1955. A hand pump was installed to water livestock. 1962 electric pump and sprinkling system were installed.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 6, 1963

WITNESS my hand this 6 day of March, 19 63.



CHRIS L. WHEELER

STATE ENGINEER

STATE ENGINEER
SALLA C. ...

[Handwritten Signature]

ASSISTANT

7

STATE OF OREGON.

PERMIT

County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 26, 1963

Actual construction work shall begin on or before June 24, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 24th day of June, 1963

[Signature] STATE ENGINEER

Application No. G- 2258
Permit No. G- 2359

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of February, 1963, at 4:00 o'clock A. M.

Returned to applicant:

Approved: June 24, 1963
Recorded in book No. of 2389
Ground Water Permits on page

STATE ENGINEER
Drainage Basin No. 5 page 44