

Permit No. G- 2409

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, S. HAROLD BEACH (Name of applicant) of Rt 1 Box 394 HERMISTON (Postoffice Address), county of UMATILLA state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated SAND HOLLOW CREEK (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 250 gallons per minute.

3. The use to which the water is to be applied is PERMANENT PASTURE AND WHEAT

4. The well or other source is located 2640 ft. S (N or S) and 432 ft. E (E or W) from the N.W. corner of SECTION 26 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary.) being within the SW 1/4 N.W. 1/4 of Sec. 26, Twp. 1 N., R. 26 E. W. M., in the county of MORROW

5. The PIPE LINE (Canal or pipe line) to be 2580 FT miles in length, terminating in the N.W. 1/4 ALSO S.W. 1/4 (Smallest legal subdivision) of Sec. 26, Twp. 1 N., R. 26 E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL (Give number of wells, tunnels, etc) having a diameter of 8 inches and an estimated depth of 230 feet. It is estimated that 24 feet of the well will require 8' THREADED-27 casing. Depth to water table is estimated 112' (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 2580 ft.; size at intake, 5 in.; in size at 1500 ft from intake 4 in.; size at place of use 5 AND 4 in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type 250 GAL/MIN WATER LUBRICATED TURBINE PUMP

Give horsepower and type of motor or engine to be used 25 HP 3 PHASE ELECTRIC MOTOR

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

528' W. SANDHOLLOW CREEK 70' ABOVE

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|-----------|--------------------------|------------------------------|
| <u>1 N</u> | <u>26 E</u> | <u>26</u> | <u>W 1/2 OF N. W 1/4</u> | <u>44</u> |
| <u>1 N</u> | <u>26 E</u> | <u>26</u> | <u>W 1/2 OF S. W 1/4</u> | <u>57</u> |
| | | | | <u>101</u> |
| <u>1 N</u> | <u>26 E</u> | <u>26</u> | <u>Nw 1/4 Nw 1/4</u> | <u>23</u> |
| | | | <u>Sw 1/4 Nw 1/4</u> | <u>21</u> |
| | | | <u>Nw 1/4 Sw 1/4</u> | <u>28</u> |
| | | | <u>Sw 1/4 Sw 1/4</u> | <u>29</u> |
| | | | | <u>101</u> |

(If more space required, attach separate sheet)

Character of soil RITZVILLE

Kind of crops raised PERMANENT PASTURE - WHEAT

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,500
- 15. Construction work will begin on or before WELL COMPLETED FEB 15, 1963
- 16. Construction work will be completed on or before JUNE 1, 1963
- 17. The water will be completely applied to the proposed use on or before JUNE 15, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

S. Harold Beach
(Signature of applicant)

Remarks: MAIN USE FOR 44A PERMANENT PASTURE, ALSO USED TO SUPPLEMENT 57A WHEAT RAINFALL ON 57A WHEAT AS REQUIRED.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON.

PERMIT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 24, 1963

Actual construction work shall begin on or before June 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 24th day of June, 1963

[Signature]

STATE ENGINEER

Application No. G-2605
Permit No. G-2409

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of April, 1963, at 12:15 o'clock P. M.

Returned to applicant:

Approved:

June 24, 1963

Recorded in book No. 2409 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 7 page 42