## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Paul V. Baughman	
Route 1. Box 11.7F. Brooks	(Warne of applicant)
	, county of Marion,
tate of Oregon	do hereby make application for a permit to appropriate the
following described ground waters o	of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation	n, give date and place of incorporation
1. Give name of nearest strea	am to which the well, tunnel or other source of water development is
situated an unnamed tributary	of Little Pudding River (Name of stream)
	tributary of Pudding River
	ch the applicant intends to apply to beneficial use is cubic
3. The use to which the wate	er is to be applied is irrigation
4. The well or other source is	located ft from the ft from the
corner of	
S. 43° 20' E. 1850 Ft. fro	
(u p	preferable, give distance and bearing to section corner)
(If there is more th	ian one we'', each must be described. Use separate sheet if necessary)
being within the No. No.	of Sec. 14, , Twp. 65, , R. 2W.,
W. M., in the county of	
5. The	(Canal or pipe line) to be miles
in length, terminating in the	(Smallest legal subdivision) of Sec, Twp.
	location being shown throughout on the accompanying map.
6. The name of the well or o	ther works is Baughman well
	DESCRIPTION OF WORKS
7. If the flow to be utilized is supply when not in use must be des	s artesian, the works to be used for the control and conservation of the scribed.
Not applicable	
8. The development will con	nsist of drilled_well having ( Give number of wells, tunnels, etc.)
	rd an estimated depth of 123 feet. It is estimated that 123
feet of the well will require	tool casing. Depth to water table is estimated (Feet)
constructed under Dermit W	

CANAL S	SYSTEM	OR	PIPE	LINE.
---------	--------	----	------	-------

9. (a) Giv		/ 4 4	line)	
	idgate: width on to		•	•
•••••••••••	feet; depth of wat	er	feet; grade	feet fall per
and feet.				
(b) At	mi	les from hed	idgate: width on top (at water li	ne)
· <b>···</b>	feet; width on l	bottom	feet; depth of wate	<b>7</b>
<b></b>	feet fall p	er one thou	sand feet.	
(c) Length	h of pipe,	ft.	; size at intake, in.	; in size at
intake	in.; s	ize at place	of usein.; diffe	erence in elevation bett
e and place	of use,	ft.	Is grade uniform?	Estimated capa
	sec. ft.			
10. If pum	ips are to be used, g	give size and	type	
	·····	•••••••••••••••••••••••••••••••••••••••		
Give horse	power and type of	motor or en	gine to be used	
lifference in	or stream channel, elevation between		bed and the ground surface at	
	elevation between	the stream	bed and the ground surface at	the source of develop
	elevation between	the stream		the source of develop
12. Locati	ion of area to be ir	the stream	bed and the ground surface at	Number Acres
12. Locati	n of area to be in Range E. or W. of Willamette Meridian	rigated, or p	place of use	Number Acres To Be Irrigated  1.2
12. Locati	n of area to be in Range E. or W. of Willamette Meridian	rigated, or p	Porty-sero Tract	Number Acres To Be Irrigated
12. Locati	n of area to be in Range E. or W. of Willamette Meridian	rigated, or p	Porty-serv Tract  SEL SEL  SEL SEL	Number Acres To Be Irrigated  1.2
12. Locati	n of area to be in Range E. or W. of Willamette Meridian	rigated, or p	Place of use  Forty-scro Tract  SEL SEL  Lot 1 (NOL NOL)	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	Party-acre Tract  SEL SEL  Lot 1 (NCL NEL)  NWA NEL	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	place of use  Porty-serv Tract  OW 1 SE 1  SE 2 SE 1  Lot 1 (N 1 NE 1)  NW 2 NE 2  Lot 2 (SW NE 2)	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	place of use  Porty-serv Tract  OW 1 SE 1  SE 2 SE 1  Lot 1 (N 1 NE 1)  NW 2 NE 2  Lot 2 (SW NE 2)	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	place of use  Porty-serv Tract  OW 1 SE 1  SE 2 SE 1  Lot 1 (N 1 NE 1)  NW 2 NE 2  Lot 2 (SW NE 2)	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	place of use  Porty-serv Tract  OW 1 SE 1  SE 2 SE 1  Lot 1 (N 1 NE 1)  NW 2 NE 2  Lot 2 (SW NE 2)	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	place of use  Porty-serv Tract  OW 1 SE 1  SE 2 SE 1  Lot 1 (N 1 NE 1)  NW 2 NE 2  Lot 2 (SW NE 2)	Number Acres To Be Irrigated  1.2  -2.4  1.7
12. Locati	n of area to be ir	rigated, or p	place of use  Porty-serv Tract  OW 1 SE 1  SE 2 SE 1  Lot 1 (N 1 NE 1)  NW 2 NE 2  Lot 2 (SW NE 2)	Number Acres To Be Irrigated  1.2  -2.4  1.7

10.	CIPAL SUPPLY—  13. To supply the city of	
	county, having a pres	ent population of
l en c	estimated population ofi	n 19
	ANSWER QUESTIONS 14, 15, 14	, 17 AND 18 IN ALL CASES
14.	4. Estimated cost of proposed works, \$	·
	5. Construction work will begin on or before	
		· consolatal
	6. Construction work will be completed on or b	1 14/8
17.	7. The water will be completely applied to the	proposed use on or before Oct 1, 1465
14.	ls. If the ground water supply is supplement	al to an existing water supply, identify any app I right to appropriate water, made or held by t
plican	mt. Not supplemental	
•		
••••••••		Saul V Baughman (Bignature of applicant)
_	Remarks: Legal Description in File No	$\mathcal{U}$
Re	Remarks: Logar Description in 1110 No	• • • • • • • • • • • • • • • • • • • •
•••••		
• • • • • • • • • • • • • • • • • • • •		
••••••		
•••••		
•••••		
· · · · · · · · · · · · · · · · · · ·		
·····		
••••••		
TATE	'E OF OREGON, )	
Con	runty of Marion,	
	•	
7	This is to certify that I have examined the fo	oregoing application, together with the accompany
ups a	and data, and return the same for	
••••••		
1	In order to retain its priority, this application	n must be returned to the State Engineer, with cor
ions o	on or before,	19
V		<del></del>
		, 19
1	WITNESS my hand this day of	
,	WITNESS my hand this day of	
1	WITNESS my hand this day of	
1	WITNESS my hand this day of	

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to which this water is to be applied is  If for irrigation, this appropriation shall be limited to  If for irrigation, this appropriation shall be limited to  If for irrigation, this appropriation shall be limited to  If for irrigation, this appropriation shall be limited to  If for irrigation, this appropriation shall be limited to  If for irrigation, this appropriation shall be limited to  If for irrigation, this appropriation shall be limited to a diversion of not to exceed  26.  27.  28.  29.  29.  20.  20.  20.  20.  20.  20	The right	t herein granted	is limited to the amount	of water which ca	n ve appirea io	from the well or	
The use to which this water is to be applied is  If for irrigation, this appropriation shall be limited to 4/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2/2 acre feet per acre for each acre irrigated during the irrigation season of each year;  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964 and she thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65.  Complete application of the water to the proposed use shall be made on or before October 1, 19 65.  WITNESS my hand this  STATE MODERS.	hall not exceed						
If for irrigation, this appropriation shall be limited to						•••••	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control value to prevent the waste of ground water.  The well shall be classed all include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  STATE ENGINEER  STATE ENGINEER  STATE ENGINEER  STATE ENGINEER	If for in	rigation, this app	ropriation shall be limit	ed to	of one cut	oic foot per second	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control value to prevent the waste of ground water.  The well shall be cased shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65.  WITNESS my hand this  day of  August 1963  **TATE ENGINEER  **TATE ENGI	or its equivale	ent for each acre	irrigated and shall be f	urther limited to a	diversion of not	to exceed222	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  and shot thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964  Complete application of the water to the proposed use shall be made on or before October 1, 1965  WITNESS my hand this  STATE ENGINEER  STATE ENGINEER	acre feet per	acre for each acr	e irrigated during the i	rrigation season o	f each year;	······································	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shakeep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  and shall begin on or before and be completed on or before October 1, 19 64  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  STATE ENGINEER  STATE ENGINEER							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  June 20, 1963  Actual construction work shall begin on or before  August 9, 1964  and she thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 64  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  STATE ENGINEER  STATE ENGINEER							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964 and she thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 64  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  day of  August ,19 63							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  June 20, 1963  Actual construction work shall begin on or before  August 9, 1964  and sho thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.64  Complete application of the water to the proposed use shall be made on or before October 1, 19.65  WITNESS my hand this  STATE ENGINEER	***************************************						
The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 64  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  9th day of  August 1, 19 63  STATE ENGINEER							
The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measurin line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 64  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  9th day of  August 1, 19 63  STATE ENGINEER					and her the proper	er state officer.	
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shakeep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  and shakeep a complete application of the water to the proposed use shall be made on or before October 1, 19.65  WITNESS my hand this  August 19, 1963  WITNESS my hand this  STATE ENGINEER				with good m	ractice and if t	he flow is artesian	
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and sha keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  August 9, 1964  And shall begin on or before and be completed on or before October 1, 19, 64  Complete application of the water to the proposed use shall be made on or before October 1, 19, 65  WITNESS my hand this  Output  August 1, 19, 63  August 1, 19, 63  STATE ENGINEER		-II implicate meens	oe cannina ana conitui u	WIDE TO DIEDELL CO.		· · · · ·	
The priority date of this permit is  Actual construction work shall begin on or before  August 9, 1964  And shall begin on or before and be completed on or before October 1, 19 64  Complete application of the water to the proposed use shall be made on or before October 1, 19 65  WITNESS my hand this  August 9, 1964	•••		mtaw iosioi olominiinii in	LIMP WELL GL GIL III	,,,,,,		
Actual construction work shall begin on or before  August 9, 1964  and shows thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964  Complete application of the water to the proposed use shall be made on or before October 1, 1965  WITNESS my hand this  August 9, 1964  and shows thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965  August 9, 1964  August 9, 1964  STATE ENGINEER	The po keep a comp	ermittee shall ins lete record of the	stall and maintain a wet e amount of ground wat	er withdrawn.	sullate measur	ing device, and and	
Actual construction work shall begin on or before  August 9, 1964  thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.64  Complete application of the water to the proposed use shall be made on or before October 1, 19.65  WITNESS my hand this  August 9, 1964  August 9, 1964  August 1, 19.64  STATE ENGINEER			e de ta	June	20, 1963		
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	The p	riority date of th	is permit is	fore Augu	st 9, 1964	and shall	
Complete application of the water to the proposed use shall be made on or before October 1, 19.  WITNESS my hand this day of	Actua	l construction w	ork shall begin on or be	and he complete	d on or before		
WITNESS my hand this day of August , 19 63	thereafter b	pe prosecuted wi	th reasonable alligence	and we complete	nade on or befor	e October 1, 19 65	
WITNESS my nana this state engineer	Comp	olete application	of the water to the prop	Auga	ist	19 63	
: •••: : <b>!</b>	WITI	NESS my hand ti	ris day of	ck	1 rel	al-	
PERMIT  Permit No. G. A. 445  Permit No. G. A. 445  TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON  This instrument was first received in the Rhis instrument was first received in the ce of the State Engineer at Salem, Oregon, t. 3, at A. 4 day of Un n e  August 9, 1963  August 9, 1963  Proved: August 9, 1963  August 9, 1963  CHRIS L. WHEELER  STATE ENGINEER  CHRIS L. WHEELER  GRATE PROUNER  OF OREGON  Water Permits on page SA45  Drainage Basin No. R. page X65					·····	STATE ENGINEER	
PERMIT  PERMIT  TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON  This instrument was first received in of Ore Of the State Engineer at Salem, Oregon the 20th, day of Chin & M.  13, at 3,000 o'clock M.  13, at 3,000 o'clock M.  Recorded in book No.  Proved:  August 9, 1963  Recorded in book No.  OHKIS L. WHEELER  GAATE ROOM  OTHERS L. WHEELER  ANDERSON  OTHERS L. WHEELER	Ŋ		the can be carried as a second		2 R	5	
PERMIT  Permit No. G. 24 45  Permit No. G. 24 45  Permit No. G. 24 45  PERMIT  TO APPROPRIATE THE GROUWATERS OF THE STATE OF OREGON  This instrument was first receive  This instrument was first of GROUWATERS  This instrument was first receive  This instrument was first receive was first receive  This instrument was first receive  This instrument was first receive		Q.N.	d in Oreg		777	5 %	
PERMIT  Permit No. G- 24 4.  Permit No. G- 24 4.  Permit No. G- 24 4.  PERMIT  TO APPROPRIATE THE ST  OF OREGON  This instrument was first re  This instrument was first re  To Appropriate Engineer at So  To State Engineer at So  To August 9, 196  August 9, 196  August 9, 196  CHAIS L. WHEELE  Drainage Basin No. R. Pa	3,9	ROU	Seive J. A. Leine		•	R TATE	
PERMI Permit No. G- 2.  Permit No. G- 2.  TO APPROPRIATE T WATERS OF THI OF OREGG  This instrument was fin the 20 th. day of C.  August 9.  August 9.  Recorded in book No.  CHAIS L. WH  CHAIS L. WH	7 7	HE CHE C	at S.		196.	page SELE	
PERMIT No. G- Permit No. G- Permit No. G- WATERS OF OF OF OF OF This instrument w Th	9 7	IMI TE T THI	as fireer filock		t 9, No.	its on . Wh	
Application Permit N Permit N WATER WATER Ce of the Stat This instrum	on No	PER PRIATE SOF OF	ent w e Eng lay of	licant	ugus book	Permi IS L usin N	
Appl Perm Perm TO APP T	icatic nit N	FOR OF	State A. d.	appl	d in	CHR ge Ba	
	Appl Pern		s inst	ned to	ved:	rd W	
2		5	This fice of the nathe of 3	etun	lppr.	in diameter in the state of the	