

STATE ENGINEER  
KALM...

AUG 15 1963

Permit No. G-2455

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Jim C. Coleman (James Curtis Coleman)

(Name of applicant)

of Davidson Road, Williams, Oregon, county of Josephine

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is

situated Williams Creek, West Fork

(Name of stream)

tributary of Williams Creek

2. The amount of water which the applicant intends to apply to beneficial use is .31 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 489 ft. S. and 532 ft. E. from the NE corner of

(N. or S.)

(E. or W.)

Section 9, Township 39 South, Range 5 West of the Willamette

(Section or subdivision)

Meridian, in Josephine County, Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW1/4 NE1/4 of Sec. 9, Twp. 39S R. 5W

W. M., in the county of Josephine

5. The Sump to be miles

(Canal or pipe line)

in length, terminating in the of Sec. , Twp.

(Smallest legal subdivision)

R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Sump #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of one having a

(Give number of wells, tunnels, etc.)

diameter of 60 inches and an estimated depth of 10 feet. It is estimated that none

feet of the well will require none casing. Depth to water table is estimated 8 feet

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1300 ft.; size at intake, 3 1/2 in.; in size at 2 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 25' maximum ft. Is grade uniform? NO Estimated capacity, .31 sec. ft.

10. If pumps are to be used, give size and type irrigation 3" intake 2 1/2 outlet

Give horsepower and type of motor or engine to be used 4 HP. single phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Sump is across bed of dry wash which is a stream only when wet season is on. approximately 20 feet

12. Location of area to be irrigated, or place of use Below & to the East

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 39S, 5W, 9, NW 1/4 NE 1/4, 25

(If more space required, attach separate sheet)

Character of soil blue clay

Kind of crops raised pasture

MUNICIPAL SUPPLY—

12. To supply the city of none

in \_\_\_\_\_ county, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$800.00

15. Construction work will begin on or before about June, 1963

16. Construction work will be completed on or before August, 1963

17. The water will be completely applied to the proposed use on or before August, 1966

18. If the ground water supply is supplemental to an existing water supply, identify the applicant for permit, permit, certificate or adjudicated right to appropriate water, made or he applicant. Application filed at this time to store for beneficial use.

*J. M. Coleman*  
(Signature of applicant)

Remarks: The northwest quarter quarter of the northeast quarter of Section 9, Township 39 South, Range 5 West of the Willamette Meridian, in Josephine county, Oregon.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 5, 1963

WITNESS my hand this 5th day of July, 1963

STATE ENGINEER  
DALE O. BUN

STATE ENGINEER

ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Sump No. 1

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 12, 1963

Actual construction work shall begin on or before September 20, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of September, 1963

Chris L. Wheeler STATE ENGINEER

Application No. G- 2632

Permit No. G- 2455

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of June, 1963, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

September 20, 1963

Recorded in book No. 9 of

Ground Water Permits on page 2455

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 15 page 96

State Printing

150