



STATE ENGINEER
SALEM OREGON

Permit No. G-2464

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Robert Harris
(Name of applicant)
of Route 5, Box 86, Salem, county of Marion,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated unnamed tributary of Little Pudding River
(Name of stream)

tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 10 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 7 Ch ~~xx~~ S and 42 Ch ~~xx~~ E from the most northerly corner of NW corner of the A. Olinger DLC No. 57
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW~~4~~ SW~~4~~ of Sec. 3, Twp. 8 S, R. 2 W, W. M., in the county of Marion

5. The portable pipelines and tank trailer to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is unnamed

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not applicable

8. The development will consist of one sump type well 20 ft. x 30 ft. having a 11 feet depth of _____ feet. It is estimated that _____ feet of the well will require none casing. Depth to water table is estimated 0-10 feet.
(Give number of wells, tunnels, etc.) (Kind) (Feet)
constructed with a power shovel in 1960

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type centrifugal pump driven by a one cylinder gasoline engine

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Sump is located about 15 to 20 feet from an unnamed tributary of the Little Pudding River. In the spring of the year the water level in the sump is above the level of the stream about 3 feet. In the late summer the well goes dry while the stream continues to flow past.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	2 W	3	SW $\frac{1}{4}$ SW $\frac{1}{4}$	7.1
		10	NW $\frac{1}{4}$ NW $\frac{1}{4}$	2.3
The water is used to irrigate young trees, individually, interplanted as necessary within the orchard located on the above identified land.				

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised fruit and nuts

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before constructed in 1960.....

16. Construction work will be completed on or before complete.....

17. The water will be completely applied to the proposed use on or before now in use.....

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. none

Robert Harris
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ^{10.0} gallons per minute ~~cubic feet per second~~ measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from unnamed sump

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 11, 1963

Actual construction work shall begin on or before September 20, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of September, 1963

Chris L. Whicker
STATE ENGINEER

Application No. G-2657
Permit No. G-2464

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of July, 1963, at 5:00 o'clock P. M.

Returned to applicant:

Approved:

September 20, 1963

Recorded in book No. 9 of

Ground Water Permits on page 246A

CHRIS L. WHICKER
STATE ENGINEER

Drainage Basin No. 2 page 967