

Permit No. G- 2501

356-50

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Charlas La Herrick (Name of applicant)
of Rt.1, Bux 5, Starfield , county of
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated
tributary of Columbia Siver
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located 14.76 ft. N. and 255 ft. E. from the 2014(2)
corner of
(If preferable, give distance and bearing to section corner)
(If there is more than one we' each must be described. Use separate sheet if necessary)
being within the NW2 NE2 of Sec. 3 Twp. 2 , R. 25 2 ,
W. M., in the county of a second seco
5. The
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Herrick in 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
<u> </u>
······································
nun er en
8. The development will consist of Give number of wells, tunnels, etc.) having a
diameter of inches and an estimated depth of 50 feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated (Feet)

.

٠.

handanta At han	doute enidth on ton	(at mater line		feet: width on bottom
_				
	jeet; depth of water	T	jeet, grade	jeet jan per one
thousand feet.		o from hardan	te: width on top (at water li	ina)
	•		feet; depth of water	
	feet fall pe		e at intake. in	in size at
		•	se in ; diff	
•			grade uniform?	
		jt. 18 j	grade disjorni:	. Estimatea capatri
			oe	, .
10. If pun	nps are to be used, g	ive size and typ	0 e	
	•••••			······································
Give horse	epower and type of	motor or engin	e to be used	a ko ta a kalifa bila a ami

natural stream	or stream channel, n elevation between	give the dista	er development work is less nee to the nearest point or l and the ground surface at	ı each of such channels an
natural stream the difference in	or stream channel, a elevation between	give the dista the stream bed	nce to the nearest point or l and the ground surface at	ı each of such channels an
natural stream the difference in	or stream channel, n elevation between tion of area to be irr	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	ı each of such channels an
natural stream the difference in	or stream channel, n elevation between tion of area to be irr	give the dista the stream bed	nce to the nearest point or l and the ground surface at	t each of such channels and the source of developmen
natural stream the difference in 12. Locat	or stream channel, n elevation between tion of area to be irr	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat Township N. or S.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development
natural stream the difference in 12. Locat N. or 8.	or stream channel, n elevation between tion of area to be irr Range R or W of Willamette Meridian	give the dista the stream bed	nce to the nearest point or l and the ground surface at a l and th	n each of such channels and the source of development

Character of soil	 	
Kind of crops raised halvalva to the same	 	

CUNICIPAL SUPPLY—			
13. To supply the city of .			
)	ounty, having a pr	esent population of	
nd an estimated population of	•••••	. in 19	
ANSWER	QUESTIONS 14, 15,	16, 17 AND 18 IN ALL CA	ASES
14. Estimated cost of prop			
15. Construction work wil	l begin on or before	(Tork is in pro-	re.s.nux.)
16. Construction work wil	l be completed on or	r before Septerher	9, 1963 Catcher 1, 1, 1
17. The water will be com	pletely applied to t	he proposed use on or be	4.
18. If the ground water ation for permit, permit, certi	rupply is suppleme ficate or adjudicat	ntal to an existing wate ed right to appropriate	er supply, identify any appli- water, made or held by the
pplicant. Rental water fr	on Hermiston Ir	rigation District.	This is flood water
		FEE decree Vol	evoir. Deliver com
		Ich arles E	. Herrick.
			ure of applicant)
Remarks:			······································
•••••			
•••••		••••	
		•••	
	***************************************	••••••	
	••••••••••••		•••••••••••••••••••••••••••••••••••••••
		· · · · · · · · · · · · · · · · · · ·	
		••	
•		••••	
STATE OF OREGON,			
County of Marion,			
	have aromined the	foregoing application to	gether with the accompanyin
maps and data, and return the	same for		•••••••••••••••••••••••••••••••••••••••
In order to retain its pr	iority, this applicat	ion must be returned to t	he State Engineer, with corre
•			-
tions on or before		., 17	
WITNESS my hand this	day of		
			<u> </u>
			STATE ENGINEER
		By	. ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, ECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not exceed 0.29 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from iterrick well #1 The use to which this water is to be applied is outplemental irrigation If for irrigation, this appropriation shall be limited to 1/00 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; Provided Further that the right allowed herein shall be further limited to any deficiency in the available supply of any prior right existing for the sake lard and shall not exceed the limitation allowed herein, and shall be subject to such reasonable votation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesiant the works shall include proper capping and control value to present the waste of ground water. The works shall include proper capping and control value to present the waste of ground water with events constructed and shall shall acred as in the works and include proper capping and control value to present the waste of ground water. The uncle shall include proper capping and control value to present the waste of ground water. The uncle shall include a proper capping and control value to present the waste of ground water. The uncle shall include a proper capping and control value to present the waste of ground water. The uncle shall include a proper capping and control value to present the waste of ground water. The uncle shall include a proper capping and control value to present the waste of ground water. The uncle shall include a proper capping and control value to present the waste of ground water. The uncle shall be subject to such reasonable waster level at a control value to present the waster of ground water. The priority date of this perm		•	•			ed to beneficial use and
The use to which this water is to be applied is If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation season of each year; Provided further that the right allowed herein shall be further limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesiar the works shall include proper capping and control value to prevent the waste of ground water. The well shall be cased as necessary in accordance with good practice and if the flow is artesiar the works constructed shall include proper capping and control value to prevent the waste of ground water. The well shall be cased as necessary in accordance with good practice and if the flow is artesiar the works constructed shall include and ir line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The priority date of this permit is Actual construction work shall begin on or before hovember 15, 1764 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.65. Complete application of the water to the proposed was shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of the water of the proposed was shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of the water of the proposed was shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of the water of the proposed was shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of the water hand of the proposed was shall be ma						
The use to which this water is to be applied is Jumplemental irrigation Jumplemental irrigation Jumplemental irrigation Jumplemental Jumplemental			equivalent in case of re	itation wi	th other water users, f	rom
The well shall be subject to such reasonable votation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The primities shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19.65. Complete application of the water to the proposed use shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of "Aventher" 19.72. Actual construction work shall begin on or before water large and shall be made on or before October 1, 19.65. Complete application of the water to the proposed use shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of "Aventher" 19.72. Actual construction work shall begin on or before was all be made on or before October 1, 19.65. Complete application of the water to the proposed use shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of "Aventher" 19.72. STATE ENGINEERS Actual construction work shall begin on or before was shall be made on or before October 1, 19.65. STATE ENGINEERS Actual construction of the water to the proposed use shall be made on or before October 1, 19.65. STATE ENGINEERS STATE ENGINEERS Actual construction work shall begin on or before on the proposed use shall be made on or before October 1, 19.65. The proposed was accessed to the proposed use shall be made on or before October 1, 19.65. STATE ENGINEERS STATE ENGINEERS		•••••••	vater is to be applied i	s	upplemental irriga	ation
ACT See the per acre for each acre irrigated during the irrigation season of each year; Provided Further that the right allowed herein shall be further limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The priorities shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before hovember 15, 1704 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.65. Complete application of the water to the proposed use shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of hovember 19.7000 and shall be made on or before October 1, 19.65. STATE ENGINEERS STATE ENGINEERS BY AND	If for	· irrigation, this ap	propriation shall be lin	nited to	1/80 of or	ne cubic foot per second
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weil, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before liovember 15, 1704 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.65 Complete application of the water to the proposed use shall be made on or before October 1, 19.65 WITNESS my hand this 15th day of Aventure STATE ENGURIES THE PRINTERS MY hand this 15th day of Aventure STATE ENGURIES						
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this STATE ENGINEER ON OF	acre feet p	er acre for each a	cre irrigated during th	e irrigatio	on season of each year	. provided further
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring ine, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shalkeep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19 65 Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this 15th day of Coverbor 1, 19 65 STATE ENGINEER TO SO OF	that the	right allowed	herein shall be i	further	limited to any de	ficiency in the
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring in, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19.65 WITNESS my hand this 15th day of the proposed use shall be made on or before October 1, 19.65 STATE ENGINEER THE WITNESS my hand this above the proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed was a proposed use shall be made on or before October 1, 19.65 The proposed w	availabl	e supply of an	y prior right exis	sting fo	r the same land a	nd shall not
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19.65. Complete application of the water to the proposed use shall be made on or before October 1, 19.65. WITNESS my hand this 15th day of Covenber 19.19.20 STATE ENGINEER November 19.19.20 STATE ENGINEER November 19.19.20 STATE ENGINEER	exceed t	he limitation	allowed herein,	······································		
The well shall be cased as necessary in accordance with good practice and if the flow is artesiar the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this 15th day of State Englands STATE ENGINEER Togged Witness and this State englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and this State englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and this State englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 Togged Witness and the sta	***************************************			····		
The well shall be cased as necessary in accordance with good practice and if the flow is artesiar the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this 15th day of State Englands STATE ENGINEER Togged Witness and this State englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and this State englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and this State englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state englands of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 STATE ENGINEER Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 Togged Witness and the state of the water to the proposed use shall be made on or before October 1, 19 65 Togged Witness and the sta						
The well shall be cased as necessary in accordance with good practice and if the flow is artesiar the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this 15th day of November 19, 1902 STATE ENGINEER TOPE 1903 STATE ENGINEER TOPE 1903 STATE ENGINEER A bad of Maintain and in the wild at all times. The priority date of this permit is Actual construction work shall begin on or before and be completed on or before October 1, 19 65 Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this STATE ENGINEER STATE ENGINEER TOPE 1904 STATE ENGINEER TOPE 1905 STATE ENGINEER				••••••••••		
The works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shalkeep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19.65 WITNESS my hand this 15th day of State Brainess and the water of the proposed use shall be made on or before October 1, 19.66 WITNESS my hand this 15th day of State Brainess and the water to the proposed use shall be made on or before October 1, 19.66 STATE ENDINEER Abbut 19.65 The priority date of this permit is Actual construction work shall begin on or before with reasonable diligence and be completed on or before October 1, 19.65 WITNESS my hand this 15th day of State Brainess and the water of the proposed use shall be made on or before October 1, 19.66 STATE ENDINEER The priority date of this permit is Actual construction work shall begin on or before October 1, 19.65 WITNESS my hand this 15th day of State Brainess and Brainess an	and shall b	e subject to such	reasonable rotation sys	stem as m	ay be ordered by the	proper state officer.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permitte shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19 65 WITNESS my hand this 15th day of Covember 15th	The	well shall be case	ed as necessary in acco	rdance w	with good practice and	l if the flow is artesian
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is ACtual construction work shall begin on or before The prosecuted with reasonable diligence and be completed on or before October 1, 19.65. Complete application of the water to the proposed use shall be made on or before October 1, 19.66. WITNESS my hand this 15th day of Sovember 15th	The	works constructed	d shall include an air	line and p	ressure gauge or an a	ground water. ccess port for measuring
PERMIT The priority date of this permit is Actual construction work shall begin on or before November 15, 1963 Actual construction work shall begin on or before November 15, 1964 The State Engineer at Salem, Ordor of the water to the proposed use shall be made on or before October 1, 19.65 Complete application of the water to the proposed use shall be made on or before October 1, 19.66 WITNESS my hand this STATE ENGINEER To ordor of the water to the proposed use shall be made on or before October 1, 19.66 November 1965 STATE ENGINEER To ordor of the water to the proposed use shall be made on or before October 1, 19.66 To ordor of the water to the proposed use shall be made on or before October 1, 19.66 The proposed use the proposed use shall be made on or before October 1, 19.66 The proposed use the proposed use shall be made on or before October 1, 19.66 The proposed use the proposed use shall be made on or before October 1, 19.66 The proposed use the proposed use shall be made on or before October 1, 19.66 The proposed use the proposed use the proposed use shall be made on or before October 1, 19.66 The proposed use the p	line, adequ	iate to determine permittee shall in	water level elevation Istall and maintain a u	in the we veir, mete	ell at all times. r, or other suitable me	
Actual construction work shall begin on or before APPROPRIATE APPROP	keep a con	aplete record of th	ne amount of ground w	ater with	drawn.	
Actual construction work shall begin on or before live and shall be made on or before October 1, 19.65 Complete application of the water to the proposed use shall be made on or before October 1, 19.65 Complete application of the water to the proposed use shall be made on or before October 1, 19.65 WITNESS my hand this 15th day of Manded in pook No. State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engineer Appropriate the State Engineer at Salem, Oregon, 10.35 State Engin	The	priority date of th	his nermit is		August 28, 19	6 <u>3</u>
APPRICATION No. G. 2350/ APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON Indeed in book No. I Water Permits on page The state Engineer at Salem, Oregon, I Water Permits on page The state Engineer at Salem, Oregon The State Engineer at Salem, Ore						
PERMIT PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON WATERS OF THE STATE OF OREGON Instrument was first received in the instrument was first received in the State Engineer at Salem, Oregon, ABA day of Huguel APPROPRIATE THE GROUND WATER STATE OF OREGON AND O'clock Al. M. AND O'clock						
Permit No. G 250/ Permit No. G 250/ APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON ANTERSOR THE STATE OF OREGON And day of Admiel A. M. And Dook No. By the state received in the single of the applicant: And Dook No. By the state and the single of the applicant and the state and the admits on page and the admits of the state and the admits of the admits of the applicant and the admits of the adm						
Application No. G2696 Permit No. G250/ APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON I the State Engineer at Salem, Oregon, of day of Humel. at 9.00 o'clock H. M.						100°2
PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON instrument was first received in the instrument was first received in the fithe State Engineer at Salem, Oregon, at 9.00 o'clock A. M. at 9.00 o'	WI!	TNESS my hand t	hisday of			, 19
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the lice of the State Engineer at Salem, Oregon, the 28 day of Haylel. (A) at 9.00 o'clock Al. M.				• •		STATE ENGINEER
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the Cost the State Engineer at Salem, Orego at 9.100 o'clock M. M. Recorded in book No. Saleman Dearmits on page Saleman Dearmage Basin No. Zage Saleman Dear	n	•] <u> </u>	: i	•	·
PERMIT Permit No. G. 250/ Permit No. G. 250/ TO APPROPRIATE THE GROUN WATERS OF THE STATE OF OREGON This instrument was first received fice of the State Engineer at Salem, C the 28 day of HAMLEL (A. at 9.20 o'clock A. M. turned to applicant: curned to applicant: Recorded in book No. Curned Water Permits on page Cund Water Permits on page Cund Water Permits on page State Basin No. Z page 5		Ð	in tl			20.
PERMIT PERMIT TO APPROPRIATE THE GR WATERS OF THE STATOFF OF OREGON This instrument was first receive of the State Engineer at Sale the Lay at gray of Humbel Ag, at gray of Humbel	ડ	COUN	ived m, O		y â	μ '
Permit No. G	/os		rece Sale			ge ETAT BTAT
Permit No. G- Permit No. G- Permit No. G- WATERS OF T OF ORE This instrument was fice of the State Engine the 28 & day of A, at 9.00 o'cloc A, at 9.00 o'cloc A, at 9.00 o'cloc Ca, at 9	3, 3,		first fugu			d e
Permit No. C Permit No. C Permit No. C Permit No. C WATERS OF OF This instrument This instrument The 20 4 day	No.	RIN ATE ORE	was ngine of(ij	r.r.	nits o
Applica Permit Permit Permit To APPRO WATE ice of the Sta the Lag the Lag the Lag the Cag the Sta oproved: Cur ound Water	tion No. C	PE.	rent ite En day o	licar	Pool	Perm
Per Per W. W. This in This in the L. L. Land the L. L. Land to turned to tur	olicat mit	PRO	trum Sta	ddv c		ater ge Bo
Triping Spro	Apı Per	•	in of the	red t	red	
		2	Thi fice	etar	ppro	roun