

RECEIVED  
OCT 15 1962  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-2507  
APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, FRANK LUMBER Co.  
(Name of applicant)  
of P.O. Box 1467, Mill City, Oregon, county of Linn  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated North Santiam River  
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 425 gallons per minute.

3. The use to which the water is to be applied is Pond, boiler, and domestic.

4. The well or other source is located 120 ft. N. and 340 ft. W. from the S.E. corner of N.W. 1/4 of the N.E. 1/4  
(N. or S.) (E. or W.) (Section or subdivision)  
on Map (N 88° 15' W, 1660.7 ft. from S.E. Corner of N.E. 1/4 NE 1/4 Sec 36)  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 36, Twp. 9S, R. 2E, W. M., in the county of Linn

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is \_\_\_\_\_

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 150 feet. It is estimated that 150 feet of the well will require steel casing. Depth to water table is estimated 70  
(Give number of wells, tunnels, etc.) (Kind) (Feet)

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 15 HP Electric Pump, vertical, deep-well

Give horsepower and type of motor or engine to be used 15 HP - 1800 RPM 440 Volt 3-phase, 60-cycle S.C. electric motor,

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well located 600 feet from south bank of NORTH SANTIAM RIVER - Difference in elevation 70 feet.

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
95	2E	36	NW 1/4 NE 1/4	MAINTAIN LOG POND + BOILERS
✓	✓	✓	NE 1/4-NE 1/4, NW 1/4-NW 1/4	✓
✓	✓	✓	SW 1/4-NE 1/4, SE 1/4-NE 1/4	✓

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5,000.00
- 15. Construction work will begin on or before September 1, 1962
- 16. Construction work will be completed on or before October 1, 1962
- 17. The water will be completely applied to the proposed use on or before October 1, 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. to take water from the North Santiam River, Permit on record.

*A. J. Frank*  
(Signature of Applicant)

Remarks: Boilers 15 GALS PER MIN  
DOMESTIC 5 GALS PER MIN  
POND 405 - - -

POND WATER WILL BE USED THE FOLLOWING MONTHS  
JUNE JULY AUGUST SEPTEMBER & OCTOBER

POND IS LOCATED IN FOLLOWING 1/4 SECTIONS  
NW 1/4-NE 1/4, SE 1/4-NE 1/4, SW 1/4-NE 1/4, SEE 36 T9S R2E

Well casing 10" Dia. is sunk to a depth  
of 150 ft below surface elevation 838' msl.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~December 31~~, ~~1962~~  
March 4 63

WITNESS my hand this ~~30th~~ day of ~~October~~, ~~1962~~  
4 January 63

**RECEIVED**  
NOV 26 1962  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER

*Walter Perry*  
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is industrial use including maintenance of a log pond

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 15, 1962

Actual construction work shall begin on or before December 20, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of December, 1963

Chris L. Wheeler

STATE ENGINEER

Application No. G-2468  
Permit No. G-2507

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of October, 1962, at 8:00 o'clock A. M.

Returned to applicant:

Approved: December 20, 1963

Recorded in book No. 10 of 2507 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 96a