

Permit No. C. 2515

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	casing. Depth to water table is estimated52					
	one well having a content with temple, etc.) led depth of					
	one well					
supply when not in use must be described.	e works to be used for the control and conservation of the					
DESCRI	PTION OF WORKS					
6. The name of the well or other works is	Portland Compressor Station Vater Well #1					
R, W. M., the proposed location being						
in length, terminating in the(Smallest I	of Sec, Twp.					
5. The(Canal or pipe line	to be miles					
W. M., in the county of Clackamas						
	of Sec. 18 , Twp. 2 South, R. 3 Fast ,					
Township 2 South, Range 3 East, W.M.	nust be described. Use separate sheet if necessary)					
North 81°00' East, a distance of 2520.0	D feet from the southwest corner of Section 18 mans and bearing to section corner)					
	(Section or subdivision)					
4. The well or other source is located	ft and ft from the					
3. The use to which the water is to be app	olied is Industrial					
feet per second or1() gallons per minute	e.					
	ant intends to apply to beneficial use is0.222 cubic					
situatedClackamas River						
	the well, tunnel or other source of water development is					
	er 22, 1928					
If the applicant is a corporation, give date and place of incorporation						
following described ground waters of the state of	Oregon, SUBJECT TO EXISTING RIGHTS:					
(Postettice Address)	hereby make application for a permit to appropriate the					
ofP_O_ Box 1492, El Paso	, county ofEl.Paso					
I, El Paso Natural Gas Company	······································					

ate. At head	gete. wilder an ear	Tat mater in		•
f	leet; depth of wate	e r	feet; grade	feet fall per one
and feet.				
(b) At	mile	es from headg	rate: width on top (at water	r line)
	feet; width on b	ottom	feet; depth of w	ater feet
	feet fall pe	er one thousar	nd feet.	
(c) Length	of pipe,	ft.; s	ize at intake,	in.; in size at
intake	in.; si	ze at place of	use in.; d	ifference in elevation betweer
e and place o	f use,	ft. I	s grade uniform?	Estimated capacity
·	sec. ft.			
		rive size and t	ype Universal - Jac	uzzi 6 stage vertical
jne Model	.12M48			
				lentric2.HP.Electric
_		•		
ral stream or lifference in	elevation between	give the dis the stream b	tance to the nearest point ed and the ground surface	on each of such channels an at the source of development in elevation
ral stream or lifference in feet from	r stream channel, elevation between the Clackamas	give the dis the stream b River with	tance to the nearest point ed and the ground surface 78.5.feet.difference	on each of such channels an at the source of developmen
ral stream or lifference in feet from	r stream channel, elevation between the Clackamas	give the dis the stream b River with	tance to the nearest point ed and the ground surface 78.5.feet.difference	on each of such channels an at the source of development in elevation. Number Acres To Be Irrigated
ral stream or lifference in feet from	r stream channel, elevation between the Clackamas	give the dis the stream b River with	tance to the nearest point ed and the ground surface78.5.feet.difference	on each of such channels and at the source of development in elevation. Number Acres
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin
ral stream or lifference in feet. Ixom. 12. Location M. or 8.	r stream channel, elevation between the Clackamas. on of area to be irrectly a compared to the willessette Meridian	give the dis the stream b River with rigated, or pla	tance to the nearest point ed and the ground surface78.5.feet.difference uce of use	Notural Cas mipelin

See attached description for the location of the tract on which water is to be used. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with conson or before	NICIPAL SUPPLY—	
AMOUNT QUESTIONS 14, 14, 14, 17 AND 18 EN ALL CASES 14. Estimated out of proposed works, \$ 7,000 15. Construction work will begin on or before AMELIA 1, 1963 16. Construction work will be completed on or before 17. The water will be completely applied to the proposed use on or before 18. If the ground water supply is supplemental to an existing water supply, identify any on for permit, permit, certificate or adjudicated right to appropriate water, made or held by the process of the property water, and the process of the process		
AMERICAL QUESTIONS 14, 15, 18, 17 AND 18 BN ALL CASES 14. Estimated tool of proposed works, \$.7,000. 15. Construction work will begin on or before August 1, 1963. 16. Construction work will be completed on or before Fall, 1964. 17. The water will be completely applied to the proposed use on or before Fall, 1965. 18. If the ground water supply is supplemental to an existing water supply, identify any as for permit, permit, certificate or adjudicated right to appropriate water, made or held by the properties water, and contains a first properties. Remarks: A. H. Viescas, Supervisor Engineer. See strached description for the location of the tract on which water is to be used. ATE OF OREGON, 22. County of Marion, 22. This is to certify that I have examined the foregoing application, together with the accompage and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with comes on or before		•
18. Construction work will begin on or before August 1, 1963 18. Construction work will be completed on or before Pall, 1964 17. The water will be completely applied to the proposed use on or before Fall, 1965 18. If the ground water supply is supplemental to an existing water supply, identify any a major parmit, permit, certificate or adjudicated right to appropriate water, made or held by the complete water, water or particularly the complete water, water or held by the complete water or held by the complete water, water or held by the complete water or held by the complete water or held by the complete water, water or held by the complete water or held by the		
18. Construction work will begin on or before August 1, 1983 18. Construction work will be completed on or before Fall, 1984 17. The water will be completely applied to the proposed use on or before Fall, 1985 18. If the ground water supply is supplemental to an existing water supply, identify any a man for permit, permit, certificate or adjudicated right to appropriate water, made or held by identify any and for permit. SEL PASO NATURAL CAS COMPANY BY Construction A. H. Viescas, Supervisor Engineer See attached description for the location of the fraction which water. As to be used. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for		
18. Construction work will be completed on or before Pall, 1964 17. The water will be completely applied to the proposed use on or before Pall, 1965 18. If the ground water supply is supplemental to an existing water supply, identify any a on for permit, permit, certificate or adjudicated right to appropriate water, made or held by the supplemental part of the proposed water and the proposed water supply, identify any a one for permit, permit, certificate or adjudicated right to appropriate water, made or held by the supplemental part of the proposed water applied to the proposed water supply, identify any a one for permit, permit, certificate or adjudicated right to appropriate water supply, identify any a company to the proposed water supply, identify any and the proposed water supply, identify any and the proposed water supply, identify any any application, and the tract on which water is a to be used. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with company and the proposed water and the proposed water supply and this water and any of the proposed water supply and the proposed water supply any application of the proposed water supply and the proposed water supply and the proposed water supply and the proposed water supply any application of the proposed water supply any application	•	
II. The water will be completely applied to the proposed use on or before El 14. If the ground water supply is supplemental to an existing water supply, identify any a part for permit, permit, certificate or adjudicated right to appropriate water, made or held by the supplemental to the appropriate water, made or held by the supplemental to the state Engineer, with compared and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with compared to the supplemental to th		
It is to certify that I have examined the foregoing application, together with the accompage and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with consist on or before	•	·
EL BASO MYDRAL CAS COMPANY BY Remarks: A. H. Vicachas, Supervisor Engineer See attached description for the location of the tract on which water is to be used. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with conson or before WITNESS my hand this		
Remarks: A. H. Viescas, Supervisor Engineer See attached description for the location of the tract on which water is to be used. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with come on or before WITNESS my hand this day of 19.	on for permit, permit, certificate or	adjudicated right to appropriate water, made or held by
Remarks: Sea attached description for the location of the tract on which water is to be used. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with comes on or before WITNESS my hand this day of 19.	licent.	
Remarks: See attached description for the location of the tract on which water is to be used. ATE OF OREGON, county of Marion. This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for	······································	EL PASO NATURAL GAS COMPANY
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with comes on or before WITNESS my hand this day of	Remarks:	A
ATE OF OREGON, Section of Marion, Section of Section (Section 1) S	See attached descr	rintion for the location of the tract on which
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for	water is to be use	ed.
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for		
ATE OF OREGON, Sz. County of Marion,	······································	
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for	ATE OF OREGON.	
This is to certify that I have examined the foregoing application, together with the accompa ps and data, and return the same for	Country of Marion	·
In order to retain its priority, this application must be returned to the State Engineer, with constant of the State Engineer, with	County of marion,	
In order to retain its priority, this application must be returned to the State Engineer, with constant on or before	This is to certify that I have exam	mined the foregoing application, together with the accompa
In order to retain its priority, this application must be returned to the State Engineer, with constant on or before	no and data and nature the same for	•
ns on or before	ps and data, and recurs the same jor.	······································
ns on or before		
ns on or before	In cular to notain its uniquity, this	a smallestion must be natural to the State Business (1)
WITNESS my hand this day of, 19	in order to retain its priority, thu	s application must be returned to the State Engineer, with co
	ns on or before	
	WITNESS my hand this	day of, 19
		STATE ENGI

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed							
				h other water users, from	•		
The	use to which this t	water is to be applied i	s	industrial			
If fo	or irrigation, this ap	propriation shall be lin	nited to	of one cr	ibic foot per second		
-	•			mited to a diversion of no			
acre feet p	per acre for each ac	cre irrigated during th	e irrigatio	season of each year;			
	·		••••				

				······································			
The the works The line, adeq The	well shall be case shall include prop works constructed uate to determine permittee shall in	d as necessary in accor er capping and control I shall include an air l water level elevation stall and maintain a w	rdance wit valve to p ine and pr in the well eir, meter,	or other suitable measur	the flow is artesian and water. sport for measuring		
keep a con	mplete record of th	e amount of ground w	ater withd				
The	priority date of th	is permit is					
		ork shall begin on or b			65		
				completed on or before (hall be made on or before	66 A		
	TNESS my hand th		posea ase s	December	9 63		
				chit's	STATE ENGINEER		
Application No. G. A. 10.1. Permit No. G. A. 51.5	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Ref. day of Softember. 1963, at BiW viclock A. M.	Returned to applicant:	Approved: December 20, 1963 Recorded in book No. 10 of Ground Water Permits on page 2515	CHRIS L. WHERLER FIATE ENGINEER Drainage Basin No. 2. page 92.7		