

Permit No. G-2520

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Weishaar Bros. (Name of applicant)
of Route 2, Box 166 La Grande, county of Union (Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated McAllister Slough or Ditch (Name of stream)

tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 7.0 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1320 ft. N. and 55 ft. W. from the SE corner of Section 7 - SE 1/4 SE 1/4 (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 7, Twp. 3 S., R. 39 E., W. M., in the county of Union

5. The pipeline to be 1 3/4 miles in length, terminating in the west line - NW 1/4 SE 1/4 East line - NW 1/4 SW 1/4 of Sec. 9, Twp. 3 S., R. 39 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16 inches and an estimated depth of 394 feet. It is estimated that 394 feet of the well will require 1/2" steel perforating. Depth to water table is estimated 15 (Kind) (Foot)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 5280 ft.; size at intake, 10" or 12" in.; in size at 2640 ft. from intake 8" or 6" in.; size at place of use 6" or 5" in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? 3' rise Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Deep well turbine  
1 1/2" 4 stage

Give horsepower and type of motor or engine to be used 150 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development  
55 feet from slough, app. 5 feet elevation difference.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Williamsburg Meridian	Section	Quarter-acre Tract	Number Acres To Be Irrigated
3 S.	39 E.	7	NW 1/4 SE 1/4	40
			NE 1/4 SE 1/4	39.5
			SW 1/4 SE 1/4	39.2
			SE 1/4 SE 1/4	39.2
3 S.	39 E.	8	NE 1/4 SE 1/4	39.2
			NW 1/4 SE 1/4	38.4
			NW 1/4 SW 1/4	37.9
			NE 1/4 SW 1/4	39.2
			SW 1/4 SW 1/4	35.0
			SE 1/4 SW 1/4	34.1
3 S.	39 E.	9	NW 1/4 SW 1/4	39.2
			TOTAL	420.9

(If more space required, attach separate sheet)

Character of soil Sandy, clay

Kind of crops raised Pasture, peas, wheat, barley

MUNICIPAL SUPPLY--

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,000.00 Enloe Drilling Co.  
Lloyd L. Logan Driller
- 15. Construction work will begin on or before August 10, 1963
- 16. Construction work will be completed on or before October 1, 1965
- 17. The water will be completely applied to the proposed use on or before July 1, 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*Stanley Weishaar*  
(Signature of applicant)

Remarks: \_\_\_\_\_

*Well to be 500 gpm. August 1963*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.26 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 1

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 9, 1963

Actual construction work shall begin on or before December 20, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of December, 1963

Chris L. Wheeler

STATE ENGINEER

Application No. G-2715

Permit No. G-2520

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 9th day of October

1963, at 8:50 o'clock A. M.

Returned to applicant:

Approved:

December 20, 1963

Recorded in book No. 10 of

Ground Water Permits on page 2520

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 8 page 40

State Printing

4155