

RECEIVED  
 OCT 14 1963  
 STATE ENGINEER  
 SALEM, OREGON

Permit No. G-2522

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Egner Hentze (Name of applicant)  
 of Junction City, Ore. (Postoffice Address), county of Lane,  
 state of Oregon, do hereby make application for a permit to appropriate the  
 following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
 situated Willamette River (Name of stream)

tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 550 cubic  
 feet per second or 550 gallons per minute. (300 gpm from well #2 & 250 gpm from well # 3)

3. The use to which the water is to be applied is Irrigation

4. The well #2 is located 570' South & 1,530. ft East from the NE  
 corner of Section # 29 (N. or S.) and 2,210. ft. E from the NE  
 corner of Section 29 (E. or W.)  
 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.  
 being within the NW 1/4 of NE 1/4 of Sec. 29, Twp. 15S, R. 4W,  
Lane W. M., in the county of Lane

5. The Canal or pipe line to be \_\_\_\_\_ miles  
 in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_,  
 R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is #2 & #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
 supply when not in use must be described.

8. The development will consist of two concrete wall #2 having a  
 diameter of 5" and an estimated depth of 30' #3 having a  
 diameter of 4" and an estimated depth of 30' feet. It is estimated that 31  
 feet of the well will require 3 1/2 Steel casing. Depth to water table is estimated 12'  
 (Kind) (Feet)

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type two 3" Centrifugal

Give horsepower and type of motor or engine to be used (1) 10HP 3 Ph  
(1) 15HP 3 Ph.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
15S	4W	29	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	10.2
15S	4W	29	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	24.3
15S	4W	29	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	6.0

(If more space required, attach separate sheet)

Character of soil Chehalis  
Kind of crops raised Row crops

**MUNICIPAL SUPPLY—**

12. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

**ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES**

14. Estimated cost of proposed works, \$ 1,000.00

15. Construction work will begin on or before Already constructed

16. Construction work will be completed on or before " " \_\_\_\_\_

17. The water will be completely applied to the proposed use on or before Already applied

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

*Egner Hentze*  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.51 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from wells Nos. 2 and 3, being 0.38 c.f.s. from well No. 2 and 0.13 c.f.s. from well No. 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 14, 1963

Actual construction work shall begin on or before December 20, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of December, 1963

[Signature]

STATE ENGINEER

Application No. G-2719

Permit No. G-2522

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of October, 1963, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

December 20, 1963

Recorded in book No. 10 of

Ground Water Permits on page 2522

CHRIS L. WINKLER STATE ENGINEER

Drainage Basin No. 2 page 967

State Printing