

RECEIVED
OCT 16 1963
STATE ENGINEER
SALEM, OREGON

Permit No. G- **2523**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Springfield Sand and Gravel Company
(Name of applicant)
of South 22nd Street, Springfield, Oregon, county of Lane
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Middle Fork Willamette River
(Name of stream)
tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 30425 cubic feet per second or 136.56 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located ft. and ft. from the corner of
(N. or S.) (E. or W.) (Section or subdivision)

S79°09'18"E 6076.53 feet from the west one-quarter corner of Section 1, Township 18
(If preferable, give distance and bearing to section corner)

South, Range 3 West of the Willamette Meridian
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW $\frac{1}{4}$ - SW $\frac{1}{4}$ of Sec. 6, Twp. 18 S, R. 2 W, W. M., in the county of Lane

5. The portable pipe line to be 1000 feet ~~meter~~
(Canal or pipe line)
in length, terminating in the SE $\frac{1}{4}$ - SW $\frac{1}{4}$ of Sec. 6, Twp. 18 S
(Smallest legal subdivision)

R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is no name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one open borrow pit having a
(Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 4 in.; in size at 1000 ft. from intake 4 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 5⁺ ft. Is grade uniform? Yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 4" x 3" Minneapolis Moline

Give horsepower and type of motor or engine to be used 30 H. P. gas motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

100⁺ feet from Middle Fork of Willamette River

elevation = 15 feet

12. Location of area to be irrigated, or place of use one mile south of Springfield, Oregon

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S	3 W	1	SE _{1/4} - SE _{1/4}	0.09
18 S	2 W	6	SW _{1/4} - SW _{1/4}	6.8
18 S	2 W	6	NW _{1/4} - SW _{1/4}	16.9
18 S	2 W	6	NE _{1/4} - SW _{1/4}	0.37 ⁺
18 S	2 W	6	SE _{1/4} - SW _{1/4}	0.18 ⁺

(If more space required, attach separate sheet)

Character of soil sandy loam

Kind of crops raised grass and legume pasture mix

MUNICIPAL SUPPLY--

12. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ _____

15. Construction work will begin on or before HAS BEEN COMPLETED

16. Construction work will be completed on or before _____

17. The water will be completely applied to the proposed use on or before 7-1-64

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

W. J. Keans
(Signature of applicant)

Remarks: _____

The source of water is a borrow pit that exists because of gravel being excavated in the past to a variable depth.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ December 30 _____, 1963.

WITNESS my hand this _____ 30 _____ day of _____ October _____, 1963.

RECEIVED
NOV 1963
STATE ENGINEER

CHRIS L. WHEELER
STATE ENGINEER

By *Walter J. Long*
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a borrow pit

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 16, 1963

Actual construction work shall begin on or before December 20, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of December, 1963

Chris I. Wheeler STATE ENGINEER

Application No. G-2721
Permit No. G-2523

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of October, 1963, at 8:00 o'clock A.M.

Returned to applicant:

Approved: December 20, 1963
Recorded in book No. 10 of 2523
Ground Water Permits on page 2523

CHRIS I. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 967