

RECEIVED
DEC 20 1963

STATE ENGINEER
SALEM, OREGON

Permit No. G-2557

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Archie C. and/or Helen H. Pierce
(Name of applicant)
of Box 99, Pierce Heights, Medford,
(Postoffice Address) county of Jackson
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Applegate River
(Name of stream)

tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 80 gallons per minute.

3. The use to which the water is to be applied is domestic, including the irriga-
tion of not to exceed 1/2 acre for each domestic use...(see remarks).

4. The well or other source is located 427 ft. N. and 595 ft. E. from the SE
(N. or S.) (E. or W.)
corner of D.L.C. #140
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 SW 1/4 of Sec. 27, Twp. 38 S., R. 3 W.,
W. M., in the county of Jackson

5. The pipe line to be 4000 feet / (approx.)
(Canal or pipe line) meters
in length, terminating in the NE 1/4 SW 1/4 of Sec. 27, Twp. 38 S.,
(Smallest legal subdivision)

R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Sunshine Village Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 6 1/2 inches and an estimated depth of 200 feet. It is estimated that 68
feet of the well will require (welded) steel casing. Depth to water table is estimated 18
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4000 ft.; size at intake, 4 in.; in size at 2700 ft. from intake 2 in.; size at place of use 2 & 1 in.; difference in elevation between intake and place of use, -0 to -25 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2.5 inch submersible pump.

Give horsepower and type of motor or engine to be used 5.0 H.P. electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development none within 1/4 mile.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Quarter-acre Tract	Number Acres To Be Irrigated
38 S.	3 W.	27	NE 1/4 SW 1/4	domestic
38 S.	3 W.	27	SE 1/4 SW 1/4	domestic
38 S.	3 W.	34	NE 1/4 NW 1/4	domestic

(If more space required, attach separate sheet)

Character of soil
 Kind of crops raised

MUNICIPAL SUPPLY—

12. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$15,000.00
- 15. Construction work will begin on or before 1 year from date of priority.
- 16. Construction work will be completed on or before October 1, 1965
- 17. The water will be completely applied to the proposed use on or before October 1, 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE.

X Archie C. Pierce
 X *[Signature]*
(Signature of applicant)

Remarks: Domestic water for 26 families.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Sunshine Village well

The use to which this water is to be applied is group domestic for 26 families including irrigation of not to exceed 1/2 acre of lawn and garden per family.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 20, 1963

Actual construction work shall begin on or before March 10, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 10th day of March, 1964

Chris L. Winkler
STATE ENGINEER

Application No. G- 2752
Permit No. G- 2557

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of December, 1963 at 8:00 o'clock A.M.

Returned to applicant:

Approved: March 10, 1964
Recorded in book No. 10 of
Ground Water Permits on page 2557

CHRIS L. WINKLER
STATE ENGINEER

Drainage Basin No. 15 page 97

State Printing

Extended to Oct. 1, 1969