

RECEIVED
BY DEC 10 1963
STATE ENGINEER
DIVISION

Permit No. G-2560

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

X THE CITY OF UMATILLA (Name of applicant)

of City Hall (Postoffice Address), county of Umatilla

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1915, County of Umatilla, State of Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla River (Name of stream)

a tributary of the Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 2.28 cubic feet per second or 1,000 gallons per minute.

3. The use to which the water is to be applied is municipal use for the City of Umatilla

4. The well or other source is located 30 ± ft. S. and 30 ± ft. W. from the corner of Section 19 (N. or S.) (E. or W.)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NE 1/4 of Sec. 19, Twp. 5 N., R. 28 E., W. M., in the county of Umatilla, Oregon

5. The pipe line to be 1 1/2 to 2 miles in length, terminating in the SE 1/4 of SE 1/4 of Sec. 8, Twp. 5 N., R. 28 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City of Umatilla Well No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of a well having a diameter of 16 to 8 inches and an estimated depth of 785 feet. It is estimated that 400 feet of the well will require 16 to 8 inch casing. Depth to water table is estimated 117 (1947) 255 ft. (estimated 1963).

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Peerless No. 46273 - 10" estimated.

Give horsepower and type of motor or engine to be used 100 HP General Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

See attached map.

12. Location of area to be irrigated, or place of use See attached map.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Party-acre Tract	Number Acres To Be Irrigated
5 N	2 R E	8	SE 1/4, SE 1/4	Municipal use
"	"	8	SW 1/4, SE 1/4	"
"	"	8	SE 1/4, SW 1/4	"
"	"	17	The NE 1/4 & NW 1/4 Sec 17	320 Acres
"	"	17	NE 1/4, SW 1/4	Municipal use
"	"	17	NW 1/4, SW 1/4	"
5 N	"	17	SW 1/4, SW 1/4	"
"	"	18	NE 1/4, NE 1/4	"
"	"	18	SE 1/4, NE 1/4	"
"	"	18	NE 1/4, SE 1/4	"

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

12. To supply the city of Umatilla
in Umatilla county, having a present population of 605
and an estimated population of 1,000 in 1970.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,500.00
- 15. Construction work will begin on or before completed - 1947
- 16. Construction work will be completed on or before completed - 1947
- 17. The water will be completely applied to the proposed use on or before new in use

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Another well located near the Umatilla River in the NE 1/4 of the SW 1/4 of Section 17, Township 5 North, Range 28 East.

Warren W. Aney
(Signature of applicant) Mayor

Remarks: This application is to place the well on records that should have been completed many years ago.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 2

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 24, 1963

Actual construction work shall begin on or before March 10, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 10th day of March, 1964

Chris L. Winkler STATE ENGINEER

Application No. G-2755

Permit No. G-2560

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of December, 1963 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 10, 1964 10 of

Ground Water Permits on page 2560

CHRIS L. WINKLER STATE ENGINEER

Drainage Basin No. 7 page 53