

RECEIVED
JAN 21 1944
STATE ENGINEER
VALLEY

2571

Permit No. G.....

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, RIVERVIEW CEMETERY ASSOCIATION
(Name of applicant)

of Boardman (Postoffice Address), county of MORROW

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic
~~feet per second~~ 200 gallons per minute.

3. The use to which the water is to be applied is irrigation of cemetery lands

4. The well or other source is located 50 ft. N and 1870 ft. W from the E. 1/2
(N. or S.) (E. or W.)
corner of Section 9
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4, NE 1/4 of Sec. 9, Twp. 4 N, R. 25 E,
W. M. in the county of MORROW

5. The to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp.
(Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

If artesian water is encountered, a closed system will be installed with the necessary cut-off valves to control flow.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 12 to 8 inches and an estimated depth of 220 feet. It is estimated that 80
feet of the well will require new steel casing. Depth to water table is estimated 60 ft.
(Kind) (Feet)
in overburden and 180 - 200 feet, artesian source, in rock.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Jacuzzi Serial No. WEC 1644 Spec. T 129A.

Give horsepower and type of motor or engine to be used Allis Chalmers Serial No. 22015 BHP - 15 at 1760 rpm

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....

.....

12. Location of area to be irrigated, or place of use Riverview Cemetery, Boardman, Oregon.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 N	25 E	9	SW $\frac{1}{4}$, NE $\frac{1}{4}$	4.9

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Lawn grass, evergreen trees, shrubs, etc.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,276.00
- 15. Construction work will begin on or before 1 February 1964
- 16. Construction work will be completed on or before 1 June 1964
- 17. The water will be completely applied to the proposed use on or before 1 August 1964

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Fred P. Hillarp
X Florence Kent
(Signature of applicant)

Remarks:

This well is to be furnished by the Government at the new cemetery site as replacement in kind for the well currently in use at the old Riverview Cemetery which will be capped and abandoned when the old cemetery is relocated to the new site.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 30, 19 64.

WITNESS my hand this 30th day of January, 19 64.

CHRIS L. WHEELER
STATE ENGINEER

By *Walter King*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80" of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 24, 1964

Actual construction work shall begin on or before March 10, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 10th day of March, 1964

Chris L. Whamler
STATE ENGINEER

Application No. G. 2770
Permit No. G. 2571

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of January, 1964, at 10:00 o'clock A. M.

Returned to applicant:

Approved: March 10, 1964
Recorded in book No. 10 of
Ground Water Permits on page 2571

CHRIS L. WHAMLER
STATE ENGINEER

Drainage Basin No. 7 page 53