

Permit No. G- 258

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Assemblies of God Oregon Dist. (Name of applicant) of P.O. Box 38 Brooks (Postoffice Address), county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

January 13, 1943 Marion Co. Salem, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Branch of Lake Labell Ditch no name (Name of stream)

tributary of Lake Labell Ditch

2. The amount of water which the applicant intends to apply to beneficial use is 80 cubic feet per second or 80 gallons per minute.

3. The use to which the water is to be applied is Domestic & General (uses) Ground Use; including fire protection facilities.

4. The well or other source is located 588 ft. N. and 930 ft. N67°36'W. S.E. (N or S) (E or W) from the Octave Martel Donation Land Claim (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If the location of the well or other source must be described. Use separate sheet if necessary.

Octave Martel D.L.C. of Sec. 17, Twp. 6S, R. 2W Marion

pipe line to be 500' ± + 300' ± miles of Sec. 17, Twp. 6S

The proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS ~~Assemblies of God~~ Water Supply Bethel Gospel Park, Well No. 2.

If the water is not artesian, the works to be used for the control and conservation of the water must be described

a shut off valve will be provided for this well.

The well to be constructed of 1 well (Give number of wells, tunnels, etc.) having a

8" diameter and an estimated depth of 150' feet. It is estimated that 150'

of 4"-8" standard casing. Depth to water table is estimated 40'

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 2" in.; in size at various distance from intake 1" + 3/4" TEES; size at place of use 1" + 3/4" in.; difference in elevation between intake and place of use, 10 ± ft. Is grade uniform? NO. Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type 3 low power turbine

Give horsepower and type of motor or engine to be used 3 horsepower turbine electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels, and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Section	Water Right	Section	Part of Tract	Number of Acres to be Irrigated
65	2W	17	N.E. 1/4 of NE 1/4	25 acres domestic
65	2W	17	N.W. 1/4 of NE 1/4	100 acres and then
65	2W	17	S.E. 1/4 of NE 1/4	3 acres irrig. from well
65	2W	17	S.W. 1/4 of NE 1/4	2 acres

MUNICIPAL SUPPLY—

13. To supply ~~water~~ of supply Bethel & Goyes Park  
in Marion county, having a present population of 100  
and an estimated population of 650 in 1975

14. Estimated cost of proposed works, \$ 2,000

15. Construction work will begin on or before Sep. 20, 1956

16. Construction work will be completed on or before Sep. 20, 1957

17. The water will be completely applied to the proposed use on or before 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*Robert C. ...*  
(Signature of applicant)

Remarks: Existing facilities throughout general area consist of:

- 25-30 permanent residences
- 25-30 summer camping cottages
- Public dining room and kitchen
- Public shower room
- Public Rest Room building
- Trailer house parking areas
- Tent camping areas

We anticipate the need for increase over present facilities.

STATE OF OREGON, )  
County of Marion, ) ss.

This is to certify that I have examined the foregoing application, together with the accompanying ... and return the same for

In order to retain its priority, this application must be returned to the State Engineer with corrected or before . 19

WITNESS my hand this day of . 19

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Bethel Gospel Park Well No. 2

The use to which this water is to be applied is domestic and general camp ground use, including fire protection.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 4, 1956

Actual construction work shall begin on or before June 5, 1957 and shall

the water be presented with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 4th day of June, 19 56

*[Signature]*  
LEWIS A. STANLEY  
STATE ENGINEER  
By *[Signature]*  
Max F. Rogers, Deputy

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of June, 1956, at 6:15 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 1  
Ground Water Permits on page 205

STATE ENGINEER

Drainage Basin No. 2 page 91 H

State Printing 80746

*[Handwritten note]*