

STA

Permit No. G- 2586

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Fruitdale Water Utilities

(Name of applicant)

of 1450 W. Florence Lane, Grants Pass, county of Josephine

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fruitdale Creek

(Name of stream)

tributary of Rogue

2. The amount of water which the applicant intends to apply to beneficial use is 78 cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is Domestic

4. The well or other source is located 17 wells and 1 sump

(N or S)

ft. from the

corner of SEE LIST OF LOCATIONS OF WELLS - List attached.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW-1/4 of SW-1/4 - NE-1/4 SW-1/4 20 Twp. 36 S R. 5 W SE-1/4 SW-1/4 - SW-1/4 NW-1/4 W. M. in the county of

5. The (Canal or pipe line) to be miles

in length, terminating in the (Smallest legal subdivision) of Sec. Twp.

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Fruitdale Water Utilities

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 17 wells and 1 sump having a diameter of 68 & 10 inches and an estimated depth of feet. It is estimated that feet of the well will require see attached forms casing. Depth to water table is estimated

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____ see attached forms _____

Give horsepower and type of motor or engine to be used _____ DATA INCLUDED ON WELL LOGS.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development _____

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	5 W	20	NW-1/4 SW-1/4	group domestic
"	"	"	NE-1/4 SW-1/4	" "
"	"	"	SE-1/4 SW-1/4	" "
"	"	"	SW-1/4 NW-1/4	" "
			SW-1/4 SW-1/4	
			SE-1/4 SW-1/4	
			SW-1/4 SE-1/4	
36 S	5.	19	SE-1/4 NE-1/4	
			NE-1/4 SE-1/4	
			SE-1/4 SE-1/4	

(If more space required, attach separate sheet)

Character of soil _____

Kind of crops raised _____

<u>Well</u>	<u>Area</u>	<u>Location from SW corner, Sec. 20, T.36 S., R.5 W., W. M.</u>	<u>Yield</u>	<u>To Be Appropriated</u>
1	F	1930' N. & 1765' E.	15 g.p.m.	
2	A	2185' N. & 1220' E.	5 g.p.m.	
3	A	2125' N. & 1140' E.	7 g.p.m.	
5	A	2255' N. & 1220' E.	20 g.p.m.	
6	C	1710' N. & 50' W.	11 g.p.m.	
7	C	1710' N. & 50' E.	6 g.p.m.	
8	A	2210' N. & 1150' E.	15 g.p.m.	
11	A	2175' N. & 1260' E.	18 g.p.m.	
12	B	2760' N. & 700' E.	25 g.p.m.	
15	A	2270' N. & 1200' E.	20 g.p.m.	
16	D	2215' N. & 1450' E.	4 g.p.m.	
17	A	2340' N. & 1240' E.	7 g.p.m.	
18	D	2200' N. & 1340' E.	18 g.p.m.	
19	A	2130' N. & 1150' E.	12 g.p.m.	
20	I	385' N. & 2390' E.	42 g.p.m.	
21	G	1000' N. & 1855' E.	35 g.p.m.	
22	A	2130' N. & 1170' E.	10 g.p.m.	
29	F	1990' N. & 1830' E.	50 g.p.m.	
30	E	2200' N. & 1730' E.	5 g.p.m.	
Sump #13	A	2190' N. & 1150' E.	<u>25 g.p.m.</u>	
			350 g.p.m.	
			or	
			.78 c.f.s.	

Approved: *William W. Hamilton*

MUNICIPAL SUPPLY—

13. To supply the ~~city~~ of property owners south of the Rogue River which are not within the city limits. This area is called the Fruitdale area, in Josephine county, having a present population of and an estimated population of 640 in 1963.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 9000.00
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before completed
- 17. The water will be completely applied to the proposed use on or before completed
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

FRUITDALE WATER UTILITY
Helen W. Hamilton
(Signature of applicant)

Remarks: This Water Utility Co. was started by my father April, 1938
I furnish approximately ^{396,800}~~150,000~~ gallons per day to my customers.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion completion completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 21, 1963, February 5, 1964, April 21, 1964.

WITNESS my hand this 21 day of August, 1963.
5 December, 1963.
21 February, 1964.

CHRIS J. HEELER
STATE ENGINEER
By [Signature]
ASSISTANT

STATE OF OREGON.

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.60 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 20 wells

The use to which this water is to be applied is group domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be adopted by the permittee

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is

December 3, 1963

Actual construction work shall begin on or before

May 1, 1965

and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 1st day of

May 1964

Chris L. Wheeler

STATE ENGINEER

Application No. G-2677
Permit No. G-2586

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 21st day of August
1963, at 8:14 o'clock A. M.

Returned to applicant:

Approved:

May 1, 1964

Recorded in book No. 10 of

2586

Ground Water Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 15 page 97