

Permit No. G- 2588

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, M Briggs Hunt (Name of applicant) of Sprague River (Postoffice Address), county of Clatsop, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sprague River (Name of stream) tributary of Williamson River

2. The amount of water which the applicant intends to apply to beneficial use is 1600 cubic feet per second or 1600 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 260 ft. N. and 1630 ft. W. from the common corner of Sect. 14-15-23 & 33 of Township 36 S. R. 11 E. W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW 1/4 SE 1/4 of Sec. 15, Twp. 36 S., R. 11 E., W. M., in the county of Clatsop

5. The pipe line & ditch (Canal or pipe line) to be 1/2 * 1 mile miles in length, terminating in the SW 1/4 SE 1/4 of Sec. 15, Twp. 36 S. R. 11 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Neathory Well No 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

12 inch casing .250 wall casing 12 inch T flanged blind on top 1-12" outlet with 12" gate valve 1 1/2" outlet capped 1-1/2" outlet for domestic use.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a diameter of 12" inches and an estimated depth of 258 feet. It is estimated that 162 feet of the well will require .250 wall welded casing. Depth to water table is estimated 20 (Feet)

41860

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 feet; width on bottom 1 1/2 feet; depth of water 1 1/2 feet; grade 0.5 feet fall per one thousand feet.

(b) At end miles from headgate: width on top (at water line) 6 feet; width on bottom 1 1/2 feet; depth of water 1 1/2 feet; grade 0.5 feet fall per one thousand feet.

(c) Length of pipe, 2550 ft.; size at intake, 8 in.; in size at 2550 ft. from intake 8 in.; size at place of use 8 in.; difference in elevation between intake and place of use, Approx. 9 ft. Is grade uniform? No. Estimated capacity, 1 1/2 sec. ft.

10. If pumps are to be used, give size and type booster pump at well
cont. type 15 horse power electric

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use SE 1/4 Sect 15 Twp. 36 S. R. 11 E

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	11 E	15	NW 1/4 - SE 1/4	40 ac
36 S	11 E	15	NE 1/4 - SE 1/4	40 ac
36 S	11 E	15	SW 1/4 - SE 1/4	40 ac
36 S	11 E	15	SE 1/4 - SE 1/4	40 ac

(If more space required, attach separate sheet)

Character of soil Ortho & Spargue silty clay loams

Kind of crops raised Permanent pasture - hay - small grain

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,000
- 15. Construction work will begin on or before June 1964
- 16. Construction work will be completed on or before June 1966
- 17. The water will be completely applied to the proposed use on or before June 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. no

M. Briggs Hunt
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

By STATE ENGINEER
..... ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Neathory well #1

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 4, 1964

Actual construction work shall begin on or before May 1, 1965 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 1st day of May, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. G-2722
Permit No. G-2588

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of MARCH, 1964, at 8:15 o'clock A.M.

Returned to applicant:

Approved: May 1, 1964 10 of

Recorded in book No. 2588
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 25