Permit No. G- 259

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, J. L. Wilcox	anno of analtonati	
of P.O. Box 569 Mc Miles	Kille, county of Vom	hill.
state of Oregon following described ground waters of the state of	lo hereby make application for a perm	it to appropriate the
If the applicant is a corporation, give date of	and place of incorporation	
e e e e e e e e e e e e e e e e e e e		
1. Give name of nearest stream to which	the well, tunnel or other source of w	ater development is
situated Yamkill 19.	(Name of stream)	
e e e e e e e e e e e e e e e e e e e	tributary of	
2. The amount of water which the application feet per second or 120 gallons per minu	cant intends to apply to beneficial use i te.	is cubic
3. The use to which the water is to be ap	plied is Irrigotion	
e e e e e e e e e e e e e e e e e e e	er eren er	
4. The well or other source is located 300	0.0 ft. So. and 1262.0ft. East	t from the NY
corner of Dec 27	(Section or subdivision)	w ·
(If preferable, give di	rtance and bearing to section corner)	
H there is more than one we " e ach :		
being within the N.W. of	must be described. Use separate sheet if necessary. NW of Sec. 27 . Twp. 45	5, ♣ . R. Y W, .
W.M. in the country of Youhill	must be described. Use separate sheet if necessary. NW of Sec. 27 Turp. 45	5, ← , R. Y W, ,
♠	must be described. Use separate sheet if necessary. NW of Sec. 27 Turp. 45	miles
W. M. in the country of Youhill 5. The Protection System Canal or pipe lin in length, terminating in the	must be described. Use separate sheet if necessary. NW of Sec. 27 Turp. 45	
W. M. in the county of Youhill 5. The Pintable System Canal or pipe lin in length, terminating in the	to be of Sec.	miles . Twp
W. M. in the county of Youhill 5. The Pintable System Canal or pipe lin in length, terminating in the	to be of Sec. of Sec. g shown throughout on the accompany	miles . Twp
W. M. in the county of Yamhill 5. The Profession System Canal or pipe lin in length, terminating in the 8. W. M. the proposed location bein The name of the well or other works is	to be of Sec. of Sec. g shown throughout on the accompany	miles . Twp
W. M. in the county of Yamhill 5. The Profession System Canal or pipe lin in length, terminating in the 8. W. M. the proposed location bein The name of the well or other works is	to be of Sec. g shown throughout on the accompany PTION OF WORKS	miles Turp ying map.
W. M. in the county of Yamhill 5. The Profession the System Canal or pipe lin in length, terminating in the W. M. the proposed location bein The name of the well or other works is DESCRIP	to be of Sec. g shown throughout on the accompany PTION OF WORKS	miles Turp ying map.
W. M. in the county of Yamhill 5. The Profession the System Canal or pipe lin in length, terminating in the W. M. the proposed location bein The name of the well or other works is DESCRIP	to be of Sec. g shown throughout on the accompany PTION OF WORKS	miles Turp ying map.
W. M. in the county of Youhill 5. The Profession Canal or pipe lin in length, terminating in the Smallest R. W. M. the proposed location bein The name of the well or other works is DESCRIP 7. If the flow to be utilized is artesian, the supply when not in use must be described.	to be of Sec. of Sec. g shown throughout on the accompany PTION OF WORKS works to be used for the control and	miles Trop ang map. conservation of the
W. M. in the county of Youhill 5. The Profession Canal or pipe lin in length, terminating in the Smallest R. W. M. the proposed location bein E. The name of the well or other works is DESCRIFT The flow to be utilized is artesian, the supply when not in use must be described.	to be to be of Sec. g shown throughout on the accompany PTION OF WORKS works to be used for the control and Give number of wells tunnels etc.	miles Tup Ang map. conservation of the
W. M. in the county of Youhill 5. The Profession Canal or pipe lin in length, terminating in the Smallest R. W. M. the proposed location bein The name of the well or other works is DESCRIP 7. If the flow to be utilized is artesian, the supply when not in use must be described.	to be to be of Sec. g shown throughout on the accompany PTION OF WORKS works to be used for the control and Give number of wells tunnels etc.	miles . Tuep

readgate. At he	adgate: width on	top (at water	line)		feet; width	on botto
	feet; depth of w		feet fo	ill per o		
housand feet.						
(b) At	n	niles from he	adgate: width on top (a t water line)	
	feet; width on	bottom	feet; dep	th of water		fe
ırade	feet fall	per one thou	sand feet.			
(c) Lengt	h of pipe,	ft.	.; size at intake,	in.; i	n size at	
rom intake	in.,	; size at place	of use	in.; differe	nce in elevatio	n betwe
ntake an <mark>d place</mark>	of use,	ft	. Is grade uniform?		. Estimate	d capaci
	sec. ft.					
10. If pur	nps are to be used	. give size and	l type			
Give hors	epower and type	of motor or e	ngine to be used			
a pral stream he difference in Asprox ty	location of the woor stream channot elevation between Mile South	el, give the cen the stream	other development wo distance to the nearest bed and the ground:	t point on ea	ich of such ch e source of de	an els e velopm
a wal stream he difference in Asprox ty Surface Surface	location of the woor stream channel elevation between Mile South	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground:	t point on ea surface at th	ich of such ch e source of de	ano els c
a wral stream he difference in Asprox by Surface a Surface	location of the wood stream channed elevation between the South of Pround of Piralian of area to be	ell, tunnel, or cl, give the cen the stream	other development wo distance to the nearest bed and the ground:	t point on easurface at th	ich of such ch e source of de	an els e
a wal stream he difference in Approx ty Surface Surface 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development we distance to the nearest bed and the ground: About Forts-acce Tra	t point on easurface at th	Namber Ac	an els e
a wral stream he difference in Approx by Surface of 12. Locat	location of the wood stream channed elevation between the South of Pround of Piralian of area to be	ell, tunnel, or cl, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	enrols ovelopmo
a wral stream he difference in Approx by Surface of 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development we distance to the nearest bed and the ground: About Forts-acce Tra	t point on easurface at th	Namber Ac	en els e
a wral stream in difference in Aspray y orfice 12 Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	en els e
a wal stream we difference in Approx y orfece 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	envelopm
a wral stream in difference in Approx for for 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	en els e
a wral stream he difference in Approx by Surface of 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	enrols ovelopmo
a wral stream in difference in Approx by Surface of 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	enrols ovelopmo
a wral stream in difference in Approx by Surface of Surface of 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	an els e
a wal stream he difference in Approx by Surface Surface 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	an els e
Surface 12. Locat	location of the woor stream channed elevation between Mile South of Pround of Piralion of area to be Hange Elevation Merchan	ell, tunnel, or el, give the cen the stream	other development wo distance to the nearest bed and the ground is will. River Sell about	t point on easurface at th	Number Ac To Be ling.	an ils a

Kind of originational Perminate Pacture

MUNICIPAL SUPPLY—						
13. To supply the city of	*************************					•
in count	y, having a pres	ent populat	ion of			
and an estimated population of	, i	n 19				
14. Estimated cost of proposed					0	
15. Construction work will beg	in on or before	Louis	me of	Permu	£	
15. Construction work will beg16. Construction work will be c	completed on or b	pefore O	ct,	1957		
17. The water will be complete	ely applied to the	proposed u	se on or befo	re Och	1,195	F.
18. If the ground water suppl cation for permit, permit, certificate	ly is supplement	tal to an ex	isting water	supply, iden	itify any ap	opli-
applicant. None		***************************************				•
		5	f Di	Land		
Remarks:			/(Signature	of applicant)		
	•					

		-				
$\begin{array}{ccc} \text{TFATE} & \text{ODERTGON} & \text{A} \\ & \text{SS}, & \text{SS}, & \text{A} \end{array}$						
Everythe corthly that I have a	aramined the fo	regoina on	dicarion roas	ther with th	ne accombar	nyi ng
or following return the same					·	. 3
The Committee of the State of t	101	· • · • • ·				
in ender to eath out priority			eturned to the	State Engir	neer with or	rrec-
where the constant constant $\mathcal{L}(X_{ij}^{(i)}, \overline{\Sigma})$. 1	19 De l				
WITNESS regulated thas **	the day of	Jui 6			.19 **	
		1.5010 A	. NAMEN			
					STATE ENG.	SEEE

Trever Cones, Secistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		rein gran					·				• •				
shall not ex source of a															07
The	use to u	vhich this	water	is to l	be ap	plied	_{is} ir	igati on	<u> </u>	••••••				•••	•
If fo	or irrigat	ion, this a	ірргорг	iation	shal	l be li	mited to	, 1/80			of on	e cubi	c foot p	er seco	md
or its equi	valent fo	or each ac	cre irriç	gated	and :	shall l	e furth	er limited	i to a d	livers	ion o	f not t	o excee	2 2 2	
acre feet p	per acre	for each	acre irr	rigate	d du	ing th	ne irrigo	ition seas	on of	each	year	;			
							• · · · ·			,				•	
										····		•••			
								•••							
						*									

and shall	be subie	ct to such	ı reason	iable :	rotati	ion su	stem as	may be o	rdere	d bu:	the p	roper	state of	ficer.	
inebalem	permitt uplete re	ee shall i	nstall a the amo	ind m nint o	ainta f gro	in a u	veir, me vater wi	ter, or oth	ier sui	itable			device.	and sh	iall
		truction 1							June		19	7		and si	b.,.!?
					•		•	ı ;					, .		11111
orio de Partido Villa de		see ded u												19 ⁵⁷	
		ori estio n					ppo red u		ie mad	le on	o r be			1 15	
11.1	7N+88)	999. h 19 0 i 1	this 4	25th	da	y of		្យារបទ	i It fo	٠ . ن	1.4	19 5			
									\$ W	(Ta	<i>.</i>	J 41	•	ENGINE	ER
	PERMIT	APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon.	In day of June	10: 2 dictock A. M.	Returned to applicant:				Recorded in book No.	Ground Water Permits on page 259	HEMINIONAL MITATA	Praisage Barn No. 4 page 91 H	State Protons Ports