APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Fred E. Davis (Name of applicant)	
of Route 1. Bcho , county of U	matilla,
state of Oragon , do hereby make application for a p following described ground waters of the state of Oregon, SUBJECT TO EXIST	
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source	of water development is
situated Butter Creek (Name of stream)	
tributary of	
2. The amount of water which the applicant intends to apply to beneficial feet per second or	use is cubic
3. The use to which the water is to be applied is irrigation (Su	plemental)
4. The well or other source is located . ft and ft	from the
corner of (Section or subdivision)	······································
North 84° 18' 30" West - 2340.0 feet to the NW corne (If preferable, give distance and bearing to section corner)	r of section 19
being within the NE 1 NW of Sec. 19, Twp.	•
W. M., in the county of Umatilla	
5. The to be	miles
in length, terminating in the	Twp.
R	npanying map.
6. The name of the well or other works is	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control supply when not in use must be described.	l and conservation of the
••••••••••••••••••••••••••••••••••••••	
8. The development will consist of	having o
diameter of inches and an estimated depth of 20 feet. It	is estimated that
feet of the well will require	; is estimated 10. (Feet)

dgate. At head	gate: wiath on top	(at water ur	ne)	feet; width on bott
1	eet; depth of water	•	feet; grade	feet fall per o
usand feet.				
		s from heads	gate: width on top (at water l	ine)
			feet; depth of wat	
	feet fall per			
			size at intake, ir	ı.; in size at
			use in.; dif	
			Is grade uniform?	
		•		•
		ve size and t	ype 4" centrifigal	
10. 1) punt				
Give horse	power and type of t	motor or eng	rine to be used .25 H. P. ga	
	······································			
tural stream of difference in	or stream channel, elevation between	give the di the stream l	ther development work is lesstance to the nearest point of bed and the ground surface of the sur	n each of such channels
tural stream o	or stream channel, elevation between	give the di the stream	stance to the nearest point of bed and the ground surface of lace of use	n each of such channels at the source of develops
itural stream o	or stream channel, elevation between	give the di the stream	stance to the nearest point o	n each of such channels at the source of develops
tural stream of edifference in 12. Locat	ion of area to be irr	give the di the stream l	stance to the nearest point of bed and the ground surface of lace of use	n each of such channels at the source of develops
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream l	stance to the nearest point of bed and the ground surface of lace of use	Number Acres To Be Irrigated
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or pl	stance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract	Number Acres To Be Irrigated 20 A 40 A 20 A
12. Locat	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream igated, or pi	stance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract NE - NW SE - NW	Number Acres To Be Irrigated 20 A 40 A
12. Locat	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
12. Locat	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A
tural stream of edifference in 12. Locat Township N. or S.	ion of area to be irr Range Z. or W. of Williamette Meridian	give the di the stream rigated, or p	stance to the nearest point of bed and the ground surface of the s	Number Acres To Be Irrigated 20 A 40 A 20 A

MUNICIPAL SUPPLY—	
13. To supply the city of	······································
t county,	having a present population of
md an estimated population of	in 19
ANSWER OTTERT	IONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed w	orks, \$.3.990.00
15. Construction work will begin	on or before 2-10-64
16. Construction work will be con	npleted on or before3=30=64
17. The water will be completely	applied to the proposed use on or beforeOctober 1964
•	is supplemental to an existing water supply, identify any appli
ation for permit, permit, certificate of	or adjudicated right to appropriate water, made or held by th
pplicant. #G - 438	
•	v 7 110 6 -1
	(Signature of applicant)
Remarks:	
	······································
	······································
	······································
	·····
TATE OF OREGON,	
County of Marion,	
This is to cortifu that I have ere	amined the foregoing application, together with the accompanyin
naps and data, and return the same for	·
<u>:</u>	
In order to retain its priority, th	is application must be returned to the State Engineer, with correc
ions on or before	
	•
WITNESS my hand this	day of, 19
,	
	STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

				which can be applied to	on from the well or
source of app	p ropri ation, or its e	quivalent in case of rot	ation with o	other water users, from	A well
The u	se to which this w	ater is to be applied is	Supplem		
		ropriation shall be lim		/80th of one cu	ibic foot per second
acre feet pe	er acre for each act	re irrigated during the	irrigation :	season of each year;	provided further
		•••••••	••	and and shall not	
limitati	on allowed here	ein,	······································		
				be ordered by the prop	
the works: The line, adequ	shall include prope works constructed late to determine to permittee shall ins	r capping and control shall include an air li vater level elevation i	valve to pro ne and pres in the well o eir, meter, o	т other suitable measur	s port for measuring
mı				February 24, 1964	
	priority date of thi	s permit is ork shall begin on or b	efore	May 1, 1965	and shall
				ompleted on or before	
				all be made on or befor	
	· · · · · · · · · · · · · · · · · · ·	1e+	L.		1964
				head my	STATE ENGINEER
71		ار تا سو	:	*	: : \
Application No. G-2786. Permit No. G-3547	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Kill day of the Livity on the Kill day of the Livity of the Kill o'clock A. M.	Returned to applicant:	Approved: Nay 1, 1964. Recorded in book No. 10	Ground Water Permits on page CHRIS L. WHEELER STATE ENGINEER Drainage Basin No. 7 page 5.3 State Printer