

Permit No. G- 2601

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ralph A Case (Name of applicant) of Star Rt Box 30 B St. Paul, (Postoffice Address), county of Marion, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Jim Cooke Well (Name of stream)

tributary of Champney Creek

2. The amount of water which the applicant intends to apply to beneficial use is 560 cubic feet per second or 560 gallons per minute.

3. The use to which the water is to be applied is Row Prop

4. The well or other source is located 855.28 ft. S 0° 17' 14" and 3300.00 ft. N 85° 1' from the NE corner of between Sections 21 and 22, T 45 R 2 W. W. M. Marion County Oregon. (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of SW 1/4 of Sec. 21, Twp. 45, R. 2 W. W. M., in the county of Marion

5. The Portable (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Case Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well (Give number of wells, tunnels, etc.) having a diameter of 16 inches and an estimated depth of 161 feet. It is estimated that all feet of the well will require 0.250 G.V. Steel casing. Depth to water table is estimated 41 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 50 HP LINE BOWLER TURBINE 6"

Give horsepower and type of motor or engine to be used 50 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T4S	R2W	16	SE. OF S.W.	2.76
T4S	R2W	16	SW. OF S.W.	2.76
T4S	R2W	16	SW. OF SE.	2.76
T4S	R2W	16	SE. OF SE.	0.92
T4S	R2W	17	SE. OF SE.	0.37
T4S	R2W	20	NE. OF NE.	5.22
T4S	"	20	NE. OF S.E.	0.55
T4S	"	20	SE. OF NE.	5.50
T4S	"	21	SW. OF NW.	34.50
T4S	"	21	SE. OF NW.	33.95
T4S	"	21	N.W. OF NW.	32.32
T4S	"	21	N.E. OF NW.	32.32
T4S	"	21	N.W. OF N.E.	30.85
T4S	"	21	S.W. OF N.E.	19.71
T4S	"	21	N.E. OF N.E.	2.93
T4S	"	21	N.W. OF S.W.	37.80
T4S	"	21	N.E. OF S.W.	39.64
T4S	"	21	SW. OF S.W.	9.18
T4S	"	21	SE. OF S.W.	9.72
T4S	"	21	N.W. OF S.E.	33.42
T4S	"	21	N.E. OF S.E.	27.52
T4S	"	21	S.E. OF S.E.	5.32
T4S	R2W	21	S.W. OF SE.	9.54

(If more space required, attach separate sheet)

~~33~~ 56

Character of soil

Kind of crops raised


MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before *well complete*
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before *complete*

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.



Ralph A. Coase
(Signature of applicant)

Remarks: *Every thing south of road is under well which has been Regs.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Case Well

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 5, 1964

Actual construction work shall begin on or before May 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 1st day of May, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. G-2771
Permit No. G-2661

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5 day of March, 1964, at 2:20 o'clock P. M.

Returned to applicant:

Approved: May 1, 1964 10 of
Recorded in book No. 2601
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 767.