

RECEIVED
FEB 20 1924
STATE ENGINEER
SALEM, O.

Permit No. G-2616

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Ontario, Oregon (Name of applicant)

of 241 S.W. 1st St., Ontario, county of Malheur, state of Oregon

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

February 1899

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Malheur River (Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 650 cubic feet per second or 650 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located Well No. 3 3224.5 ft. SO. and 2117.5 ft. West from the N.E. corner of Sec. 7, R. 18S., R. 47E. W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

Well No. 2 - 1349 ft. So. and 1210 ft. W. from the N.E. Corner (If there is more than one well, each must be described. Use separate sheet if necessary) being within the NW 1/4, SE 1/4 & SW 1/4, NE 1/4 of Sec. 7, Twp. 18S., R. 47E. W. M., in the county of Malheur

5. The Pipe Line (Canal or pipe line) Well No. 2 - 0.08 to be Well No. 3 - 0.50 miles in length, terminating in the Well #2-SW 1/4 NE 1/4; Well #3-SE 1/4 NW 1/4 of Sec. 7, Twp. 18S. R. 47E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 2 = IR - 7; Well No. 3 = IR-8

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells (Give number of wells, tunnels, etc.) having a diameter of #2=12"; #3=14 inches and an estimated depth of 47 feet. It is estimated that 47 feet of the well will require Steel (Kind) casing. Depth to water table is estimated 25 (Feet) below ground surface

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, Well #2=400 ft.; size at intake, Well #2=4 in.; in size at Well #2=0' ft. from intake Well #3=8 in.; size at place of use Well #3=8 in.; difference in elevation between intake and place of use, Well #2 = level Well #3 = 2 ft. Is grade uniform? Yes Estimated capacity, Well #2 = 0.33 Well #3 = 1.34 sec. ft.

10. If pumps are to be used, give size and type Well #2 - 150 G.P.M., 4"x4", Jacuzzi: 8LSZ2 Well #3 - 600 G.P.M., 6" x 6", Jacuzzi: 10MSZ2

Give horsepower and type of motor or engine to be used Well #2 = 3 H.P., 3 Ø, 220 Volt, U.S. Well #3 = 15 H.P., 3 Ø, 220 Volts, U.S.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S.	47 E.	7	SE $\frac{1}{4}$ NE $\frac{1}{4}$	12.9
18 S.	47 E.	7	SW $\frac{1}{4}$ NE $\frac{1}{4}$	11.3
18 S.	47 E.	7	SE $\frac{1}{4}$ NW $\frac{1}{4}$	16.8
18 S.	47 E.	7	NE $\frac{1}{4}$ SE $\frac{1}{4}$	8.5
18 S.	47 E.	7	NW $\frac{1}{4}$ SE $\frac{1}{4}$	15.9
18 S.	47 E.	7	NE $\frac{1}{4}$ SW $\frac{1}{4}$	22.6
18 S.	47 E.	7	NE $\frac{1}{4}$ NW $\frac{1}{4}$	1.7

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Turf and Trees only

MUNICIPAL SUPPLY--

12. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3000.00
- 15. Construction work will begin on or before February 15, 1964
- 16. Construction work will be completed on or before March 15, 1964
- 17. The water will be completely applied to the proposed use on or before May 31, 1964

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. U-660

CITY OF GONWATER, OREGON
by: John [Signature] City Supt.
(Signature of applicant)

Remarks: The two wells are presently drilled and cased. The work to be done, as well as the intent of this application, is to install pumps on the wells, and put the wells into production. The water will be used to sprinkle the tees, greens, and fairways of the new Municipal Golf Course, by first pumping the water into lakes and from the lakes into the sprinkling system.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 1, 19 64.

WITNESS my hand this 30th day of March, 19 64.

CHRIS L. WHEELER
STATE ENGINEER
By: [Signature] ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.12 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from wells Nos. 2 and 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same lands, and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 6, 1964

Actual construction work shall begin on or before June 15, 1965 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of June, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. G-2792
Permit No. G-2616

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of March, 1964, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

June 15, 1964

Recorded in book No. 10 of

Ground Water Permits on page 2616

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 10 page 46