## 2653 Prmit No. G.

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

1, ANTON J PIRKL (Name of applicant)
of RT. 3, Box 206, MOLALLA, county of Chackamas
state of ORE SOL
state of ORESON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1 0:
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated BEAR CREEK
(Name of stream)
tributary of Rock Creek
2. The amount of water which the applicant intends to apply to beneficial use is <b>O. 375</b> cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is   RRIGATION
4 The well and the second seco
4. The well or other source is located ft and ft from the
corner of 5 125 E, 3282 FEET FROM THE N.W. CORNER OF
SECTION 1, T.55-R. IE, W.M.  (If preferable, give distance and bearing to section corner)
(If there is more than one we', each must be described. Use separate sheet if necessary)
being within the NWA SWA of Sec. 1 Twp. 55 R. 1E
W. M., in the county of MINING CLACKAMAS
5. The to be miles
(Canal or pipe line)
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
8. The development will consist of ONE WELL having a
diameter of 6 inches and an estimated depth of 81 feet. It is estimated that 80
feet of the well will require STEEL casing. Depth to water table is estimated 40 (Feet)

,		op (at water	line)	feet; width or
			feet; grade	
and feet.	•			•
(b) At		iles from hea	dgate: width on top (at water l	ine)
			feet; depth of wate	
	feet fall			
(c) Length	ı of pipe,	ft.;	size at intake, in	.; in size at
			f use in.; diffe	
			Is grade uniform?	
	sec. ft.			
10. If pum	ps are to be used,	give size and	type 6 c gale per 3 HP	menut v
i in	intake -	2 a	3 HP	
Gine horse	nowar and tome of		ine to be used 3 H.P. E	
orde norse	power and type of	motor or eng	nne to be used JH.P.	LECTRK
ference in	elevation between	the stream b	ther development work is less to stance to the nearest point on sed and the ground surface at the standard of	each of such chann the source of devel
ENEU DISTA	elevation between Di	the stream b	stance to the nearest point on sed and the ground surface at a second surface at second surface	each of such chann the source of devel
EAEN  DISTA  2. Locatio	elevation between Di	the stream b	stance to the nearest point on ed and the ground surface at $-ZSFT$ .	each of such chant the source of development of the source
ference in ENEV DISTA	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a sed and the ground surface of use	each of such chant the source of devel 770 FT.
EAEU  DISTA  Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEU  DISTA  Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEU  DISTA  Location  Company  N. or S.	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEU  DISTA  Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEN DISTA 2. Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEU  DISTA  Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEN DISTA 2. Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEU  DISTA  Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEN DISTA 2. Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEU  DISTA  Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour
EAEN DISTA 2. Locatio	elevation between DATION DI	the stream b	stance to the nearest point on sed and the ground surface at a	each of such chant the source of development of the source of development of the source of development of the source of the sour

UNICIPAL SUPPLY—  13. To supply the city of	
	county, having a present population of
d an estimated population of	in 19
ANSWEE	R QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of pro	oposed works, \$ 15000
	ill begin on or before COMPLETED
16. Construction work w	ill be completed on or before COMPLETED
	mpletely applied to the proposed use on or before October - 196
18. If the ground water	supply is supplemental to an existing water supply, identify any appl tificate or adjudicated right to appropriate water, made or held by the
oplicant	
	galan ) Pale
Remarks:	REPRESENTE OF REPRESENTS
••••••	
	······································
	•
	•
STATE OF OREGON, Ss.	
County of Marion,	
This is to certify that I	have examined the foregoing application, together with the accompanyi
naps and data, and return the	e same for
· · · · · · · · · · · · · · · · · · ·	
In order to retain its p	riority, this application must be returned to the State Engineer, with corr
tions on or before	, 19
•	
WITNESS mu hand this	• day of
writebb my nana thi	s day of, 19, 19
	•
	STATE ENGINE

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		d is limited to the amou	·		•	
		equivalent in case of ro			_	well
The	use to which this u	vater is to be applied is	······································	irrigation		
If fo	or irrigation, this ap	propriation shall be lim	ited to	1/80th of	one cubic foot	per second
or its equi	valent for each acre	e irrigated and shall be	further lin	iited to a diversio	n of not to exce	ed 2½
acre feet p	per acre for each ac	re irrigated during the	irrigation	season of each ye	ar;	
•••••						
•••••			•••	•••••		·····
			••			
				L J J L AL		
	•	easonable rotation syst d as necessary in accor	_	-	•	
the works	shall include prope	er capping and control shall include an air li	valve to pro	event the waste o	f ground wate	<b>r</b> .
line, adeq	uate to determine	water level elevation i stall and maintain a we	n the well d	it all times.		J
keep a cor	nplete record of the	e amount of ground wo	iter withdra	ion.	seasuring acom	e, and snatt
The	priority date of thi	is permit is		May 6, 196	54.	
		ork shall begin on or be				. and shall
		th reasonable diligence			•	
		of the water to the prop				
	TNESS my hand th				, 19.64	-,
	·	<i>,</i>		elec 1	while	<del>,</del>
					STAT	E ENGINEER
		the gon,		1	<sup>5</sup> ↔	
	GROUND	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the $6 \frac{m}{A}$ day of $N/AA$			, 265; B	M J
556 53		eceiv		4	64 64	page .
5.2	E Had	134 1		1964	on page	] <u>&amp;</u>
70.		This instrument was first of fice of the State Engineer at on the $6^{\frac{1}{2}}$ day of $M=4$ .  1964, at $6.00$ o'clock $A$ .	ţ;	31,	Ground Water Permits on page CHRIS L. WHEELE	to R
tion No. G		nent te En day o	Returned to applicant:	July	necorded in book No. hund Water Permits or CERIS L. Y	Drainage Basin No. A
Application Permit No.	P APPROPH WATERS OF	strum strum ste Sta	o app		ater CE	ge Ba
Ap Pe	TO AI	This inst of the on the 6 th on the 6 th 1964, at 6	rned 1	Approved	nd W	raina
	H	office	Retu	Аррт	Grou	
		•	<b>-</b> ``			