

RECEIVED
MAY 10 1964
STATE ENGINEER

Permit No. G-2664

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Dewey W. West, Jr., as Mayor of and for the City of Boardman

(Name of applicant)

of Boardman, county of Morrow

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

City of Boardman, a municipal corporation, incorporated 1927

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia River

(Name of stream)

tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 2.0 cubic feet per second or 900 gallons per minute.

3. The use to which the water is to be applied is domestic, commercial, industrial use, and incidental lawn and garden irrigation, all as part of general municipal use.

4. The well or other source is located ft. and ft. from the corner of

(N. or S.)

(E. or W.)

(Section or subdivision)

N 20°05'E, 2171 feet from the SW corner of Section 9, T4N, R25E, W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 9, Twp. 4N, R. 25E, W. M., in the county of Morrow

5. The to be miles in length, terminating in the of Sec. , Twp. R. , W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Well No. 1-64

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 10 inches and an estimated depth of 500 feet. It is estimated that 200 feet of the well will require steel casing. Depth to water table is estimated to vary from 40 to 60 feet but expected to be fairly constant at about 30 feet after completion of the John Day Dam in 1968.

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 8-inch, multi-stage submersible turbine pump

Give horsepower and type of motor or engine to be used 40 horsepower, electric submersible

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use (see also Exhibits A, B, and C)

Township N or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	25 E	8	NE1/4 SE 1/4	30.0 <i>Municipal use</i>
4N	25 E	9	NW1/4 SW1/4	40.0 "
4N	25 E	9	NE1/4 SW1/4	22.5 "
4N	25 E	9	SW1/4 SW1/4	11.7 "
4N	25 E	9	SE1/4 SW1/4	5.5 "
4N	25 E	9	SW1/4 NW1/4	2.2 "
NOTE: Above describes the area of general municipal use for the initial development of the City.				

(If more space required, attach separate sheet)

Character of soil silty sand
 Kind of crops raised lawns and gardens incidental to general municipal use

MUNICIPAL SUPPLY—

13. To supply the city of Boardman
in Morrow county, having a present population of 240
and an estimated population of 700 in 1977

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 40,000.00
- 15. Construction work will begin on or before 1 July 1964
- 16. Construction work will be completed on or before 1 January 1965
- 17. The water will be completely applied to the proposed use on or before 1 January 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

D. Libby W. West
(Signature of applicant)

Remarks: See Exhibit A

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before , 19

WITNESS my hand this day of , 19

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 1-64

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 20, 1964

Actual construction work shall begin on or before July 31, 1965 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 31st day of July 1964

Chris L. Wheeler

STATE ENGINEER

Application No. G- 2863
Permit No. G- 2664

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of May 1964, at 8.00 o'clock A. M.

Returned to applicant:

Approved:

July 31, 1964

Recorded in book No. 10 of

2661

Ground Water Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 7 page 53

State Printing