

RECEIVED
JUN 8 1964
STATE ENGINEER
SALEM, OREGON

Permit No. G- **2703**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Fairview Cemetery District
(Name of applicant)
of Seiser, Idaho St. 3, county of Malheur,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

June 9, 1955 Under Oregon Laws 1947, Chapter 409.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Snake River Near Seiser, Idaho
(Name of stream)
tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 1/2 cubic feet per second or 255 g.p. gallons per minute.

3. The use to which the water is to be applied is Irrigating cropland
Law

4. The well or other source is located ft. and ft. from the corner of
(N. or S.) (E. or W.)
(Section or subdivision)
S 54° 27' E a dist of 359.8 feet from the NW Cor
(If preferable, give distance and bearing to section corner)
Lot 5 (SW 1/4) Sec. 33, T15S, R47E
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the Lot 5 (SW 1/4) of Sec. 25, Twp. 15S, R. 17 W. M., in the county of Malheur

5. The Portable Sprinkler to be miles
(Canal or pipe line)
in length, terminating in the of Sec. , Twp.
(Smallest legal subdivision)
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Fairview Cemetery well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one 11 having a
(Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 25 feet. It is estimated that 25
feet of the well will require WC 11 casing. Depth to water table is estimated 20
(Kind) (Feet)

2703

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; in size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

10. If pumps are to be used, give size and type ... Turbine ... 150 ...

Give horsepower and type of motor or engine to be used ... Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entry: Township 10 S, Range 47 E, Section 33, Forty-acre Tract 33 (SW SW), Number Acres To Be Irrigated 1.

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before *Completed*
- 16. Construction work will be completed on or before *Completed. see Remarks*
- 17. The water will be completely applied to the proposed use on or before August 21, 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Paul A. Swander Sec.
(Signature of applicant)

Remarks: On May 10, 1955 the construction on the well was started, it was finished May 14, 1955. It's location is: Commencing at the N. W. corner of the lot 5 in Sec. 15 of Township 15 S., Range 47 E. of the 1st. Meridian and running thence N. along the E. line of said lot 5 a distance of 25 rods thence E. and parallel with the E. line of said lot a distance of 25 rods; thence S. and parallel with the E. line of said lot a distance of 20 rods to the E. line of said lot 5; thence S. along said E. line a distance of 25 rods to the E. line of lot 5.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 21, 1964

WITNESS my hand this 22nd day of June, 1964

RECEIVED
AUG 5 1964
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

Walter J. Long
ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Fairview Cemetery Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 8, 1964

Actual construction work shall begin on or before October 12, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 12th day of October, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. G-28804
Permit No. G-2703

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of June 1964, at 1:00 o'clock P. M.

Returned to applicant:

Approved: October 12, 1964

Recorded in book No. 2703 of Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 10 page 40