Permit No. G. 2708

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

1, Orcgan State Highway Commission
of Landscape Sec. Lonstruction Div. State they, country of Marion,
state of Organ, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Gettings Creek (Name of stream)
tributary of unknown
2. The amount of water which the applicant intends to apply to beneficial use is
posemutuse syt.
3, The use to which the water is to be applied is irrigation and drinking
Water supply) for Gettings Creek Safety Rest Area
4. The well or other source is located 380 ft. 5 and 1460 ft. E from the NW
corner of Sec. 11 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one we' each must be described. Use separate sheet if necessary)
being within the NE /4 NW/4 of Sec. 11 . Twp. 205, R. 3 W,
W. M., in the county of Lane
5. The pipe line (main supply) to be approx 400 miles
in length, terminating in the NE /4 NW/4 of Sec. // Twp. 20 5.
R. 3 W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Gettings Creek Safety Rest Are
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
8. The development will consist of one shalled well having a
diameter of 6. inches and an estimated depth of 150 feet. It is estimated that 150.
feet of the well will require Steel casing. Depth to water table is estimated under terminate to the second
(Kind) (Feet)

me. At new	igate. Wiain on top	) (at water t	ine)	Jeer, widen on corron
	feet; depth of wate	er	feet; grade	feet fall per one
ind feet.				
(b) At	mil	es from head	lgate: width on top (at water li	ne)
······································	feet; width on b	ottom	feet; depth of wate	r feet;
•••••	feet fall pe	er one thous	and feet.	
(c) Length	of pipe,	ft.;	size at intake, in.	; in size at ft.
ntake	in.; si	ize at place o	f use in.; diffe	erence in elevation between
and place	of use,	ft.	Is grade uniform?	Estimated capacity.
••••••	sec. ft.			
10. If pum	ps are to be used, g	rive size and	type	
Give horse	power and type of	motor or en	gine to be used	······································
fference in	elevation between	the stream	bed and the ground surface at	
ifference in	elevation between	the stream	bed and the ground surface at	the source of development
ifference in	elevation between	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	the stream	bed and the ground surface at	the source of development
12. Locati	on of area to be irr	rigated, or p	bed and the ground surface at	the source of development

county	, having a present population of
l an estimated population of	
	•
	THORS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed t	1111 1011
15. Construction work will begin	n on or before 14/4/5 /964 (uell & for
16. Construction work will be co	om or before 1919 15 1964 (uell & formalisted on or before Aug 15 1964 (uell & formalisted)
17. The water will be completely	ly applied to the proposed use on or before 12.44.22
<ol> <li>If the ground water supply ion for permit, permit, certificate</li> </ol>	y is supplemental to an existing water supply, identify any apple or adjudicated right to appropriate water, made or held by the
plicant	
	exption other than attached
Remarks: Legal des	exption other than attached
map will be fum	rished if necessary
· · · · · · · · · · · · · · · · · · ·	
	······································
	•
	······································
TATE OF OREGON, County of Marion,	•
County of Marion,	
	examined the foregoing application, together with the accompanyi
aps and data, and return the same	forcompletion
In order to retain its priority,	, this application must be returned to the State Engineer, with corr
ions on or beforeSepter	mber 17, 19.64.
WITNESS my hand this17	th day of July , 19 64

STATE EMGINEER BY WOLLD STATE AMELSTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	d is limited to the am cubic feet per sec					
		•				
ise to which this u	vater is to be applied	is irrigat	ion			
er acre fo <b>r each ac</b>	ere irrigated during t	ne irrigation i	season of each y	eat;		•
•••••••••••••••••••••••••••••••••••••••	······································		*****	•. ,		•
				**, * , * , * , * , * , * , * , * , * ,		•
•••••	•					
• • • • • • • • • • • • • • • • • • • •		•••••				•
		******				•
			he ordered hu ti	o nroner s	tate officer	
shall include prop works constructed	er capping and contro I shall include an air	ol valve to pro line and pres	event the waste ssure gauge or a	of ground	water.	
normittee shall in	stall and maintain a	weir, meter, o	r other suitable	measuring	device, and shall	l
priority date of th	is permit is	•••••	******	•		
ual construction w	ork shall begin on or	before	October 12,	1965	and shal	ll
					ober 1, 19 66	
nplete application	of the water to the p	roposed use sh	all be made on o	r before O	ctober 1, 19 67	
TNESS my hand th	his 12th day of	Octo	ober	, 19	64 	
			aking	2 ha	STATE ENGINEER	
PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the IV and of the State Engineer A. M.	Returned to applicant:	October 12, 1964.	Recorded in book No. 2708 Ground Water Permits on page	STATE ENGINEER  STATE ENGINEER  Drainage Basin No. 2. page 46.X.	is Printing
	propriation, or its use to which this was irrigation, this appealent for each acres acre for each acres acre for each acres to determine appearance of the priority date of the ual construction was be prosecuted was application TNESS my hand to	propriation, or its equivalent in case of research which this water is to be applied alent for each acre irrigated and shall are acre for each acre irrigated during the subject to such reasonable rotation so well shall be cased as necessary in acceptable include proper capping and contracted to determine water level elevation permittee shall install and maintain a splete record of the amount of ground priority date of this permit is all construction work shall begin on or be prosecuted with reasonable diligeraplete application of the water to the parallel applicat	propriation, or its equivalent in case of rotation with a set to which this water is to be applied is irrigated irrigation, this appropriation shall be limited to alent for each acre irrigated and shall be further limited acre for each acre irrigated during the irrigation is expected acre irrigated during the irrigation is subject to such reasonable rotation system as may well shall be cased as necessary in accordance with shall include proper capping and control valve to provide to determine water level elevation in the well permittee shall install and maintain a weir, meter, or aplete record of the amount of ground water withdress priority date of this permit is all construction work shall begin on or before the prosecuted with reasonable diligence and be complete application of the water to the proposed use shall NESS my hand this the state of the proposed use shall shall be application of the water to the proposed use shall shall be application of the water to the proposed use shall shall be application of the water to the proposed use shall shall be application of the water to the proposed use shall shall be application of the water to the proposed use shall shall be application of the water to the proposed use shall be application of the water to the proposed use shall be applied to the proposed use the proposed use the proposed to the proposed to the proposed to the proposed to the propo	propriation, or its equivalent in case of rotation with other water user, use to which this water is to be applied is irrigation  irrigation, this appropriation shall be limited to 1/80th of alent for each acre irrigated and shall be further limited to a diversice acre for each acre irrigated during the irrigation season of each y well shall be cased as necessary in accordance with good practice shall include proper capping and control valve to prevent the waste works constructed shall include an air line and pressure gauge or at eate to determine water level elevation in the well at all times.  permittee shall install and maintain a weir, meter, or other suitable saplete record of the amount of ground water withdrawn.  priority date of this permit is  July 6, 196  be prosecuted with reasonable diligence and be completed on or implete application of the water to the proposed use shall be made on a 12th day of 150 colober 12.	see to which this water is to be applied is irrigation  irrigation, this appropriation shall be limited to 1/80th of one cubic alent for each acre irrigated and shall be further limited to a diversion of not to er acre for each acre irrigated during the irrigation season of each year;  well shall be cased as necessary in accordance with good practice and if the shall include proper capping and control value to prevent the waste of ground works constructed shall include an air line and pressure gauge or an access poute to determine water level elevation in the well at all times.  permittee shall install and maintain a weir, meter, or other suitable measuring uplete record of the amount of ground water withdrawn.  priority date of this permit is  July 6, 1964  account of the water to the proposed use shall be made on or before October 12, 1965  TNESS my hand this 12th day of October 19	re subject to such reasonable rotation system as may be ordered by the proper state officer.  well shall be cased as necessary in accordance with good practice and if the flow is artesian shall include proper capping and control valve to prevent the waste of ground water.  works constructed shall include an air line and pressure gauge or an access port for measuring tate to determine water level elevation in the well at all times.  permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall applete record of the amount of ground water withdrawm.  priority date of this permit is  July 6, 1964  all construction work shall begin on or before  October 12, 1965  and stall be prosecuted with reasonable diligence and be completed on or before October 1, 19  667  TNESS my hand this  12th  day of  October 1, 19  664  October 1, 19  664