

Permit No. G- 2715

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Dan A. Neil
(Name of applicant)
of RT #1 Box 309 Woodburn, county of Marion
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated CASE Creek
(Name of stream)

tributary of WILLAMETTE River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 280 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 240 ft. North and 160 ft. West from the S.E.
(N. or S.) (E. or W.)
corner of Section 34, T. 4 S R. 2 W. W. M. Marion County, Oregon.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SE 1/4 of Sec. 34, Twp. 4 South, R. 2 West,
W. M., in the county of Marion

5. The Pipe Line to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. 35, Twp. 4 South,
(Smallest legal subdivision)
R. 2 West, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Metal Cap with 4" gate valve.

8. The development will consist of ONE WELL having a
(Give number of wells, tunnels, etc.)
diameter of 10' inches and an estimated depth of 105 feet. It is estimated that
feet of the well will require Steel perforated casing. Depth to water table is estimated 57
(Kind) (Feet)

2715

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2370 ft ft.; size at intake, 6" in.; in size at 1140 ft. from intake 5" in.; size at place of use 6" + 5" in.; difference in elevation between intake and place of use, 20 ft ft. Is grade uniform? NO Estimated capacity, 440 GPM with 40' draw down. sec. ft.

10. If pumps are to be used, give size and type 30 hp turbine with 60 ft head setting

Give horsepower and type of motor or engine to be used 30 hp oil lubricated turbine pump with Newmar 3 Phase Electric Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

well is 39 ft from stream bed
Point is 5 ft

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 South	2 West	34	S.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$	10.24
4 South	2 West	34	N.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$	4.32
4 South	2 W	35	S.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	28.45
4 South	2 W	35	N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	10.47
4 South	2 W	35	N.E. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	2.02
4 South	2 W	35	S.E. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	18.28
5 South	2 W	2	N.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	1.24
				55.

(If more space required, attach separate sheet)

Character of soil Willamette Silt

Kind of crops raised CANARY Row Crop + pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....
15. Construction work will begin on or before *Completed*.....
16. Construction work will be completed on or before *Completed*.....
17. The water will be completely applied to the proposed use on or before *Oct 1 - 1966*.....
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Dan Merrill
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.84 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from A well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 22, 1964

Actual construction work shall begin on or before October 12, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 12th day of October, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. G-2925

Permit No. G-2715

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22nd day of July,
1964, at 2:50 o'clock P. M.

Returned to applicant:

Approved:

October 12, 1964

Recorded in book No. 2715
Ground Water Permits on page 96X

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 96X

State Printing