

RECEIVED
JUL 1 1954
STATE ENGINEER
LEW. O.

Permit No. G-2730

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, GREEN VILLA FARMS, a partnership
(Name of applicant)
of Route I Box 257 Independence county of Polk
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION OF
AGRICULTURAL CROPS

4. The well or other source is located 726 ft. South and 726 ft. East from the 1/4
(N. or S.) (E. or W.)
corner of on the North line of Section 36, T. 7 S., R. 4 W. of the
(Section or subdivision)
Willamette Meridian
(If preferable, give distance and bearing to section corner)

Northwest ^{If there is more than one well, each must be described. Use separate sheet if necessary.}
QUARTER OF THE
being within the Northeast quarter of Sec. 36, Twp. 7 S, R. 4 W,
W. M., in the county of Polk

5. The None to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Williams # 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 43 feet. It is estimated that 34
feet of the well will require welder 1/4" casing. Depth to water table is estimated 14' 6"
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) none feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 40 h.p. turbine electric

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Approximately 750' to slough of Willamette River (to East).

Slough bed approximately 25' below ground surface.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7S	4W	25	SW 1/4 of SE 1/4	15
7S	4W	25	SE 1/4 of SE 1/4	8
7S	4W	36	NW 1/4 of NE 1/4	40
7S	4W	36	NE 1/4 of NE 1/4	5
7S	4W	36	SW 1/4 of NE 1/4	15
7S	4W	36	NE 1/4 of NW 1/4	20
7S	4W	36	SE 1/4 of NW 1/4	9
7S	4W	25	SE 1/4 of SW 1/4	2

(If more space required, attach separate sheet)

Character of soil Chehalis and Newberg silty clay loam

Kind of crops raised Corn and Blackberries

MUNICIPAL SUPPLY--

13. To supply the city of None

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 1000.00

15. Construction work will begin on or before Completed

16. Construction work will be completed on or before 4-24-64 Completed

17. The water will be completely applied to the proposed use on or before Aug. 1, 1964.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Application # 18456, Permit # 14091

GREEN VILLA FARMS

By James H. Smith Partner
(Signature of applicant)

(Signature of applicant

Remarks:

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 17, 1964.

WITNESS my hand this 17th day of July, 1964.

RECEIVED

SEP 10 1964
STATE ENGINEER
GENERAL RECORD

CHRIS L. WHEELER

STATE ENGINEER

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Williams Well No. 1

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 1, 1964

Actual construction work shall begin on or before November 30, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 30th day of November, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. G-2912

Permit No. G-2730

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 1st day of July
1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 30, 1964

Recorded in book No. 2730
Ground Water Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 96X

State Printing

26